

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

45 Longmeadow Hill Road, Brookfield, Connecticut

J.C.J. # 024401

State Project No.. 018-0044 EA/RR

CONTRACT DOCUMENT PHASE

VOLUME 1 OF 2

for the Town of

BROOKFIELD, CONNECTICUT

May 31, 2005

DAN'S COPY

PROJECT DIRECTORY

ARCHITECT:

JETER, COOK & JEPSON
ARCHITECTS, INC.

450 Church Street
Hartford, CT 06103
Phone: (860) 247-9226
Fax: (860) 524-8067

SITE/CIVIL:

Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:

Disalvo Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL, ELECTRICAL,
PLUMBING & FIRE PROTECTION

Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:

Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

TELECOMMUNICATION:

Project Management Team
75 Berlin Road
Cromwell, CT 06416

CONSTRUCTION MANAGEMENT:


The Morganti Group, Inc.
100 Mill Plain Road
Danbury, CT 06811

**Jeter
Cook &
Jepson**
Architects, Inc.


ABBREVIATIONS

Table of abbreviations for architectural and mechanical terms, including A/C, AB, AC, AD, etc.


DRAWING SYMBOLS




CEILING SYMBOLS




SHEET NUMBERING




MOUNTING HEIGHTS



LINE TYPE & WALL INFILL LEGEND



MATERIALS LEGEND




DRAWING INDEX

Table of contents for drawing sheets, categorized by Volume 1 (General, Architectural, Mechanical) and Volume 2 (General, Site, Mechanical).

GENERAL NOTES



General notes regarding trenching, materials, and construction requirements.

KEY PLAN



Right-hand side of the page containing project information: Revisions, Consultants (Site/Civil, Structural, Mechanical, Food Service), Alterations and Additions to Brookfield High School, State Project No. 018-0044, and Jeter Cook & Jepson Architects, Inc.

REVISIONS:



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN _____
SCALE _____

MORGANTI PHASING & SITE LOGISTICS PLAN

MG.0.0

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Volner Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3570

STRUCTURAL:
Disavo Ericson Group
63 Coppa Hill Road
Fishtown, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-0113




UPPER LEVEL FLOOR PLAN AREA #4

CODE REFERENCE PLAN LEGEND


(101)	ROOM NUMBER	(A)	ACCESSIBLE AREA OR EXIT
875	ROOM OCCUPANCY LOAD AREA IN SQUARE FEET OCCUPANCY LOAD FACTOR	---	1 HOUR FIRE RATED WALL TIGHT TO DECK ABOVE (SMOKE TIGHT)
IP	EXIT CAPACITY	---	2 HOUR FIRE RATED WALL TIGHT TO DECK ABOVE
← 15	DIRECTION OF TRAVEL WITH ACCUMULATED OCCUPANCY LOAD	---	SMOKE TIGHT TO DECK ABOVE. SEAL AROUND ALL PENETRATIONS TO ACHIEVE SMOKE TIGHT CONSTRUCTION.
← 200'	MAXIMUM TRAVEL DISTANCE (T.D.) FROM FURTHEST POINT	F.E.	FIRE EXTINGUISHER

NOTE: 1 DISTANCE TO NEAREST FIRE EXTINGUISHER FROM ANY LOCATION SHOULD NOT EXCEED 75'


NOTE: 2 NO OPEN COAT RACKS ALLOWED IN CORRIDORS.



LOWER LEVEL FLOOR PLAN AREA #6 & #7



LOWER LEVEL FLOOR PLAN AREA #4



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK, NR
SCALE 1/16"=1'-0"

CODE INFORMATION AND EGRESS PLANS AREAS 4, 6 & 7 LOWER / UPPER LEVEL FLOOR / UPPER LEVEL FLOOR EGRESS PLANS

A0.13

REVISIONS:

CONSULTANTS:


SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510

STRUCTURAL:
 D'Alvo Eticon Group
 63 Coopers Hill Road
 Ridgefield, CT 06877


MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 Crabtree Mograph Associates Inc.
 100 Cummings Center, Suite 216C
 Beverly, MA 01915-6115

CODE REFERENCE PLAN LEGEND		
(101)	ROOM NUMBER	(A) ACCESSIBLE AREA OR EXIT
825 20 = 43 P	ROOM OCCUPANCY LOAD AREA IN SQUARE FEET OCCUPANCY LOAD FACTOR	1 HOUR FIRE RATED WALL TIGHT TO DECK ABOVE (SMOKE TIGHT)
IP 185P	EXIT CAPACITY ACTUAL EGRESS OCCUPANCY OF DOOR/ STAIR MAX. ALLOWABLE EGRESS OCCUPANCY OF DOOR OR STAIR OR RAMP	2 HOUR FIRE RATED WALL TIGHT TO DECK ABOVE
← (15)	DIRECTION OF TRAVEL WITH ACCUMULATED OCCUPANCY LOAD	SMOKE TIGHT TO DECK ABOVE. SEAL AROUND ALL PENETRATIONS TO ACHIEVE SMOKE TIGHT CONSTRUCTION.
←---200'---T.D.	MAXIMUM TRAVEL DISTANCE (T.D.) FROM FURTHEST POINT	F.E. FIRE EXTINGUISHER
		NOTE: 1 DISTANCE TO NEAREST FIRE EXTINGUISHER FROM ANY LOCATION SHOULD NOT EXCEED 75'
		NOTE: 2 NO OPEN COAT RACKS ALLOWED IN CORRIDORS.



MAIN LEVEL PARTIAL FLOOR PLAN



**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
 018-0044

**Jeter
 Cook &
 Jepson**
 Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
 P.M. *[Signature]*
 D.P. *[Signature]*
 J.C. *[Signature]*


ISSUE 5/31/05
 JOB 0244.01
 DRAWN RK, NR
 SCALE 1/16" = 1'-0"

CODE INFORMATION
 AND EGRESS PLAN
 MAIN LEVEL PARTIAL
 FLOOR PLAN


A0.14

CODE REFERENCE PLAN LEGEND

Ⓜ	ROOM NUMBER	Ⓜ	ACCESSIBLE AREA OR EXIT
875	ROOM OCCUPANCY LOAD AREA IN SQUARE FEET	---	1 HOUR FIRE RATED WALL TIGHT TO DECK ABOVE (SMOKE TIGHT)
20	OCCUPANCY LOAD FACTOR	---	2 HOUR FIRE RATED WALL TIGHT TO DECK ABOVE
15	EXIT CAPACITY	---	SMOKE TIGHT TO DECK ABOVE. SEAL AROUND ALL PENETRATIONS TO ACHIEVE SMOKE TIGHT CONSTRUCTION.
15	ACTUAL EGRESS OCCUPANCY OF DOOR / STAIR	F.E.	FIRE EXTINGUISHER
15	MAX. ALLOWABLE EGRESS OCCUPANCY OF DOOR OR STAIR OR RAMP	NOTE-1	DISTANCE TO NEAREST FIRE EXTINGUISHER FROM ANY LOCATION SHOULD NOT EXCEED 75'
←10	DIRECTION OF TRAVEL WITH ACCUMULATED OCCUPANCY LOAD	NOTE-2	NO OPEN COAT RACKS ALLOWED IN CORRIDORS.
←200'	T.D.		
←200'	MAXIMUM TRAVEL DISTANCE (T.D.) FROM FURTHEST POINT		



MAIN LEVEL PARTIAL FLOOR PLAN



KEY PLAN

1- SPRINKLER BUILDING MAX. 45% WALL OPENINGS ALLOWED WALL AREA = 901.87 SQ. FT. ALLOWABLE OPENING AREA = 405.84 SQ. FT. ACTUAL OPENING AREA = 105.77 SQ. FT.	2- SPRINKLER BUILDING MAX. 45% WALL OPENINGS ALLOWED WALL AREA = 341.50 SQ. FT. ALLOWABLE OPENING AREA = 153.71 SQ. FT. ACTUAL OPENING AREA = 41.83 SQ. FT.
3- SPRINKLER BUILDING MAX. 45% WALL OPENINGS ALLOWED WALL AREA = 213.28 SQ. FT. ALLOWABLE OPENING AREA = 224.23 SQ. FT. ACTUAL OPENING AREA = 41.4 SQ. FT.	4- SPRINKLER BUILDING MAX. 45% WALL OPENINGS ALLOWED WALL AREA = 498.29 SQ. FT. ALLOWABLE OPENING AREA = 224.23 SQ. FT. ACTUAL OPENING AREA = 62.73 SQ. FT.
5- SPRINKLER BUILDING MAX. 25% WALL OPENINGS ALLOWED WALL AREA = 212.20 SQ. FT. ALLOWABLE OPENING AREA = 53.05 SQ. FT. ACTUAL OPENING AREA = 45.38 SQ. FT.	

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jenson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK, NR
SCALE 1/16" = 1'-0"

CODE INFORMATION AND EGRESS PLAN
MAIN LEVEL PARTIAL FLOOR PLAN

A0.15

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vohler Associates, LLP
2321 Whitney Ave.
Hartford, CT 06103-3510

STRUCTURAL:
Diabolo Ericson Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICES:
Chabtree Mognath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-0173

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044





**Jeter
Cook &
Jepson**
Architects, Inc.

450 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. RK
P.M. WVA
D.P.
J.C. R.K.

ISSUE 5/31/05
JOB 0244.01
DRAWN RK, NR
SCALE 1/16" = 1'-0"

**FIREPROOFING PLANS -
ROOF STRUCTURE AND
AND MAIN LEVEL FLOOR
STRUCTURE**



PUMP HOUSE BUILDING

1. USE GROUP CLASSIFICATION

(PRIMARY) BUSINESS
 (INCIDENTAL) -
 (INCIDENTAL) -

2. CONSTRUCTION TYPE

2C

3. BUILDING HEIGHT (503.0)

ALLOWABLE HEIGHT (STORY/FEET) 2 STORIES-30 FT.
 BUILDING HEIGHT MODIFICATION (504.1) 3 STORIES-50 FT.
 MAXIMUM ACTUAL HEIGHT (STORY/FEET) 16'-0"
 MAXIMUM STORIES ABOVE GRADE 1

4. BUILDING AREA (501.0 - 503.0)

A) GROSS BUILDING AREA:
 NEW CONSTRUCTION 266 S.F.

5. ALLOWABLE AREA TABULATION

PUMP HOUSE

TOTAL PERIMETER =	14 FT.	24 FT.	24 FT.	14 FT.
OPEN PERIMETER =	7 FT.	24 FT.	0 FT.	7 FT.
	N	E	W	S
TOTAL PERIMETER =	76 FT.			
TOTAL OPEN PERIMETER =	38 FT.			
% INCREASE FOR OPEN PERIMETER =	$(\text{TOTAL OPEN PERIMETER} / \text{TOTAL PERIMETER} - 0.25) \times 200 = (38 / 76 - 0.25) \times 200 = 50\%$			

% OF ALLOWABLE TABULAR AREA (TABLE 501)	100 %
% REDUCTION FOR HEIGHT (501.4)	- 0 %
% INCREASE FOR OPEN PERIMETER (502.2)	+ 50 %
% INCREASE FOR FULL FIRE SUPPRESSION (502.3)	+ 0 %
TOTAL PERCENTAGE FACTOR	= 150 %
CONVERSION FACTOR (% FACTOR / 100)	1.5 %

PUMP HOUSE

A) ADJUSTED TABULAR AREA

BUSINESS USE	266	/	1.5	=	177 S.F.
ACTUAL FLOOR AREA FOR EACH USE GROUP		CONVERSION FACTOR		MUST BE ≤	TABLE 503

B) ALLOWABLE AREA

BUSINESS USE	14,400	X	1.5	=	21,600 S.F.
TABULAR AREA		CONVERSION FACTOR			


C) ACTUAL AREA

BUSINESS USE = 266 S.F.

6. MIXED USE - NONE

PLUMBING FIXTURES: PUMP HOUSE


OCCUPANCY	OCCUPANCY LOAD	NON-SIMULTANEOUS OCCUPANCY LOAD	WATER CLOSETS REQUIRED BY TYPE		LAVATORIES REQUIRED BY TYPE		DRINKING FOUNTAINS	SLOP SINKS
			FEMALE	MALE	FEMALE	MALE		
1. BUSINESS								
A. BUSINESS	4	-	1	1	1	1	1	1 PER FLOOR
2. TOTAL FIXTURES REQUIRED			0	0	0	0	0	0
3. TOTAL FIXTURES PROVIDED			0	0	0	0	0	0



MAIN LEVEL KEY PLAN
NOT TO SCALE

CODE REFERENCE PLAN LEGEND

(101)	ROOM NUMBER	(A)	ACCESSIBLE AREA OR EXIT
875 20 = 43 P	ROOM OCCUPANCY LOAD AREA IN SQUARE FEET OCCUPANCY LOAD FACTOR	---	1 HOUR FIRE RATED WALL TIGHT TO DECK ABOVE (SMOKE TIGHT)
100	EXIT CAPACITY ACTUAL EGRESS OCCUPANCY OF DOOR / STAIR MAX. ALLOWABLE EGRESS OCCUPANCY OF DOOR OR STAIR OR RAMP	---	2 HOUR FIRE RATED WALL TIGHT TO DECK ABOVE
←	DIRECTION OF TRAVEL WITH ACCUMULATED OCCUPANCY LOAD	---	SMOKE TIGHT TO DECK ABOVE. SEAL AROUND ALL PENETRATIONS TO ACHIEVE SMOKE TIGHT CONSTRUCTION.
←-200'-T.D.	T.D. MAXIMUM TRAVEL DISTANCE (T.D.) FROM FURTHEST POINT	F.E.	FIRE EXTINGUISHER
		NOTE-1	DISTANCE TO NEAREST FIRE EXTINGUISHER FROM ANY LOCATION SHOULD NOT EXCEED 75'
		NOTE-2	NO OPEN COAT RACKS ALLOWED IN CORRIDORS.



MAIN LEVEL PUMP HOUSE FLOOR PLAN

REVISIONS:
 CONSULTANTS:
SITE/CIVIL:
 Voltraw Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510
STRUCTURAL:
 Disako Eriksen Group
 63 Coppe Hill Road
 Ridgefield, CT 06877
MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840
FOOD SERVICE:
 Crabtree Mograph Associates Inc.
 100 Cummings Center, Suite 216C
 Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
 450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
 P.M. *[Signature]*
 D.P. *[Signature]*
 J.C. *[Signature]*

ISSUE 5/31/05
 JOB 0244.01
 DRAWN RK, NR
 SCALE 1/16"=1'-0"

CODE INFORMATION & EGRESS FLOOR PLAN
 PUMP HOUSE

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2821 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
DiSalvo Erickson Group
85 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
200 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree Mognath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044


Jeter Cook & Jepson
Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 9/31/05
JOB 0244.01
DRAWN RK
SCALE 1"=30'-0"

OVERALL EXISTING FLOOR PLANS

A2.0.1



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2921 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diseño Erickson Group
63 Copee Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-0119

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1"=30'-0"

OVERALL NEW FLOOR PLANS

A2.0.2



- ABBREVIATIONS:**
- ADD. - ADDITION
 - ADMN. - ADMINISTRATION
 - ADD. - AUDIO
 - LAROK - BOOK
 - B.T. - BOY'S TOILET
 - CLSM. - CLASSROOM
 - COMP. - COMPUTER
 - CONC. - CONCESSION
 - CONF. - CONFERENCE
 - COFF. - COFFEE
 - CUST. - CUSTODIAN
 - COR. - CORRIDOR
 - ED. - EDUCATION
 - E - ELECTRICAL
 - ELEV. - ELEVATOR
 - F.P. - FIRE PUMP
 - GEN. - GENERAL
 - G.T. - GIRL'S TOILET
 - HCT. - HANDICAPPED TOILET
 - J. - JANITOR
 - JAN. - JANITOR
 - LIB. - LIBRARIAN
 - LIN. - LUNCH
 - MC. - MACHINE
 - MACH. - MACHINE
 - M.T. - MEN'S TOILET
 - MRS. - NURSE
 - OFF. - OFFICE
 - P.E. - PHYSICAL EDUCATION
 - P.R. - PRACTICE ROOM
 - PREP. - PREPARATION
 - PREV. - PREVIEW
 - RECI. - RECEPTION
 - RES. - RESOURCES
 - RM. - ROOM
 - SCHL. - SCHOOL
 - SHWR. - SHOWER
 - S. - STORAGE
 - SPR. - SPRINKLER
 - ST. - STORAGE
 - STR. - STAIR
 - SUSP. - SUSPENSION
 - S.V. - SPRINKLER VALVE
 - SWGR. - SWITCHGEAR
 - T. - TOILET
 - TOL. - TOILET
 - TRNS. - TRANSFORMER
 - TRMT. - TREATMENT
 - V. - VESTIBULE
 - VLT. - VAULT
 - VEST. - VESTIBULE
 - VID. - VIDEO
 - VOT. - VOTING
 - WOM. - WOMEN'S
 - WR. - WORK ROOM
 - WKRM. - WORK ROOM
 - WT. - WEIGHT
 - WTG. - WAITING




CONSULTANTS:

SITE/CIVIL:
Votaw Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diablo Edison Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cantabee McGrath Associates Inc.
100 Cummings Center, Suite 210C
Beverly, MA 01915-0113




GENERAL NOTES:

- A CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.
- B CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.
- C CONTRACTOR SHALL ADVISE ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.
- D CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILING AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.
- E CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.
- F CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.
- G CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.
- H CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.
- I CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.
- J SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.
- K COORDINATE WORK WITH HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT.
- L "H" SUFFIX AFTER ITEM NUMBER INDICATES HAZARDOUS MATERIAL ABATEMENT.
- M REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
- N REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.

DEMOLITION NOTE LEGEND:

- 1 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.
- 1H REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L)
- 2 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY.
- 2H REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L)
- 3 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.
- 3H NOT USED.
- 4 REMOVE EXISTING DOOR AND FRAME.
- 4A REMOVE EXISTING DOOR. (DOOR FRAME TO REMAIN IN PLACE).
- 4H NOT USED.
- 5 REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES.
- 5H NOT USED.
- 6 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY.
- 6H REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L)
- 7 REMOVE PORTION OF EXISTING WALL FOR NEW DOOR, WINDOW OR WALL OPENINGS.
- 7H NOT USED.
- 8 REMOVE EXISTING WINDOW.
- 8H NOT USED.
- 9 REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.
- 9H NOT USED.
- 10 REMOVE EXISTING LOUVER.
- 11 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL.
- 12 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L)
- 13 REMOVE EXISTING CARPET AND WALL BASE.
- 14 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC AND WALL BASE. (SEE GENERAL NOTE L)
- 15 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC. REMOVE WALL BASE AND GLUE DAMPS FOR WALL BASE. (SEE GENERAL NOTE L)
- 16 REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.
- 17 REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM FOR REPLACEMENT EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
- 18 REMOVE EXISTING WINDOW FOR RETROFIT OF NEW LOUVER IN EXISTING WINDOW FRAME.
- 18A REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACOUSTICAL CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTALL EXISTING CEILING GRID AND EXISTING CEILING TILES. REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.
- 19 REMOVE EXISTING MOVABLE PARTITION.
- 20 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT.
- 21 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L)
- 22 REMOVE ALL EXISTING CONSTRUCTION.
- 23 REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L)
- 24 REMOVE 8'-0" W X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS.
- 25 REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SHOWER VENTS.
- 26 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS.
- 26A REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
- 27 REMOVE EXISTING MARBLE THRESHOLD.
- 28 REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L)
- 29 REMOVE EXISTING DISPLAY CASE.
- 30 REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER.
- 31 REMOVE EXISTING METAL LOCKERS. EXISTING CONCRETE BASE TO REMAIN.
- 32 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 33 REMOVE EXISTING BENCHES.
- 34 REMOVE EXISTING METAL PLATES AND PERIMETER STEEL ANGLE FRAME FROM EXISTING TRENCH.
- 35 REMOVE EXISTING METAL PARTITION.
- 36 REMOVE EXISTING GYMNASIUM BLEACHERS.
- 37 SALVAGE AUDITORIUM SEATING FOR RELOCATION. (SEE DRAWING A2.2.2 & A8.4.5.)
- 38 REMOVE FIXED AUDITORIUM SEATING AND SALVAGE FOR REINSTALLATION AFTER ASBESTOS FLOOR ABATEMENT. (SEE GENERAL NOTE L)
- 39 NOT USED.
- 40 REMOVE EXISTING FLAGSTONE FLOORING.
- 41 REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION.
- 42 REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.
- 43 REMOVE AND SALVAGE EXISTING PROJECTION SCREEN FOR RELOCATION.
- 44 REMOVE EXISTING CASEWORK.
- 45 REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L)
- 46 REMOVE EXISTING CASEWORK AND SINK.
- 47 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L)
- 48 REMOVE EXISTING COUNTER.
- 49 REMOVE EXISTING SHIRLPOOL UNITS.
- 50 REMOVE EXISTING WHIRLPOOL AND SALVAGE FOR OWNER.
- 51 REMOVE EXISTING EQUIPMENT.
- 52 REMOVE AND RELOCATE EXISTING EQUIPMENT.
- 53 REMOVE EXISTING ACOUSTICAL PANELS.
- 54 REMOVE EXISTING SHELVING.
- 55 RELOCATE EXISTING MAILBOXES TO NEW FACILITY ROOM #2609. SEE DRAWING A2.2.6.
- 56 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #2515. SEE DRAWING A2.2.5.
- 57 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACILITY ROOM #2609. SEE DRAWING A2.2.6.
- 58 REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET # 2643. SEE DRAWING A2.2.6.
- 59 REMOVE PROPANE GAS TANK AND BASE.
- 60 REMOVE EXISTING DRINKING FOUNTAIN.
- 61 REMOVE EXISTING ELECTRIC WATER COOLER.
- 62 REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.
- 63 REMOVE EXISTING ELECTRIC PANEL.
- 64 REMOVE EXISTING HEATING UNIT.
- 65 REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
- 66 REMOVE EXISTING TELEPHONE.
- 67 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
- 68 REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.
- 69 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
- 70 REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.
- 71 REMOVE EXISTING METAL ACCESS LADDER.
- 72 REMOVE EXISTING STAR CONSTRUCTION AND HANDRAILS.
- 73 REMOVE EXISTING HANDRAIL.
- 74 REMOVE EXISTING BITUMINOUS PAVED STOOP.
- 75 REMOVE EXISTING GUARDRAIL.
- 76 REMOVE EXISTING WOOD RAMP.
- 77 REMOVE EXISTING CONCRETE STOOPT.
- 78 REMOVE EXISTING WOOD RAMP.
- 79 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOPT AND RAMP.
- 80 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
- 81 REMOVE EXISTING CONCRETE LOADING DOCK AND STAR CONSTRUCTION IN ITS ENTIRETY.
- 82 REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
- 83 REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.
- 84 REMOVE EXISTING PARTIAL HEIGHT WALL.
- 85 REMOVE SECTION OF BASEBOARD HEAT.
- 86 REMOVE EXISTING UNIT VENTILATORS.
- 87 REMOVE EXISTING DUCTWORK. SEE MECH. DRAWINGS.
- 88 REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L)
- 89 REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.
- 90 REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L)
- 91 REMOVE EXISTING WIRE MESH PARTITION.
- 92 REMOVE EXISTING WINDOW BLINDS.
- 93 NOT USED.
- 94 NOT USED.
- 95 REMOVE EXISTING WOOD SOFFIT AND FRAMING ATTACHED TO ROOF STRUCTURE. REMOVE EXISTING LIGHT FIXTURES AND SALVAGE FOR RELOCATION.
- 96 REMOVE EXISTING WOOD WAINSCOT.
- 97 REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L)
- 98 REMOVE AND SALVAGE MAP RAIL FOR RELOCATION.
- 99 REMOVE AND SALVAGE CHALKBOARD FOR RELOCATION.
- 100 REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L)
- 101 REMOVE EXISTING SATTELLITE DISHES AND SALVAGE FOR RELOCATION. SEE DRAWINGS A2.4.6 & A2.4.7.
- 102 REMOVE EXISTING SATTELLITE DISHES AND POLE SUPPORT.
- 103 REMOVE ELECTRONIC GATE AND SALVAGE FOR RELOCATION. SEE DRAWING A2.2.6 AND REFER TO ELECTRICAL DRAWINGS.
- 104 REMOVE EXISTING MIRROR AND SALVAGE FOR RELOCATION.
- 105 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 106 REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.
- 107 CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH SIDES OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4)
- 108 REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
- 109 REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.
- 110 REMOVE EXISTING BITUMINOUS CONCRETE PAVING.
- 111 REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.
- 112 REMOVE EXISTING SHELVING AND SALVAGE FOR REINSTALLATION.
- 113 REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.



STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 4
LOWER LEVEL
DEMOLITION PLAN

A2.14D

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2521 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diabolo Erickson Group
63 Coppes Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cranberry Megrath Associates Inc.
70 Cummings Center, Suite 216C
Beverly, MA 01915-0163

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. [Signature]
P.M. [Signature]
D.P. [Signature]
J.C. [Signature]

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8" = 1'-0"

AREA 6
LOWER LEVEL
DEMOLITION PLAN

A2.16D




GENERAL NOTES:

- A CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.
- B CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.
- C CONTRACTOR SHALL ADVISE ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.
- D CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILING AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.
- E CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.
- F CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.
- G CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.
- H CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.
- J CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.
- K SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.
- L COORDINATE WORK WITH HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT.
- M REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
- N REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.

DEMOLITION NOTE LEGEND:

- 1 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.
- 1H REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L.)
- 2 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY.
- 2H REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L.)
- 3 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.
- 3H REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN. (SEE GENERAL NOTE L.)
- 4 REMOVE EXISTING DOOR AND FRAME.
- 4H REMOVE EXISTING DOOR. (DOOR FRAME TO REMAIN IN PLACE.)
- 4H NOT USED.
- 5 REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES.
- 5H NOT USED.
- 6 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L.)
- 6H REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L.)
- 7 REMOVE PORTION OF EXISTING WALL FOR NEW DOOR, WINDOW OR WALL OPENINGS.
- 7H NOT USED.
- 8 REMOVE EXISTING WINDOW.
- 8H NOT USED.
- 9 REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.
- 9H NOT USED.
- 10 REMOVE EXISTING LOUVER.
- 11 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL.
- 12H REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L.)
- 13 REMOVE EXISTING CARPET AND WALL BASE.
- 14H REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC AND WALL BASE. (SEE GENERAL NOTE L.)
- 15H REMOVE EXISTING METAL LOCKERS, EXISTING CONCRETE BASE TO REMAIN.
- 16H REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 17 REMOVE EXISTING SUSPENDED ACoustICAL CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.
- 18 REMOVE EXISTING SUSPENDED ACoustICAL CEILING SYSTEM FOR REPLACEMENT. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
- 19 REMOVE EXISTING WINDOW FOR RETROFIT OF NEW LOUVER IN EXISTING WINDOW FRAME.
- 20 REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACoustICAL CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTALL EXISTING CEILING GRID AND EXISTING CEILING TILES.
- 21 REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.
- 22 REMOVE EXISTING MOVABLE PARTITION.
- 23 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT.
- 24H REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L.)
- 25 REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L.)
- 26 REMOVE 8'-0" W X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS.
- 27H NOT USED.
- 28 REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SHROUVE VENTS.
- 29 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES IN ITS ENTIRETY.
- 30 REMOVE EXISTING WALLS, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
- 31 REMOVE EXISTING MARBLE THRESHOLD.
- 32 REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L.)
- 33 REMOVE EXISTING DISPLAY CASE.
- 34H REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER.
- 35 REMOVE AND RELOCATE EXISTING WASHER/DRYER TO REMAIN.
- 36 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 37 REMOVE EXISTING DRINKING FOUNTAIN.
- 38 REMOVE EXISTING METAL PLATES AND PERIMETER STEEL ANGLE FRAME FROM EXISTING TRENCH. REMOVE EXISTING METAL PARTITION.
- 39 REMOVE EXISTING GYMNASIUM BLEACHERS.
- 40 SALVAGE AUDITORIUM SEATING FOR RELOCATION. SEE DRAWING A2.2.2 & A6.4.5.
- 41 REMOVE FIXED AUDITORIUM SEATING AND SALVAGE FOR REINSTALLATION AFTER ASBESTOS FLOOR ABATEMENT. (SEE GENERAL NOTE L.)
- 42 NOT USED.
- 43 REMOVE EXISTING FLAGSTONE FLOORING.
- 44 REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION.
- 45 REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.
- 46 REMOVE AND SALVAGE EXISTING PROJECTION SCREEN FOR RELOCATION.
- 47 REMOVE EXISTING CASEWORK.
- 48 REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L.)
- 49 REMOVE EXISTING CASEWORK AND SINK.
- 50 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L.)
- 51 REMOVE EXISTING COUNTER.
- 52 REMOVE EXISTING SHOWER UNITS.
- 53 REMOVE EXISTING WHIRLPOOL AND SALVAGE FOR OWNER.
- 54 REMOVE EXISTING EQUIPMENT.
- 55 REMOVE AND RELOCATE EXISTING EQUIPMENT.
- 56 REMOVE EXISTING ACoustICAL PANELS.
- 57 REMOVE EXISTING SHELVING.
- 58 RELOCATE EXISTING MAILBOXES TO NEW FACILITY ROOM #2609. SEE DRAWING A2.2.6.
- 59 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #2515. SEE DRAWING A2.2.5.
- 60 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACILITY ROOM #2609. SEE DRAWING A2.2.6.
- 61 REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET # 2843. SEE DRAWING A2.2.8.
- 62 REMOVE PROPANE GAS TANK AND BASE.
- 63 REMOVE EXISTING DRINKING FOUNTAIN.
- 64 REMOVE EXISTING ELECTRIC WATER COOLER.
- 65 REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.
- 66 REMOVE EXISTING ELECTRIC PANEL.
- 67 REMOVE EXISTING HEATING UNIT.
- 68H REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
- 69 REMOVE EXISTING TELEPHONE.
- 70 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
- 71 REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.
- 72 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
- 73 REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.
- 74 REMOVE EXISTING METAL ACCESS LADDER.
- 75 REMOVE EXISTING STAIR CONSTRUCTION AND HANDRAILS.
- 76 REMOVE EXISTING HANDRAIL.
- 77 REMOVE EXISTING GUARDRAIL.
- 78 REMOVE EXISTING BITUMINOUS PAVED STOOP.
- 79 REMOVE EXISTING CONCRETE STOOP.
- 80 REMOVE EXISTING WOOD RAMP.
- 81 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.
- 82 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
- 83 REMOVE EXISTING CONCRETE LOADING DOCK AND STAIR CONSTRUCTION IN ITS ENTIRETY.
- 84 REMOVE EXISTING CONCRETE RAMP WITH CONCRETE SIDE WALL CONSTRUCTION IN ITS ENTIRETY.
- 85 REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
- 86 REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.
- 87 REMOVE EXISTING PARTIAL HEIGHT WALL.
- 79H REMOVE SECTION OF BASEBOARD HEAT. FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, COULDRIT AND SUPPORTS.
- 80H REMOVE EXISTING UNIT VENTILATORS.
- 81H REMOVE EXISTING DUCTWORK. SEE MECH. DRAWINGS.
- 82H REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L.)
- 83H REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.
- 84H REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L.)
- 85H REMOVE EXISTING WIRE MESH PARTITION.
- 86H REMOVE EXISTING WINDOW BLINDS.
- 87H NOT USED.
- 88H REMOVE EXISTING WOOD SOFFIT AND FRAMING ATTACHED TO ROOF STRUCTURE. REMOVE EXISTING LIGHT FIXTURES AND SALVAGE FOR RELOCATION.
- 89H REMOVE EXISTING WOOD WAINSCOT.
- 90H REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L.)
- 91H REMOVE AND SALVAGE MAP RAIL FOR RELOCATION.
- 92H REMOVE AND SALVAGE CHALKBOARD FOR RELOCATION.
- 93H REMOVE AND SALVAGE FIRST AID CABINET FOR RELOCATION.
- 94H REMOVE EXISTING PLUMBING FIXTURE - REFER TO PLUMBING DRAWINGS.
- 95H NOT USED.
- 96H REMOVE AND SALVAGE EXISTING MAGNETIC BOARD FOR RELOCATION.
- 97H REMOVE EXISTING SATELLITE DISHES AND SALVAGE FOR RELOCATION. SEE DRAWINGS A2.4.6 & A2.4.7.
- 98H REMOVE EXISTING SATELLITE DISHES AND POLE SUPPORT. CONSTRUCTION IN ITS ENTIRETY.
- 99H REMOVE ELECTRONIC GATE AND SALVAGE FOR RELOCATION. SEE DRAWING A2.2.6 AND REFER TO ELECTRICAL DRAWINGS.
- 100H REMOVE EXISTING WOOD SLAT CEILING. EXISTING LIGHT FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, COULDRIT AND SUPPORTS.
- 101H REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW PIPE WORK FOR NEW PLUMBING FIXTURES. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 102H ACCESS TO FLOOR SLAB FROM STEAM PIPE TUNNEL BELOW.
- 103H REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION NEW CONCRETE FOOTING TO SUPPORT NEW MASONRY WALL CONSTRUCTION. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 104H REMOVE EXISTING CERAMIC TILES FROM BASE UNDER COUNTER AND SALVAGE FOR REPLACING MISSING CERAMIC WALL TILES IN SERVING ROOM.
- 105H REMOVE SECTION OF EXISTING ROOF, METAL FASCIA AND TRANSITE SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. (SEE GENERAL NOTE L.)
- 106H REMOVE SECTION OF EXISTING METAL FASCIA AND SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. SALVAGE METAL FASCIA AND SOFFIT FOR REINSTALLATION AT SAME LOCATION.
- 107H REMOVE METAL STAIR ASSEMBLY.
- 108H SHORE UP EXISTING ROOF STRUCTURE FOR NEW WALL CONSTRUCTION.
- 109H NOT USED.
- 110H REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 111H REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.
- 112H CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH SIDES OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4.)
- 113H REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
- 114H REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.
- 115H REMOVE EXISTING BITUMINOUS CONCRETE PAVING.
- 116H REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.
- 117H REMOVE EXISTING SHELVE AND SALVAGE FOR REINSTALLATION.
- 118H REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Votaw Associates, LLP
2821 Whitney Av.
Hamden, CT 06518-3570

STRUCTURAL:
Disalvo Erson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 210C
Beverly, MA 01915-6118

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. JK
P.M. WV
D.P. JK
J.C. JK

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 1
MAIN FLOOR
DEMOLITION PLAN



A2.2.1D

GENERAL NOTES:

- (A) CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.
- (B) CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.
- (C) CONTRACTOR SHALL ADVISE ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.
- (D) CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILINGS AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.
- (E) CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.
- (F) CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.
- (G) CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.
- (H) CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.
- (J) CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.
- (K) SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.
- (L) COORDINATE WORK WITH HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT.
- (M) "H" SUFFIX AFTER ITEM NUMBER INDICATES HAZARDOUS MATERIAL ABATEMENT
- (N) REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
- (O) REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.

DEMOLITION NOTE LEGEND:

- (1) REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.
- (2) REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L.)
- (3) REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY.
- (4) REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L.)
- (5) REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.
- (6) NOT USED
- (7) REMOVE EXISTING DOOR AND FRAME.
- (8) REMOVE EXISTING DOOR AND FRAME IN PLACE.
- (9) NOT USED
- (10) REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES.
- (11) NOT USED
- (12) REMOVE EXISTING WINDOW.
- (13) REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.
- (14) REMOVE EXISTING WINDOW.
- (15) REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW WALL.
- (16) REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L.)
- (17) REMOVE EXISTING CARPET AND WALL BASE
- (18) REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC AND WALL BASE. (SEE GENERAL NOTE L.)
- (19) REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC. REMOVE WALL BASE AND GLUE DAUBS FOR WALL BASE. (SEE GENERAL NOTE L.)
- (20) REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.
- (21) REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM FOR REPLACEMENT. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
- (22) REMOVE EXISTING WINDOW FOR RETROFIT OF NEW LOUVER IN EXISTING WINDOW FRAME.
- (23) REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACOUSTICAL CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTALL EXISTING CEILING GRID AND EXISTING CEILING TILES.
- (24) REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.
- (25) REMOVE EXISTING MOVABLE PARTITION
- (26) REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT.
- (27) REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L.)
- (28) REMOVE ALL EXISTING CONSTRUCTION.
- (29) REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L.)
- (30) REMOVE 8'-0" W X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS.
- (31) NOT USED
- (32) REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SMOKE VENTS.
- (33) REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES IN ITS ENTIRETY.
- (34) REMOVE EXISTING WALLS, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS.
- (35) REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
- (36) REMOVE EXISTING MARBLE THRESHOLD.
- (37) REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L.)
- (38) REMOVE EXISTING DISPLAY CASE.
- (39) REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER
- (40) REMOVE EXISTING METAL LOCKERS. EXISTING CONCRETE BASE TO REMAIN.
- (41) REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- (42) REMOVE EXISTING BENCHES.
- (43) REMOVE EXISTING METAL PLATES AND PERIMETER STEEL ANGLE FRAME FROM EXISTING TRENCH.
- (44) REMOVE EXISTING METAL PARTITION.
- (45) REMOVE EXISTING GYMNASIUM BLEACHERS.
- (46) SALVAGE AUDITORIUM SEATING FOR RELOCATION. SEE DRAWING A2.2.2 & A6.4.5.
- (47) REMOVE FIXED AUDITORIUM SEATING AND SALVAGE FOR REINSTALLATION AFTER ASBESTOS FLOOR ABATEMENT. (SEE GENERAL NOTE L.)
- (48) NOT USED
- (49) REMOVE EXISTING FLASTONE FLOORING.
- (50) REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION
- (51) REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION
- (52) REMOVE AND SALVAGE EXISTING PROJECTION SCREEN FOR RELOCATION.
- (53) REMOVE EXISTING CASEWORK.
- (54) REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L.)
- (55) REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L.)
- (56) REMOVE EXISTING COUNTER.
- (57) REMOVE EXISTING SHOWER UNITS.
- (58) REMOVE EXISTING WHIRLPOOL AND SALVAGE FOR OWNER.
- (59) REMOVE EXISTING EQUIPMENT. REMOVE AND RELOCATE EXISTING EQUIPMENT.
- (60) REMOVE EXISTING ACOUSTICAL PANELS.
- (61) REMOVE EXISTING SHELVING.
- (62) RELOCATE EXISTING MAILBOXES TO NEW FACILITY ROOM #2609. SEE DRAWING A2.2.6.
- (63) REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #2515. SEE DRAWING A2.2.5.
- (64) REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACILITY ROOM #2609. SEE DRAWING A2.2.6.
- (65) REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET # 2643. SEE DRAWING A2.2.6.
- (66) REMOVE PROPANE GAS TANK AND BASE
- (67) REMOVE EXISTING DRINKING FOUNTAIN.
- (68) REMOVE EXISTING ELECTRIC WATER COOLER.
- (69) REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.
- (70) REMOVE EXISTING ELECTRIC PANEL.
- (71) REMOVE EXISTING HEATING UNIT.
- (72) REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
- (73) REMOVE EXISTING TELEPHONE.
- (74) REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
- (75) REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.
- (76) REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
- (77) REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.
- (78) REMOVE EXISTING METAL ACCESS LADDER.
- (79) REMOVE EXISTING STAIR CONSTRUCTION AND HANDRAILS.
- (80) REMOVE EXISTING HANDRAIL.
- (81) REMOVE EXISTING GUARDRAIL.
- (82) REMOVE EXISTING BITUMINOUS PAVED STOOP.
- (83) REMOVE EXISTING CONCRETE STOOP.
- (84) REMOVE EXISTING WOOD RAMP.
- (85) REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.
- (86) REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
- (87) REMOVE EXISTING CONCRETE LOADING DOCK AND STAIR CONSTRUCTION IN ITS ENTIRETY.
- (88) REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
- (89) REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.
- (90) REMOVE EXISTING PARTIAL HEIGHT WALL.
- (91) REMOVE SECTION OF BASEBOARD HEAT.
- (92) REMOVE EXISTING UNIT VENTILATORS.
- (93) REMOVE EXISTING DUCTWORK. SEE MECH. DRAWINGS
- (94) REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L.)
- (95) REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.
- (96) REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L.)
- (97) REMOVE EXISTING WIRE MESH PARTITION.
- (98) REMOVE EXISTING WINDOW BLINDS.
- (99) NOT USED
- (100) NOT USED
- (101) REMOVE EXISTING WOOD SOFFIT AND FRAMING ATTACHED TO ROOF STRUCTURE. REMOVE EXISTING LIGHT FIXTURES AND SALVAGE FOR RELOCATION.
- (102) REMOVE EXISTING WOOD WANSNOT.
- (103) REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L.)
- (104) REMOVE AND SALVAGE MAP RAIL FOR RELOCATION
- (105) REMOVE AND SALVAGE CHALKBOARD FOR RELOCATION
- (106) REMOVE AND SALVAGE FIRST AID CABINET FOR RELOCATION.
- (107) REMOVE EXISTING PLUMBING FIXTURE - REFER TO PLUMBING DRAWINGS.
- (108) NOT USED
- (109) REMOVE AND SALVAGE EXISTING MAGNETIC BOARD FOR RELOCATION.
- (110) REMOVE EXISTING SATELLITE DISHES AND SALVAGE FOR RELOCATION. SEE DRAWINGS A2-4.6 & A2.4.7.
- (111) REMOVE EXISTING SATELLITE DISHES AND POLE SUPPORT.
- (112) REMOVE EXISTING GATE AND SALVAGE FOR RELOCATION. SEE DRAWING A2.2.6 AND REFER TO ELECTRICAL DRAWINGS.
- (113) REMOVE EXISTING MIRROR AND SALVAGE FOR RELOCATION
- (114) REMOVE EXISTING WOOD SLAT CEILING. EXISTING LIGHT FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, CONDUNIT AND SUPPORTS.
- (115) REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW PIPE WORK FOR NEW PLUMBING FIXTURES. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- (116) ACCESS TO FLOOR SLAB FROM STEAM PIPE TUNNEL BELOW.
- (117) REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION NEW CONCRETE FOOTING TO SUPPORT NEW MASONRY WALL CONSTRUCTION. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- (118) REMOVE EXISTING CERAMIC TILES FROM BASE UNDER COUNTER AND SALVAGE FOR REPLACING MISSING CERAMIC WALL TILES IN SERVING ROOM
- (119) REMOVE SECTION OF EXISTING ROOF, METAL FASCIA AND TRANSITE SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. (SEE GENERAL NOTE L.)
- (120) REMOVE SECTION OF EXISTING METAL FASCIA AND SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. SALVAGE METAL FASCIA AND SOFFIT FOR REINSTALLATION AT SAME LOCATION.
- (121) REMOVE METAL STAIR ASSEMBLY.
- (122) SHORE UP EXISTING ROOF STRUCTURE FOR NEW WALL CONSTRUCTION
- (123) REMOVE EXISTING MIRROR AND SALVAGE FOR RELOCATION
- (124) REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION
- (125) REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.
- (126) CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH SIDES OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4)
- (127) REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
- (128) REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.
- (129) REMOVE EXISTING BITUMINOUS CONCRETE PAVING
- (130) REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.
- (131) REMOVE EXISTING SHELVING AND SALVAGE FOR REINSTALLATION.
- (132) REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Votner Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Desho Erickson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Calzavara McGrath Associates Inc.
100 Carrington Center, Suite 210C
Beverly, MA 01915-6113

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8" = 1'-0"

AREA 2
MAIN FLOOR
DEMOLITION PLAN

A2.2.2D



GENERAL NOTES:

A CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.

B CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.

C CONTRACTOR SHALL ADVISE ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.

D CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILING AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.

E CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.

F CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.

G CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.

H CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.

I CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.

J CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.

K SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.

L COORDINATE WORK WITH HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT.

M REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.

N REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.

DEMOLITION NOTE LEGEND:

1 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.

2 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L)

3 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY.

4 REMOVE EXISTING DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L)

5 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.

6 NOT USED

7 REMOVE EXISTING DOOR AND FRAME.

8 REMOVE EXISTING DOOR. (DOOR FRAME TO REMAIN IN PLACE).

9 NOT USED

10 REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES.

11 NOT USED

12 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY.

13 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L)

14 REMOVE PORTION OF EXISTING WALL FOR NEW DOOR, WINDOW OR WALL OPENINGS.

15 NOT USED

16 REMOVE EXISTING WINDOW.

17 NOT USED

18 REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.

19 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL.

20 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L)

21 REMOVE EXISTING CARPET AND WALL BASE

22 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC WALL BASE. (SEE GENERAL NOTE L)

23 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC WALL BASE AND GLUE DAUBS FOR WALL BASE. (SEE GENERAL NOTE L)

24 REMOVE EXISTING SUSPENDED ACoustical CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.

25 REMOVE EXISTING SUSPENDED ACoustical CEILING SYSTEM FOR REPLACEMENT. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.

26 REMOVE EXISTING WINDOW FOR REINFORCING OF NEW LOUVER IN EXISTING WINDOW FRAME.

27 REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACoustical CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTATE CEILING GRID AND EXISTING CEILING TILES.

28 REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.

29 REMOVE EXISTING MOVABLE PARTITION

30 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT.

31 REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.

32 REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L)

33 REMOVE 6'-0" X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS.

34 NOT USED

35 REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SMOKE VENTS.

36 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES IN ITS ENTIRETY.

37 REMOVE EXISTING WALLS, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS.

38 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.

39 REMOVE EXISTING MARBLE THRESHOLD.

40 REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L)

41 REMOVE EXISTING DISPLAY CASE.

42 REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER.

43 REMOVE EXISTING METAL LOCKERS. EXISTING CONCRETE BASE TO REMAIN.

44 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.

45 REMOVE EXISTING BENCHES.

46 REMOVE EXISTING METAL PLATES AND PERIMETER STEEL ANGLE FRAME FROM EXISTING TRENCH.

47 REMOVE EXISTING METAL PARTITION.

48 REMOVE EXISTING GYMNASIUM BLEACHERS.

49 SALVAGE AUDITORIUM SEATING FOR RELOCATION. (SEE DRAWING A2.2.2 & A6.4.5)

50 REMOVE FIXED AUDITORIUM SEATING AND SALVAGE FOR REINSTALLATION AFTER ASBESTOS FLOOR ABATEMENT. (SEE GENERAL NOTE L)

51 NOT USED

52 REMOVE EXISTING FLAGSTONE FLOORING.

53 REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION.

54 REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.

55 REMOVE AND SALVAGE EXISTING PROJECTION SCREEN FOR RELOCATION.

56 REMOVE EXISTING CASEWORK.

57 REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L)

58 REMOVE EXISTING CASEWORK AND SINK.

59 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L)

60 REMOVE EXISTING COUNTER.

61 REMOVE EXISTING SHOWER UNITS.

62 REMOVE EXISTING WHIRLPOOL AND SALVAGE FOR OWNER.

63 REMOVE EXISTING EQUIPMENT.

64 REMOVE AND RELOCATE EXISTING EQUIPMENT.

65 REMOVE EXISTING ACoustical PANELS.

66 REMOVE EXISTING SHELVE.

67 RELOCATE EXISTING MAILBOXES TO NEW FACULTY ROOM #2609. (SEE DRAWING A2.2.6)

68 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #2515. (SEE DRAWING A2.2.5)

69 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACULTY ROOM #2609. (SEE DRAWING A2.2.6)

70 REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET #2843. (SEE DRAWING A2.2.6)

71 REMOVE PROPANE GAS TANK AND BASE

72 REMOVE EXISTING DRINKING FOUNTAIN.

73 REMOVE EXISTING ELECTRIC WATER COOLER.

74 REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.

75 REMOVE EXISTING ELECTRIC PANEL.

76 REMOVE EXISTING HEATING UNIT.

77 REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.

78 REMOVE EXISTING TELEPHONE.

79 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.

80 REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.

81 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.

82 REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.

83 REMOVE EXISTING METAL ACCESS LADDER.

84 REMOVE EXISTING GUARDRAIL.

85 REMOVE EXISTING BITUMINOUS PAVED STOOP.

86 REMOVE EXISTING CONCRETE STOOP.

87 REMOVE EXISTING WOOD RAMP.

88 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.

89 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.

90 REMOVE EXISTING CONCRETE LOADING DOCK AND STAR CONSTRUCTION IN ITS ENTIRETY.

91 REMOVE EXISTING CONCRETE RAMP WITH CONCRETE SIDE WALL CONSTRUCTION IN ITS ENTIRETY.

92 REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.

93 REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.

94 REMOVE EXISTING PARTIAL HEIGHT WALL.

95 REMOVE SECTION OF BASEBOARD HEAT.

96 REMOVE EXISTING UNIT VENTILATORS.

97 REMOVE EXISTING DUCTWORK. (SEE MECH. DRAWINGS)

98 REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L)

99 REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.

100 REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L)

101 REMOVE EXISTING WIRE MESH PARTITION.

102 REMOVE EXISTING WINDOW BLINDS.

103 NOT USED

104 NOT USED

105 REMOVE EXISTING WOOD SOFFIT AND FRAMING ATTACHED TO ROOF STRUCTURE. REMOVE EXISTING LIGHT FIXTURES AND SALVAGE FOR RELOCATION.

106 REMOVE EXISTING WOOD WANSKOT.

107 REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L)

108 REMOVE AND SALVAGE MAP RAIL FOR RELOCATION

109 REMOVE AND SALVAGE CHALKBOARD FOR RELOCATION

110 REMOVE EXISTING STAR CONSTRUCTION AND HANDRAILS.

111 REMOVE EXISTING HANGORAIL.

112 REMOVE EXISTING GUARDRAIL.

113 REMOVE EXISTING BITUMINOUS PAVED STOOP.

114 REMOVE EXISTING CONCRETE STOOP.

115 REMOVE EXISTING WOOD RAMP.

116 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.

117 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.

118 REMOVE EXISTING CONCRETE LOADING DOCK AND STAR CONSTRUCTION IN ITS ENTIRETY.

119 REMOVE EXISTING CONCRETE RAMP WITH CONCRETE SIDE WALL CONSTRUCTION IN ITS ENTIRETY.

120 REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.

121 REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.

122 REMOVE EXISTING PARTIAL HEIGHT WALL.

123 REMOVE EXISTING WOOD SLAT CEILING. EXISTING LIGHT FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, COULOUT AND SUPPORTS.

124 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.

125 REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.

126 CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH SIDES OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4)

127 REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.


128 REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.

129 REMOVE EXISTING BITUMINOUS CONCRETE PAVING

130 REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.

131 REMOVE EXISTING SHELVE AND SALVAGE FOR REINSTALLATION.

132 REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Votaw Associates, LLP
2521 Whitney Ave
Hartford, CT 06183-5510

STRUCTURAL:
Draheo Etkon Group
65 Cooper Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-0163

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *JK*
P.M. *WV*
D.P. *JK*
J.C. *JK*



ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 3
MAIN FLOOR
DEMOLITION PLAN


A2.2.3D

GENERAL NOTES:

- (A) CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.
 - (B) CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.
 - (C) CONTRACTOR SHALL ADVISE ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.
 - (D) CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILING AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.
 - (E) CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.
 - (F) CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.
 - (G) CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.
 - (H) CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.
 - (J) CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.
 - (K) SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.
 - (L) COORDINATE WORK WITH HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT.
 - (-H) "H" SUFFIX AFTER ITEM NUMBER INDICATES HAZARDOUS MATERIAL ABATEMENT.
 - (M) REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
 - (N) REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.
- DEMOLITION NOTE LEGEND:**
- (1) REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.
 - (1H) REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L).
 - (2) REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L).
 - (3) REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.
 - (3H) NOT USED.
 - (4) REMOVE EXISTING DOOR AND FRAME.
 - (4H) REMOVE EXISTING DOOR. (DOOR FRAME TO REMAIN IN PLACE).
 - (4H) NOT USED.
 - (5) REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES.
 - (5H) NOT USED.
 - (6) REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY.
 - (6H) REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L).
 - (7) REMOVE PORTION OF EXISTING WALL FOR NEW DOOR, WINDOW OR WALL OPENINGS.
 - (7H) NOT USED.
 - (8) REMOVE EXISTING WINDOW.
 - (8A) REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.
 - (8H) NOT USED.
 - (9) REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW WALL.
 - (9H) REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L).
 - (10) REMOVE EXISTING CARPET AND WALL BASE.
 - (10A) REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC AND WALL BASE. (SEE GENERAL NOTE L).
 - (10H) REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC. REMOVE WALL BASE AND GLUE DAUBS FOR WALL BASE. (SEE GENERAL NOTE L).
 - (11) REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.
 - (11A) REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM FOR REPLACEMENT EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
 - (11B) REMOVE EXISTING WINDOW FOR RETROFIT OF NEW LOUVER IN EXISTING WINDOW FRAME.
 - (11C) REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACOUSTICAL CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTALL EXISTING CEILING GRID AND EXISTING CEILING TILES.
 - (11D) REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.
 - (11E) REMOVE EXISTING MOVABLE PARTITION.
 - (11F) REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT.
 - (11G) REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L).
 - (11H) REMOVE ALL EXISTING CONSTRUCTION.
 - (11I) REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L).
 - (11J) REMOVE 2'-0" W X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS.
 - (11K) NOT USED.
 - (12) REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SMOKE VENTS.
 - (13) REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES IN ITS ENTIRETY.
 - (14) REMOVE EXISTING WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS.
 - (15) REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
 - (16) REMOVE EXISTING CHALKBOARDS AND TACKBOARDS.
 - (17) REMOVE EXISTING DISPLAY CASE.
 - (18) REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER.
 - (19) REMOVE EXISTING METAL LOCKERS. EXISTING CONCRETE BASE TO REMAIN.
 - (20) REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
 - (21) REMOVE EXISTING BENCHES.
 - (22) REMOVE EXISTING METAL PLATES AND PERMETER STEEL ANGLE FRAME FROM EXISTING TRENCH.
 - (23) REMOVE EXISTING METAL PARTITION.
 - (24) REMOVE EXISTING GYMNASIUM BLEACHERS.
 - (25) SALVAGE AUDITORIUM SEATING FOR RELOCATION. (SEE GENERAL NOTE L).
 - (26) REMOVE FIXED AUDITORIUM SEATING AND SALVAGE FOR REINSTALLATION AFTER ASBESTOS FLOOR ABATEMENT. (SEE GENERAL NOTE L).
 - (27) NOT USED.
 - (28) REMOVE EXISTING FLAGSTONE FLOORING.
 - (29) REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION.
 - (30) REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.
 - (31) REMOVE AND SALVAGE EXISTING PROJECTION SCREEN FOR RELOCATION.
 - (32) REMOVE EXISTING CASEWORK.
 - (33) REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L).
 - (34) REMOVE EXISTING CASEWORK AND SINK.
 - (35) REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L).
 - (36) REMOVE EXISTING COUNTER.
 - (37) REMOVE EXISTING SHOWER UNITS.
 - (38) REMOVE EXISTING WHIRLPOOL AND SALVAGE FOR OWNER.
 - (39) REMOVE EXISTING EQUIPMENT.
 - (40) REMOVE AND RELOCATE EXISTING EQUIPMENT.
 - (41) REMOVE EXISTING ACoustical PANELS.
 - (42) REMOVE EXISTING SHELVING.
 - (43) RELOCATE EXISTING MAILBOXES TO NEW FACILITY ROOM #2609.
 - (44) REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #2315. SEE DRAWING A2.2.5.
 - (45) REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACILITY ROOM #2609. SEE DRAWING A2.2.6.
 - (46) REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET # 2643. SEE DRAWING A2.2.6.
 - (47) REMOVE PROPANE GAS TANK AND BASE.
 - (48) REMOVE EXISTING DRINKING FOUNTAIN.
 - (49) REMOVE EXISTING ELECTRIC WATER COOLER.
 - (50) REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.
 - (51) REMOVE EXISTING ELECTRIC PANEL.
 - (52) REMOVE EXISTING HEATING UNIT.
 - (53) REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
 - (54) REMOVE EXISTING TELEPHONE.
 - (55) REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
 - (56) REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.
 - (57) REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
 - (58) REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.
 - (59) REMOVE EXISTING METAL ACCESS LADDER.
 - (60) REMOVE EXISTING STAR CONSTRUCTION AND HANDRAILS.
 - (61) REMOVE EXISTING HANDRAIL.
 - (62) REMOVE EXISTING GUARDRAIL.
 - (63) REMOVE EXISTING BITUMINOUS PAVED STOOP.
 - (64) REMOVE EXISTING CONCRETE STOOP.
 - (65) REMOVE EXISTING WOOD RAMP.
 - (66) REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.
 - (67) REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
 - (68) REMOVE EXISTING CONCRETE LOADING DOCK AND STAR CONSTRUCTION IN ITS ENTIRETY.
 - (69) REMOVE EXISTING CONCRETE RAMP WITH CONCRETE SIDE WALL CONSTRUCTION IN ITS ENTIRETY.
 - (70) REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
 - (71) REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.
 - (72) REMOVE EXISTING PARTIAL HEIGHT WALL.
 - (73) REMOVE SECTION OF BASEBOARD HEAT.
 - (74) REMOVE EXISTING UNIT VENTILATORS.
 - (75) REMOVE EXISTING DUCTWORK. SEE MECH. DRAWINGS.
 - (76) REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L).
 - (77) REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.
 - (78) REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L).
 - (79) REMOVE EXISTING WIRE MESH PARTITION.
 - (80) REMOVE EXISTING WINDOW BLINDS.
 - (81) NOT USED.
 - (82) NOT USED.
 - (83) REMOVE EXISTING WOOD SOFFIT AND FRAMING ATTACHED TO ROOF STRUCTURE. REMOVE EXISTING LIGHT FIXTURES AND SALVAGE FOR RELOCATION.
 - (84) REMOVE EXISTING WOOD WAINSCOT.
 - (85) REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L).
 - (86) REMOVE AND SALVAGE MAP RAIL FOR RELOCATION.
 - (87) REMOVE AND SALVAGE CHALKBOARD FOR RELOCATION.
 - (88) REMOVE AND SALVAGE FIRST AID CABINET FOR RELOCATION.
 - (89) REMOVE EXISTING PLUMBING FIXTURE - REFER TO PLUMBING DRAWINGS.
 - (90) NOT USED.
 - (91) REMOVE AND SALVAGE MAGNETIC BOARD FOR RELOCATION.
 - (92) REMOVE EXISTING SATELLITE DISHES AND SALVAGE FOR RELOCATION. SEE DRAWINGS A2.4.6 & A2.4.7.
 - (93) REMOVE EXISTING SATELLITE DISHES AND POLE SUPPORT.
 - (94) REMOVE EXISTING GATE AND SALVAGE FOR RELOCATION. SEE DRAWING A2.2.9 AND REFER TO ELECTRICAL DRAWINGS.
 - (95) REMOVE EXISTING MIRROR AND SALVAGE FOR RELOCATION.
 - (96) REMOVE EXISTING WOOD SLAT CEILING. EXISTING LIGHT FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, CONDUIT AND SUPPORTS.
 - (97) REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW PIPE WORK FOR NEW PLUMBING FIXTURES. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
 - (98) ACCESS TO FLOOR SLAB FROM STEAM PIPE TUNNEL BELOW.
 - (99) REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION NEW CONCRETE FOOTING TO SUPPORT NEW MASONRY WALL CONSTRUCTION. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
 - (100) REMOVE EXISTING CERAMIC TILES FROM BASE UNDER COUNTER AND SALVAGE FOR REPLACING MISSING CERAMIC WALL TILES IN SERVING ROOM.
 - (101) REMOVE SECTION OF EXISTING ROOF, METAL FASCIA AND SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. SALVAGE METAL FASCIA AND SOFFIT FOR REINSTALLATION AT SAME LOCATION.
 - (102) REMOVE METAL STAIR ASSEMBLY.
 - (103) SHORR UP EXISTING ROOF STRUCTURE FOR NEW WALL CONSTRUCTION.
 - (104) REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
 - (105) REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.
 - (106) CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH SIDES OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMJ WALL. NEW CMJ WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4).
 - (107) REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
 - (108) REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.
 - (109) REMOVE EXISTING BITUMINOUS CONCRETE PAVING.
 - (110) REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.
 - (111) REMOVE EXISTING SHELVING AND SALVAGE FOR REINSTALLATION.
 - (112) REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.



A2.2.3D



- GENERAL NOTES:**
- A CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.
 - B CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.
 - C CONTRACTOR SHALL ADVISE ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.
 - D CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILING AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.
 - E CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.
 - F CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.
 - G CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.
 - H CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.
 - I CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.
 - J SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.
 - K COORDINATE WORK WITH HAZARDOUS MATERIAL ABATEMENT.
 - L REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
 - M REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
 - N REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.

DEMOLITION NOTE LEGEND:

- 1 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L)
- 2 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L)
- 3 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L)
- 4 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L)
- 5 REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES. (SEE GENERAL NOTE L)
- 6 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L)
- 7 REMOVE PORTION OF EXISTING WALL FOR NEW DOOR, WINDOW OR WALL OPENINGS. (SEE GENERAL NOTE L)
- 8 REMOVE EXISTING WINDOW.
- 9 REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.
- 10 REMOVE EXISTING WINDOW.
- 11 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL.
- 12 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L)
- 13 REMOVE EXISTING CARPET AND WALL BASE.
- 14 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC AND WALL BASE. (SEE GENERAL NOTE L)
- 15 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC. REMOVE WALL BASE AND GLUE DAUBS FOR WALL BASE. (SEE GENERAL NOTE L)
- 16 REMOVE EXISTING SUSPENDED ACoustICAL CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.
- 17 REMOVE EXISTING SUSPENDED ACoustICAL CEILING SYSTEM FOR REPLACEMENT. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
- 18 REMOVE EXISTING WINDOW FOR RETROFIT OF NEW LOUVER IN EXISTING WINDOW FRAME.
- 19 REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACoustICAL CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTALL EXISTING CEILING GRID AND EXISTING CEILING TILES.
- 20 REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.
- 21 REMOVE EXISTING MOVABLE PARTITION.
- 22 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT.
- 23 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L)
- 24 REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L)
- 25 REMOVE 8'-0" W X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS. (SEE GENERAL NOTE L)
- 26 REMOVE EXISTING WINDOW.
- 27 REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SMOKE VENTS.
- 28 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
- 29 REMOVE EXISTING MARBLE THRESHOLD.
- 30 REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L)
- 31 REMOVE EXISTING DISPLAY CASE.
- 32 REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER.
- 33 REMOVE EXISTING METAL LOCKERS. EXISTING CONCRETE BASE TO REMAIN.
- 34 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 35 REMOVE EXISTING BENCHES.
- 36 REMOVE EXISTING METAL PLATES AND PERIMETER STEEL ANGLE FRAME FROM EXISTING TRENCH.
- 37 REMOVE EXISTING METAL PARTITION.
- 38 REMOVE EXISTING GYMNASIUM BLEACHERS.
- 39 SALVAGE AUDITORIUM SEATING FOR RELOCATION. (SEE DRAWING A2.2.2 & A2.4.5.)
- 40 REMOVE FIXED AUDITORIUM SEATING AND SALVAGE FOR REINSTALLATION AFTER ASBESTOS FLOOR ABATEMENT. (SEE GENERAL NOTE L)
- 41 NOT USED.
- 42 REMOVE EXISTING FLAGSTONE FLOORING.
- 43 REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION.
- 44 REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.
- 45 REMOVE EXISTING CASEWORK.
- 46 REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L)
- 47 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L)
- 48 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L)
- 49 REMOVE EXISTING COUNTER.
- 50 REMOVE EXISTING WHORL UNITS.
- 51 REMOVE EXISTING SHOWER AND SALVAGE FOR OWNER.
- 52 REMOVE EXISTING EQUIPMENT.
- 53 REMOVE AND RELOCATE EXISTING EQUIPMENT.
- 54 REMOVE EXISTING SHELVING.
- 55 RELOCATE EXISTING HALLBOXES TO NEW FACULTY ROOM #2609. (SEE DRAWING A2.2.6.)
- 56 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #2515. (SEE DRAWING A2.2.5.)
- 57 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACULTY ROOM #2609. (SEE DRAWING A2.2.6.)
- 58 REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET #2643. (SEE DRAWING A2.2.6.)
- 59 REMOVE PROPANE GAS TANK AND BASE.
- 60 REMOVE EXISTING DRINKING FOUNTAIN.
- 61 REMOVE EXISTING ELECTRIC WATER COOLER.
- 62 REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.
- 63 REMOVE EXISTING ELECTRIC PANEL.
- 64 REMOVE EXISTING HEATING UNIT.
- 65 REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
- 66 REMOVE EXISTING TELEPHONE.
- 67 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
- 68 REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.
- 69 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
- 70 REMOVE EXISTING METAL ACCESS LADDER.
- 71 REMOVE EXISTING STAR CONSTRUCTION AND HANDRAILS.
- 72 REMOVE EXISTING HANDRAIL.
- 73 REMOVE EXISTING GUARDRAIL.
- 74 REMOVE EXISTING BITUMINOUS PAVED STOOP.
- 75 REMOVE EXISTING CONCRETE STOOP.
- 76 REMOVE EXISTING WOOD RAMP.
- 77 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.
- 78 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
- 79 REMOVE EXISTING CONCRETE LOADING DOCK AND STAR CONSTRUCTION IN ITS ENTIRETY.
- 80 REMOVE EXISTING CONCRETE RAMP WITH CONCRETE SIDE WALL CONSTRUCTION IN ITS ENTIRETY.
- 81 REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
- 82 REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.
- 83 REMOVE EXISTING PARTIAL HEIGHT WALL.
- 84 REMOVE SECTION OF BASEBOARD HEAT.
- 85 REMOVE EXISTING HEAT RAYS.
- 86 REMOVE EXISTING TELEPHONE.
- 87 REMOVE EXISTING DUCTWORK. (SEE MECH. DRAWINGS)
- 88 REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L)
- 89 REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.
- 90 REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L)
- 91 REMOVE EXISTING WIRE MESH PARTITION.
- 92 REMOVE EXISTING WINDOW BLINDS.
- 93 NOT USED.
- 94 NOT USED.
- 95 REMOVE EXISTING WOOD SLAT CEILING. EXISTING LIGHT FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, CONDUNIT AND SUPPORTS.
- 96 REMOVE SECTION OF EXISTING ROOF TO ACCOMMODATE CONSTRUCTION OF NEW PLUMBING FIXTURES. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 97 ACCESS TO FLOOR SLAB FROM STEAM PIPE TUNNEL BELOW.
- 98 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION NEW CONCRETE FOOTING TO SUPPORT NEW MASONRY WALL CONSTRUCTION. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 99 REMOVE EXISTING CERAMIC TILES FROM BASE UNDER COUNTER AND SALVAGE FOR REPLACING MISSING CERAMIC WALL TILES IN SERVING ROOM.
- 100 REMOVE SECTION OF EXISTING ROOF, METAL FASCIA AND TRANSITE SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. (SEE GENERAL NOTE L)
- 101 REMOVE SECTION OF EXISTING METAL FASCIA AND SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. SALVAGE METAL FASCIA AND SOFFIT FOR REINSTALLATION AT SAME LOCATION.
- 102 REMOVE METAL STAIR ASSEMBLY.
- 103 SHORE UP EXISTING ROOF STRUCTURE FOR NEW WALL CONSTRUCTION.
- 104 REMOVE PORTION OF EXISTING ROOF FOR INSTALLATION OF NEW COMBUSTION AIR VENTS.
- 105 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 106 REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.
- 107 CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH SIDES OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4)
- 108 REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
- 109 REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.
- 110 REMOVE EXISTING BITUMINOUS CONCRETE PAVING.
- 111 REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.
- 112 REMOVE EXISTING SHELVING AND SALVAGE FOR REINSTALLATION.
- 113 REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
 Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-5510

STRUCTURAL:
 DeaHo Ericson Group
 63 Copp Hill Road
 Ridgefield, CT 06877

MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 Crabtree McGrath Associates Inc.
 100 Cummings Center, Suite 216C
 Beverly, MA 01915-6113

**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
 018-0044

**Jeter
 Cook &
 Jepson**
 Architects, Inc.

450 Church Street Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
 P.M. *[Signature]*
 D.P. *[Signature]*
 J.C. *[Signature]*

ISSUE 5/31/05
 JOB 0244.01
 DRAWN RK
 SCALE 1/8"=1'-0"

AREA 4
 MAIN FLOOR
 DEMOLITION PLAN

A2.2.4D

CONSULTANTS:
SITE/CIVIL:
 Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510
STRUCTURAL:
 DiSalvo Ericson Group
 63 Coppes Hill Road
 Ridgefield, CT 06877
MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840
FOOD SERVICE:
 Chatham McGrath Associates Inc.
 100 Cummings Center, Suite 216C
 Beverly, MA 01915-0113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044


Jeter Cook & Jepson Architects, Inc.
 150 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
 P.M. *[Signature]*
 D.P. *[Signature]*
 J.C. *[Signature]*

ISSUE 5/31/05
 JOB 0244.01
 DRAWN RK
 SCALE 1/8"=1'-0"

AREA 5
 MAIN FLOOR
 DEMOLITION PLAN

A2.2.5D




GENERAL NOTES:


- A CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.
- B CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.
- C CONTRACTOR SHALL ADVISE ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.
- D CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILING AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.
- E CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.
- F CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.
- G CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.
- H CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.
- I CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.
- J SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.
- K COORDINATE WORK WITH HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT.
- L REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.
- M REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
- N REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.

DEMOLITION NOTE LEGEND:

- 1 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.
- 2 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY.
- 3 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L).
- 4 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.
- 5 NOT USED.
- 6 REMOVE EXISTING DOOR AND FRAME.
- 7 REMOVE EXISTING DOOR. (DOOR FRAME TO REMAIN IN PLACE).
- 8 NOT USED.
- 9 REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES.
- 10 NOT USED.
- 11 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY.
- 12 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L).
- 13 REMOVE PORTION OF EXISTING WALL FOR NEW DOOR, WINDOW OR WALL OPENINGS.
- 14 REMOVE EXISTING WINDOW.
- 15 REMOVE EXISTING WINDOW.
- 16 REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.
- 17 NOT USED.
- 18 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L).
- 19 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L).
- 20 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC AND WALL BASE. (SEE GENERAL NOTE L).
- 21 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC. REMOVE WALL BASE AND GLUE DAUBS FOR WALL BASE. (SEE GENERAL NOTE L).
- 22 REMOVE EXISTING SUSPENDED ACoustical CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.
- 23 REMOVE EXISTING SUSPENDED ACoustical CEILING SYSTEM FOR REPLACEMENT. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
- 24 REMOVE EXISTING WINDOW FOR RETROFIT OF NEW LOUVER IN EXISTING WINDOW FRAME.
- 25 REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACoustical CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTALL EXISTING CEILING GRID AND EXISTING CEILING TILES.
- 26 REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.
- 27 REMOVE EXISTING MOVABLE PARTITION.
- 28 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L).
- 29 REMOVE ALL EXISTING CONSTRUCTION.
- 30 REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L).
- 31 REMOVE 8'-0" W X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS.
- 32 NOT USED.

- 33 REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SMOKE VENTS.
- 34 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES IN ITS ENTIRETY.
- 35 REMOVE EXISTING WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS.
- 36 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
- 37 REMOVE EXISTING MARBLE THRESHOLD.
- 38 REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L).
- 39 REMOVE EXISTING DISPLAY CASE.
- 40 REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER.
- 41 REMOVE EXISTING METAL LOCKERS. EXISTING CONCRETE BASE TO REMAIN.
- 42 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 43 REMOVE EXISTING BENCHES.
- 44 REMOVE EXISTING METAL PLATES AND PERIMETER STEEL ANGLE FRAME FROM EXISTING TRENCH.
- 45 REMOVE EXISTING METAL PARTITION.
- 46 REMOVE EXISTING GYMNASIUM BLEACHERS.
- 47 SALVAGE AUDITORIUM SEATING FOR RELOCATION. (SEE DRAWING A2.2.2 & A6.4.5).
- 48 REMOVE FIXED AUDITORIUM SEATING AND SALVAGE FOR REINSTALLATION AFTER ASBESTOS FLOOR ABATEMENT. (SEE GENERAL NOTE L).
- 49 NOT USED.
- 50 REMOVE EXISTING FLASTONE FLOORING.
- 51 REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION.
- 52 REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.
- 53 REMOVE AND SALVAGE EXISTING PROJECTION SCREEN FOR RELOCATION.
- 54 REMOVE EXISTING CASEWORK.
- 55 REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L).
- 56 REMOVE EXISTING CASEWORK AND SINK.
- 57 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L).
- 58 REMOVE EXISTING COUNTER.
- 59 REMOVE EXISTING SHOWER UNITS.
- 60 REMOVE EXISTING WHIRLPOOL AND SALVAGE FOR OWNER.
- 61 REMOVE EXISTING EQUIPMENT.
- 62 REMOVE AND RELOCATE EXISTING EQUIPMENT.
- 63 REMOVE EXISTING ACoustical PANELS.
- 64 REMOVE EXISTING SHELVING.
- 65 RELOCATE EXISTING MAILBOXES TO NEW FACULTY ROOM #2609. (SEE DRAWING A2.2.6).
- 66 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #2615. (SEE DRAWING A2.2.5).
- 67 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACULTY ROOM #2609. (SEE DRAWING A2.2.6).
- 68 REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET # 2643. (SEE DRAWING A2.2.6).
- 69 REMOVE PROPANE GAS TANK AND BASE.
- 70 REMOVE EXISTING DRINKING FOUNTAIN.
- 71 REMOVE EXISTING ELECTRIC WATER COOLER.
- 72 REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.
- 73 REMOVE EXISTING ELECTRIC PANEL.
- 74 REMOVE EXISTING HEATING UNIT.
- 75 REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
- 76 REMOVE EXISTING TELEPHONE.
- 77 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
- 78 REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.
- 79 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
- 80 REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.
- 81 REMOVE EXISTING METAL ACCESS LADDER.
- 82 REMOVE EXISTING STAIR CONSTRUCTION AND HANDRAILS.
- 83 REMOVE EXISTING HANDRAIL.
- 84 REMOVE EXISTING GUARDRAIL.
- 85 REMOVE EXISTING BITUMINOUS PAVED STOOP.
- 86 REMOVE EXISTING CONCRETE STOOP.
- 87 REMOVE EXISTING WOOD RAMP.
- 88 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.
- 89 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
- 90 REMOVE EXISTING CONCRETE LOADING DOCK AND STAIR CONSTRUCTION IN ITS ENTIRETY.
- 91 REMOVE EXISTING CONCRETE RAMP WITH CONCRETE SIDE WALL CONSTRUCTION IN ITS ENTIRETY.
- 92 REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
- 93 REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.
- 94 REMOVE EXISTING PARTIAL HEIGHT WALL.
- 95 REMOVE SECTION OF BASEBOARD HEAT.
- 96 REMOVE EXISTING UNIT VENTILATORS.
- 97 REMOVE EXISTING DUCTWORK. (SEE MECH. DRAWINGS).
- 98 REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L).
- 99 REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.
- 100 REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L).
- 101 REMOVE EXISTING WIRE MESH PARTITION.
- 102 REMOVE EXISTING WIRE MESH BLINDS.
- 103 NOT USED.
- 104 NOT USED.
- 105 REMOVE EXISTING WOOD SOFFIT AND FRAMING ATTACHED TO ROOF STRUCTURE. REMOVE EXISTING LIGHT FIXTURES AND SALVAGE FOR RELOCATION.
- 106 REMOVE EXISTING WOOD WANSCOT.
- 107 REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L).
- 108 REMOVE AND SALVAGE MAP RAIL FOR RELOCATION.
- 109 REMOVE AND SALVAGE CHALKBOARD FOR RELOCATION.
- 110 REMOVE AND SALVAGE FIRST AID CABINET FOR RELOCATION.
- 111 REMOVE EXISTING PLUMBING FIXTURE - REFER TO PLUMBING DRAWINGS.
- 112 NOT USED.
- 113 REMOVE AND SALVAGE EXISTING MAGNETIC BOARD FOR RELOCATION.
- 114 REMOVE EXISTING SATELLITE DISHES AND SALVAGE FOR RELOCATION. (SEE DRAWINGS A2.4.8 & A2.4.7).
- 115 REMOVE EXISTING SATELLITE DISHES AND POLE SUPPORT. (SEE DRAWING A2.2.6 AND REFER TO ELECTRICAL DRAWINGS).
- 116 REMOVE EXISTING ELECTRONIC GATE AND SALVAGE FOR RELOCATION.
- 117 REMOVE EXISTING MIRROR AND SALVAGE FOR RELOCATION.
- 118 REMOVE EXISTING WOOD SLAT CEILING. EXISTING LIGHT FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, CONDUCIT AND SUPPORTS.
- 119 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW PIPE WORK FOR NEW PLUMBING FIXTURES. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 120 ACCESS TO FLOOR SLAB FROM STEAM PIPE TUNNEL BELOW.
- 121 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION NEW CONCRETE FOOTING TO SUPPORT NEW MASONRY WALL CONSTRUCTION. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 122 REMOVE EXISTING CERAMIC TILES FROM BASE UNDER COUNTER AND SALVAGE FOR REPLACING MISSING CERAMIC WALL TILES IN SERVING ROOM.
- 123 REMOVE SECTION OF EXISTING ROOF, METAL FASCIA AND TRANSITE SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. (SEE GENERAL NOTE L).
- 124 REMOVE SECTION OF EXISTING METAL FASCIA AND SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. SALVAGE METAL FASCIA AND SOFFIT FOR REINSTALLATION AT SAME LOCATION.
- 125 REMOVE METAL STAIR ASSEMBLY.
- 126 SHORE UP EXISTING ROOF STRUCTURE FOR NEW WALL CONSTRUCTION.
- 127 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 128 REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.
- 129 CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH ENDS OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4).
- 130 REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
- 131 REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.
- 132 REMOVE EXISTING BITUMINOUS CONCRETE PAVING.
- 133 REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.
- 134 REMOVE EXISTING SHELVING AND SALVAGE FOR REINSTALLATION.
- 135 REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.





- DEMOLITION NOTE LEGEND:**
- 1 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.
 - 2 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L.)
 - 3 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY.
 - 4 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L.)
 - 5 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.
 - 6 REMOVE EXISTING DOOR AND FRAME.
 - 7 REMOVE EXISTING DOOR. (DOOR FRAME TO REMAIN IN PLACE).
 - 8 NOT USED.
 - 9 REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES.
 - 10 NOT USED.
 - 11 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY.
 - 12 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L.)
 - 13 REMOVE EXISTING CARPET AND WALL BASE.
 - 14 REMOVE EXISTING FLOOR COVERING. (SEE GENERAL NOTE L.)
 - 15 REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.
 - 16 REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM FOR REPLACEMENT. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
 - 17 REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACOUSTICAL CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTALL EXISTING CEILING GRID AND EXISTING CEILING TILES.
 - 18 REMOVE EXISTING MOVABLE PARTITION.
 - 19 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L.)
 - 20 REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L.)
 - 21 REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L.)
 - 22 REMOVE EXISTING WALLS, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS.
 - 23 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
 - 24 REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L.)
 - 25 REMOVE EXISTING DISPLAY CASE.
 - 26 REMOVE EXISTING METAL LOCKERS, EXISTING CONCRETE BASE TO REMAIN.
 - 27 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
 - 28 REMOVE EXISTING CASEWORK.
 - 29 REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L.)
 - 30 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L.)
 - 31 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L.)
 - 32 REMOVE EXISTING COUNTER.
 - 33 REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET # 2643. SEE DRAWING A2.2.6.
 - 34 REMOVE PROPANE GAS TANK AND BASE.
 - 35 REMOVE EXISTING DRINKING FOUNTAIN.
 - 36 REMOVE EXISTING ELECTRIC WATER COOLER.
 - 37 REMOVE EXISTING HEATING OR COOLING UNIT.
 - 38 REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
 - 39 REMOVE EXISTING TELEPHONE.
 - 40 REMOVE EXISTING FIRE EXTINGUISHER CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
 - 41 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
 - 42 REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.
 - 43 REMOVE EXISTING METAL ACCESS LADDER.
 - 44 REMOVE EXISTING CONCRETE STOOP.
 - 45 REMOVE EXISTING WOOD RAMP.
 - 46 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.
 - 47 REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
 - 48 REMOVE SECTION OF BASEBOARD HEAT.
 - 49 REMOVE SECTION OF EXISTING MASONRY WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L.)
 - 50 REMOVE EXISTING WINDOW BLINDS.
 - 51 REMOVE EXISTING WOOD WANSCOOT.
 - 52 REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L.)
 - 53 REMOVE EXISTING SATELLITE DISHES AND SALVAGE FOR RELOCATION. SEE DRAWINGS A2.4.6 & A2.4.7.
 - 54 REMOVE EXISTING SATELLITE DISH AND POLE SUPPORT AND SALVAGE FOR OWNER.
 - 55 REMOVE ELECTRONIC GATE AND SALVAGE FOR RELOCATION. SEE DRAWING A.2.26 AND REFER TO ELECTRICAL DRAWINGS.
 - 56 REMOVE EXISTING FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW FLOORWORK FOR NEW PLUMBING FIXTURES. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
 - 57 ACCESS TO FLOOR SLAB FROM STEAM PIPE TUNNEL BELOW.
 - 58 REMOVE SECTION OF EXISTING ROOF, METAL FASCIA AND TRANSITE SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. (SEE GENERAL NOTE L.)
 - 59 REMOVE SECTION OF EXISTING METAL FASCIA AND SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. SALVAGE METAL FASCIA AND SOFFIT FOR REINSTALLATION AT SAME LOCATION.
 - 60 REMOVE METAL STAIR ASSEMBLY.
 - 61 SHORE UP EXISTING ROOF STRUCTURE FOR NEW WALL CONSTRUCTION.
 - 62 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
 - 63 CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH SIDES OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4.)
 - 64 REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
 - 65 REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF UNIT.
 - 66 REMOVE EXISTING BITUMINOUS CONCRETE PAVING.
 - 67 REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION. (SEE GENERAL NOTE L.)
 - 68 REMOVE EXISTING SHELVING AND SALVAGE FOR REINSTALLATION.

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Votmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Deslavo Edison Group
83 Copps Hill Road
Ridgefield, CT 08877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Craibroe McGrath Associates Inc.
100 Cummings Center, Suite 215C
Beverly, MA 01915-6115

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson
Architects, Inc.**


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8" = 1'-0"

AREA 6
MAIN FLOOR
DEMOLITION PLAN

A2.2.6D




GENERAL NOTES:

- A CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.
- B CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.
- C CONTRACTOR SHALL ADVISE ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.
- D CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILING AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.
- E CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.
- F CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.
- G CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.
- H CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.
- J CONTRACTOR SHALL SAVAGE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.
- K SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.
- L COORDINATE WORK WITH HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT.
- M REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
- N REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.

DEMOLITION NOTE LEGEND:

- 1 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.
- 1H REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L).
- 2 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY.
- 2H REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L).
- 3 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.
- 3H REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN. (SEE GENERAL NOTE L).
- 4 REMOVE EXISTING DOOR AND FRAME.
- 4H REMOVE EXISTING DOOR. (DOOR FRAME TO REMAIN IN PLACE).
- 4H NOT USED.
- 5 REMOVE EXISTING WALL, DOOR, FRAME AND WINDOW LITES.
- 5H NOT USED.
- 6 REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY.
- 6H REMOVE EXISTING DOOR AND WINDOW WALL IN ITS ENTIRETY. (SEE GENERAL NOTE L).
- 7 REMOVE PORTION OF EXISTING WALL FOR NEW DOOR, WINDOW OR WALL OPENINGS.
- 7H NOT USED.
- 8 REMOVE EXISTING WINDOW.
- 8H NOT USED.
- 9 REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.
- 9H NOT USED.
- 10 REMOVE EXISTING LOUVER.
- 11 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL.
- 12 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L).
- 13 REMOVE EXISTING CARPET AND WALL BASE.
- 14 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC AND WALL BASE. (SEE GENERAL NOTE L).
- 15H REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC. REMOVE WALL BASE AND GLUE DAUBS FOR WALL BASE. (SEE GENERAL NOTE L).
- 16 REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM AND LIGHT FIXTURES.
- 17 REMOVE EXISTING SUSPENDED ACOUSTICAL CEILING SYSTEM FOR REPLACEMENT. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
- 18 REMOVE EXISTING WINDOW FOR RETROFIT OF NEW LOUVER IN EXISTING WINDOW FRAME.
- 19A REMOVE PORTIONS OF SUSPENDED CEILING GRID AND LAY-IN ACOUSTICAL CEILING TILES FOR INSTALLATION OF SPRINKLER SYSTEM. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE. REINSTALL EXISTING CEILING GRID AND EXISTING CEILING TILES.
- 19B REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.
- 20 REMOVE EXISTING MOVABLE PARTITION.
- 21 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT.
- 21H REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L).
- 22 REMOVE ALL EXISTING CONSTRUCTION.
- 22H REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L).
- 23 REMOVE 8'-0" W X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS.
- 23H NOT USED.
- 24 REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SKYLIGHT.
- 25 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES IN ITS ENTIRETY.
- 26 REMOVE EXISTING WALLS, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS.
- 26A REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
- 27 REMOVE EXISTING MARBLE THRESHOLD.
- 28 REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L).
- 29 REMOVE EXISTING DISPLAY CASE.
- 29A REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER.
- 30 REMOVE EXISTING METAL LOCKERS. EXISTING CONCRETE BASE TO REMAIN.
- 31 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 32 REMOVE EXISTING BENCHES.
- 33 REMOVE EXISTING METAL PLATES AND PERIMETER STEEL ANGLE FRAME FROM EXISTING TRENCH.
- 34 REMOVE EXISTING METAL PARTITION.
- 35 REMOVE EXISTING GYMNASIUM BLEACHERS.
- 36 SALVAGE AUDITORIUM SEATING FOR RELOCATION. (SEE DRAWING A2.2.2 & A6.4.5).
- 36A REMOVE FIXED AUDITORIUM SEATING AND SALVAGE FOR REINSTALLATION AFTER ASBESTOS FLOOR ABATEMENT. (SEE GENERAL NOTE L).
- 37 NOT USED.
- 38 REMOVE EXISTING FLAGSTONE FLOORING.
- 39 REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION.
- 40 REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.
- 41 REMOVE AND SALVAGE EXISTING PROJECTION SCREEN FOR RELOCATION.
- 42 REMOVE EXISTING CASEWORK.
- 43 REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L).
- 44 REMOVE EXISTING CASEWORK AND SINK.
- 44A REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L).
- 45 REMOVE EXISTING COUNTER.
- 46 REMOVE EXISTING SHOWER UNITS.
- 47 REMOVE EXISTING WHIRLPOOL AND SALVAGE FOR OWNER.
- 48 REMOVE EXISTING EQUIPMENT.
- 49 REMOVE AND RELOCATE EXISTING EQUIPMENT.
- 50 REMOVE EXISTING ACOUSTICAL PANELS.
- 51 REMOVE EXISTING SHELVING.
- 51A RELOCATE EXISTING MAILBOXES TO NEW FACILITY ROOM #2809. (SEE DRAWING A2.2.6).
- 52 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #2815. (SEE DRAWING A2.2.5).
- 52A REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACILITY ROOM #2809. (SEE DRAWING A2.2.6).
- 53 REMOVE AND RELOCATE EXISTING WASHER/DRYER TO H.C. TOILET # 2843. (SEE DRAWING A2.2.6).
- 54 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 55 REMOVE EXISTING DRINKING FOUNTAIN.
- 56 REMOVE EXISTING ELECTRIC WATER COOLER.
- 57 REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.
- 58 REMOVE EXISTING ELECTRIC PANEL.
- 59 REMOVE EXISTING HEATING UNIT.
- 59A REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
- 60 REMOVE EXISTING TELEPHONE.
- 61 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
- 62 REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.
- 63 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
- 64 REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.
- 65 REMOVE EXISTING METAL ACCESS LADDER.
- 66 REMOVE EXISTING STAIR CONSTRUCTION AND HANDRAILS.
- 67 REMOVE EXISTING HANDRAIL.
- 68 REMOVE EXISTING GUARDRAIL.
- 69 REMOVE EXISTING BITUMINOUS PAVED STOOP.
- 70 REMOVE EXISTING CONCRETE STOOP.
- 71 REMOVE EXISTING WOOD RAMP.
- 72 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.
- 73 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
- 74 REMOVE EXISTING CONCRETE LOADING DOCK AND STAIR CONSTRUCTION IN ITS ENTIRETY.
- 75 REMOVE EXISTING CONCRETE RAMP WITH CONCRETE SIDE WALL CONSTRUCTION IN ITS ENTIRETY.
- 76 REMOVE PORTION OF EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
- 77 REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.
- 78 REMOVE EXISTING PARTIAL HEIGHT WALL.
- 79 REMOVE SECTION OF BASEBOARD HEAT.
- 80 REMOVE EXISTING UNIT VENTILATORS.
- 81 REMOVE EXISTING DUCTWORK. (SEE MECH. DRAWINGS).
- 82 REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L).
- 83 REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.
- 83A REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L).
- 84 REMOVE EXISTING WIRE MESH PARTITION.
- 85 REMOVE EXISTING WINDOW BLINDS.
- 86 NOT USED.
- 87A NOT USED.
- 87B REMOVE EXISTING WOOD SOFFIT AND FRAMING ATTACHED TO ROOF STRUCTURE. REMOVE EXISTING LIGHT FIXTURES AND SALVAGE FOR RELOCATION.
- 88 REMOVE EXISTING WOOD WANSCOT.
- 89 REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L).
- 90 REMOVE AND SALVAGE MAP RAIL FOR RELOCATION.
- 91 REMOVE AND SALVAGE CHALKBOARD FOR RELOCATION.
- 92 REMOVE AND SALVAGE FIRST AID CABINET FOR RELOCATION.
- 93 REMOVE EXISTING PLUMBING FIXTURE - REFER TO PLUMBING DRAWINGS.
- 93A NOT USED.
- 94 REMOVE AND SALVAGE EXISTING MAGNETIC BOARD FOR RELOCATION.
- 95 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
- 96 REMOVE EXISTING SATELLITE DISHES AND SALVAGE FOR RELOCATION. (SEE DRAWINGS A2.4.6 & A2.4.7).
- 97 REMOVE EXISTING SATELLITE DISHES AND POLE SUPPORT.
- 98 REMOVE ELECTRONIC GATE AND SALVAGE FOR RELOCATION. (SEE DRAWING A2.2.6 AND REFER TO ELECTRICAL DRAWINGS).
- 99 REMOVE EXISTING MIRROR AND SALVAGE FOR RELOCATION.
- 100 REMOVE EXISTING WOOD SLAT CEILING. EXISTING LIGHT FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, CONDUIT AND SUPPORTS.
- 101 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW PIPE WORK FOR NEW PLUMBING FIXTURES. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 102 ACCESS TO FLOOR SLAB FROM STEAM PIPE TUNNEL BELOW.
- 103 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION NEW CONCRETE FOOTING TO SUPPORT NEW MASONRY WALL CONSTRUCTION. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 104 REMOVE EXISTING CERAMIC TILES FROM BASE UNDER COUNTER AND SALVAGE FOR REPLACING MISSING CERAMIC WALL TILES IN SERVING ROOM.
- 105 REMOVE SECTION OF EXISTING ROOF, METAL FASCIA AND TRANSITE SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. (SEE GENERAL NOTE L).
- 106 REMOVE SECTION OF EXISTING METAL FASCIA AND SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. SALVAGE METAL FASCIA AND SOFFIT FOR REINSTALLATION AT SAME LOCATION.
- 107 REMOVE METAL STAIR ASSEMBLY.
- 108 SHORE UP EXISTING ROOF STRUCTURE FOR NEW WALL CONSTRUCTION.
- 109 NOT USED.
- 110 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 111 REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.
- 112 CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH ENDS OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4).
- 113 REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
- 114 REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.
- 115 REMOVE EXISTING BITUMINOUS CONCRETE PAVING.
- 116 REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.
- 117 REMOVE EXISTING SHELVING AND SALVAGE FOR REINSTALLATION.
- 118 REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diseño Erickson Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cabree Mograph Associates Inc.
100 Carriage Centre, Suite 2102
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAW RK
SCALE 1/8"=1'-0"

AREA 8
MAIN FLOOR
DEMOLITION PLAN

A2.2.8D

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Vothner Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diebold-Erison Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
500 Cummings Center, Suite 2100
Beverly, MA 01915-6115



GENERAL NOTES:

- A CONTRACTOR SHALL REFERENCE SITE, MECHANICAL, ELECTRICAL AND PLUMBING DEMOLITION DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE OF WORK.
- B CONTRACTOR SHALL PROTECT THE INTERIOR OF THE BUILDING FROM ADVERSE WEATHER CONDITIONS.
- C CONTRACTOR SHALL AVOID ARCHITECT OF ALL CONFLICTS ENCOUNTERED IN THE FIELD.
- D CONTRACTOR SHALL PROVIDE ALL OPENINGS THROUGH EXISTING WALLS, FLOOR AND CEILING AS REQUIRED FOR THE INSTALLATION OF NEW DUCTWORK, PIPING AND CONDUITS.
- E CONTRACTOR SHALL REFERENCE DRAWINGS FOR DEMOLITION OF HAZARDOUS MATERIAL.
- F CONTRACTOR SHALL SITE EXISTING CONDITIONS PRIOR TO START OF WORK. REPORT TO THE ARCHITECT ANY DISCREPANCIES WITH THE DRAWINGS PROVIDED.
- G CONTRACTOR SHALL PATCH REMAINING WALLS, FLOOR AND CEILING AS REQUIRED BY DEMOLITION TO OBTAIN A UNIFORM SURFACE READY TO RECEIVE FINISHES. REFER TO SPECIFICATIONS REGARDING CUTTING AND PATCHING.
- H CONTRACTOR SHALL PROTECT ALL EXISTING SURFACES AND MATERIALS SCHEDULED TO REMAIN.
- J CONTRACTOR SHALL SAVE ALL HARDWARE FROM REMOVED DOORS AND DELIVER TO OWNER'S REPRESENTATIVE.
- K SEE FLOOR PLANS FOR NEW CONSTRUCTION UNLESS OTHERWISE NOTED.
- L COORDINATE WORK WITH HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT.
- M REFER TO HAZARDOUS MATERIAL DRAWINGS AND SPECIFICATIONS FOR HAZARDOUS MATERIAL ABATEMENT NOT INDICATED ON THE DEMOLITION NOTE LEGEND.
- N REFER TO DRAWING K1 & K2 FOR EXTENT OF DEMOLITION OF KITCHEN EQUIPMENT.

DEMOLITION NOTE LEGEND:

- 1 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF.
- 2 REMOVE EXISTING WALL FROM FLOOR TO UNDERSIDE OF SLAB OR ROOF. (SEE GENERAL NOTE L).
- 3 REMOVE EXISTING WALL, DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L).
- 4 REMOVE EXISTING DOOR AND FRAME IN ITS ENTIRETY. (SEE GENERAL NOTE L).
- 5 REMOVE EXISTING DOOR, FRAME AND ASSOCIATED WALL CONSTRUCTION AS SHOWN.
- 6 REMOVE EXISTING WINDOW.
- 7 REMOVE PORTION OF EXISTING WALL FOR NEW DOOR, WINDOW OR WALL OPENINGS.
- 8 REMOVE EXISTING WINDOW.
- 9 REMOVE EXISTING WINDOW FOR INSTALLATION OF REPLACEMENT WINDOW.
- 10 REMOVE EXISTING WINDOW.
- 11 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL.
- 12 REMOVE EXISTING WINDOW WALL FOR INSTALLATION OF REPLACEMENT WINDOW WALL. (SEE GENERAL NOTE L).
- 13 REMOVE EXISTING CARPET AND WALL BASE.
- 14 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC AND WALL BASE. (SEE GENERAL NOTE L).
- 15 REMOVE EXISTING VINYL TILE FLOOR COVERING AND MASTIC. REMOVE WALL BASE AND GULF DABS FOR WALL BASE. (SEE GENERAL NOTE L).
- 16 REMOVE EXISTING SUSPENDED ACoustICAL CEILING SYSTEM AND LIGHT FIXTURES FOR TOTAL REPLACEMENT.
- 17 REMOVE EXISTING SUSPENDED ACoustICAL CEILING SYSTEM FOR REPLACEMENT. EXISTING LIGHT FIXTURES TO REMAIN IN PLACE.
- 18 REMOVE EXISTING WINDOW FOR RETROFIT OF NEW LOUVER IN EXISTING WINDOW FRAME.
- 19 REMOVE EXISTING CEILING AS REQUIRED FOR INSTALLATION OF NEW SPRINKLER SYSTEM.
- 20 REMOVE EXISTING MOVABLE PARTITION.
- 21 REMOVE EXISTING PLASTER OR DRYWALL CEILING OR SOFFIT. (SEE GENERAL NOTE L).
- 22 REMOVE ALL EXISTING CONSTRUCTION. (SEE GENERAL NOTE L).
- 23 REMOVE 8'-0" W X 8'-0" HIGH WALL SECTION TO PROVIDE ACCESS FOR INSTALLATION OF NEW BOILER ROOM COMPONENTS.
- 24 REMOVE EXISTING ROOF CONSTRUCTION FOR INSTALLATION OF NEW SHOWER VENTS.
- 25 REMOVE EXISTING CEILING, LIGHT FIXTURES, WALLS, FLOOR FINISHES, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES IN ITS ENTIRETY.
- 26 REMOVE EXISTING WALLS, PLUMBING FIXTURES, TOILET PARTITIONS AND TOILET ACCESSORIES AS INDICATED ON THE DRAWINGS. EXISTING MARBLE THRESHOLD TO REMAIN.
- 27 REMOVE EXISTING MARBLE THRESHOLD.
- 28 REMOVE EXISTING CHALKBOARDS AND TACKBOARDS. (SEE GENERAL NOTE L).
- 29 REMOVE EXISTING DISPLAY CASE.
- 30 REMOVE EXISTING MOUNTED ACCESSORY AND SALVAGE FOR REINSTALLATION BY OWNER.
- 31 REMOVE EXISTING METAL LOCKERS. EXISTING CONCRETE BASE TO REMAIN.
- 32 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 33 REMOVE EXISTING DRINKING FOUNTAIN.
- 34 REMOVE EXISTING METAL PARTITION.
- 35 REMOVE EXISTING GYMNASIUM BLEACHERS.
- 36 SALVAGE AUDITORIUM SEATING FOR RELOCATION. (SEE DRAWING A2.2.2 & A6.4.5).
- 37 NOT USED.
- 38 REMOVE EXISTING FLAGSTONE FLOORING.
- 39 REMOVE EXISTING MARKER BOARD AND SALVAGE FOR REINSTALLATION.
- 40 REMOVE EXISTING TACKBOARD AND SALVAGE FOR REINSTALLATION.
- 41 REMOVE AND SALVAGE EXISTING PROJECTION SCREEN FOR RELOCATION.
- 42 REMOVE EXISTING CASEWORK.
- 43 REMOVE EXISTING CASEWORK. (SEE GENERAL NOTE L).
- 44 REMOVE EXISTING CASEWORK AND SINK.
- 45 REMOVE EXISTING CASEWORK AND SINK. (SEE GENERAL NOTE L).
- 46 REMOVE EXISTING COUNTER.
- 47 REMOVE EXISTING SHOWER UNITS.
- 48 REMOVE EXISTING WHIRLPOOL AND SALVAGE FOR OWNER.
- 49 REMOVE EXISTING EQUIPMENT.
- 50 REMOVE AND RELOCATE EXISTING EQUIPMENT.
- 51 REMOVE EXISTING ACoustICAL PANELS.
- 52 REMOVE EXISTING SHELVING.
- 53 RELOCATE EXISTING MAILBOXES TO NEW FACILITY ROOM #2609. SEE DRAWING A2.2.6.
- 54 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO CAFETERIA ROOM #515. SEE DRAWING A2.2.5.
- 55 REMOVE AND RELOCATE EXISTING VENDING MACHINE TO FACILITY ROOM #2609. SEE DRAWING A2.2.6.
- 56 REMOVE EXISTING WASHER/DRYER TO H.C. TOILET # 2843. SEE DRAWING A2.2.6.
- 57 REMOVE EXISTING METAL LOCKERS AND CONCRETE BASE UNDER METAL LOCKERS.
- 58 REMOVE EXISTING DRINKING FOUNTAIN.
- 59 REMOVE EXISTING ELECTRIC WATER COOLER.
- 60 REMOVE EXISTING ELECTRIC WATER COOLER AND SALVAGE FOR RELOCATION.
- 61 REMOVE EXISTING ELECTRIC PANEL.
- 62 REMOVE EXISTING HEATING UNIT.
- 63 REMOVE EXISTING AIR CONDITIONING UNIT AND SALVAGE FOR OWNER.
- 64 REMOVE EXISTING TELEPHONE.
- 65 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND PORTION OF WALL BELOW CABINET FOR INSTALLATION OF SAME CABINET IN SAME LOCATION AT AN HC ACCESSIBLE HEIGHT.
- 66 REMOVE PORTION OF EXISTING WALL FOR INSTALLATION OF NEW FIRE EXTINGUISHER AND CABINET AT AN HC ACCESSIBLE HEIGHT.
- 67 REMOVE EXISTING FIRE EXTINGUISHER AND CABINET AND SALVAGE FOR RELOCATION.
- 68 REMOVE WALL MOUNTED FIRE EXTINGUISHER AND SALVAGE FOR RELOCATION.
- 69 REMOVE EXISTING METAL ACCESS LADDER.
- 70 REMOVE EXISTING STAIR CONSTRUCTION AND HANDRAILS.
- 71 REMOVE EXISTING HANDRAIL.
- 72 REMOVE EXISTING GUARDRAIL.
- 73 REMOVE EXISTING BITUMINOUS PAVED STOOP.
- 74 REMOVE EXISTING CONCRETE STOOP.
- 75 REMOVE EXISTING WOOD RAMP.
- 76 REMOVE EXISTING CONCRETE PAVERS FOR INSTALLATION OF NEW CONCRETE STOOP AND RAMP.
- 77 REMOVE EXISTING CONCRETE RETAINING WALL CONSTRUCTION IN ITS ENTIRETY.
- 78 REMOVE EXISTING CONCRETE LOADING DOCK AND STAIR CONSTRUCTION IN ITS ENTIRETY.
- 79 REMOVE EXISTING CONCRETE CANTILEVER AS SHOWN TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION.
- 80 REMOVE EXISTING OVERHEAD SECTIONAL DOOR, TRACK AND HARDWARE.
- 81 REMOVE EXISTING PARTIAL HEIGHT WALL.
- 82 REMOVE SECTION OF BASEBOARD.
- 83 REMOVE EXISTING UNIT VENTILATORS.
- 84 REMOVE EXISTING DUCTWORK. SEE MECH. DRAWINGS.
- 85 REMOVE SECTION OF EXISTING WALL TO PROVIDE OPENING FOR NEW UNIT VENTILATOR INSTALLATION. (SEE GENERAL NOTE L).
- 86 REMOVE SECTION OF EXISTING CONCRETE WALL TO PROVIDE OPENING FOR NEW LOUVER.
- 87 REMOVE SECTION OF MASONRY WALL TO PROVIDE OPENING FOR NEW LOUVER AND DUCTWORK. (SEE GENERAL NOTE L).
- 88 REMOVE EXISTING WIRE MESH PARTITION.
- 89 REMOVE EXISTING WINDOW BLINDS.
- 90 NOT USED.
- 91 REMOVE EXISTING WOOD WAINSCOT.
- 92 REMOVE EXISTING GYPSUM BOARD FINISH ON ALL WALLS. (SEE GENERAL NOTE L).
- 93 REMOVE AND SALVAGE MAP RAIL FOR RELOCATION.
- 94 REMOVE AND SALVAGE CHALKBOARD FOR RELOCATION.
- 95 REMOVE AND SALVAGE FIRST AID CABINET FOR RELOCATION.
- 96 REMOVE EXISTING PLUMBING FIXTURE - REFER TO PLUMBING DRAWINGS.
- 97 REMOVE AND SALVAGE MAGNETIC BOARD FOR RELOCATION.
- 98 REMOVE EXISTING SATELLITE DISHES AND SALVAGE FOR RELOCATION. SEE DRAWINGS A2.4.6 & A2.4.7.
- 99 REMOVE EXISTING SATELLITE DISHES AND POLE SUPPORT CONSTRUCTION IN ITS ENTIRETY.
- 100 REMOVE EXISTING WOOD SLAT CEILING. EXISTING LIGHT FIXTURES TO REMAIN. CLEAN ALL EXPOSED ITEMS FOR PAINTING INCLUDING BUT NOT LIMITED TO EXPOSED METAL ROOF DECK, STRUCTURAL MEMBERS, DUCTWORK, PIPING, CADDIT AND SUPPORTS.
- 101 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW PIPE WORK FOR NEW PLUMBING FIXTURES. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 102 ACCESS TO FLOOR SLAB FROM STEAM PIPE TUNNEL BELOW.
- 103 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION NEW CONCRETE FOOTING TO SUPPORT NEW MASONRY WALL CONSTRUCTION. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 104 REMOVE EXISTING CERAMIC TILES FROM BASE UNDER COUNTER AND SALVAGE FOR REPLACING MISSING CERAMIC WALL TILES IN SERVING ROOM.
- 105 REMOVE SECTION OF EXISTING ROOF, METAL FASCIA AND TRANSITE SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. (SEE GENERAL NOTE L).
- 106 REMOVE SECTION OF EXISTING METAL FASCIA AND SOFFIT ASSEMBLY TO ACCOMMODATE CONSTRUCTION OF NEW ADDITION. SALVAGE METAL FASCIA AND SOFFIT FOR REINSTALLATION AT SAME LOCATION.
- 107 REMOVE METAL STAIR ASSEMBLY.
- 108 SHORE UP EXISTING ROOF STRUCTURE FOR NEW WALL CONSTRUCTION.
- 109 NOT USED.
- 110 REMOVE CONCRETE FLOOR SLAB AND FILL AS INDICATED FOR INSTALLATION OF NEW CONDUIT FOR NEW COMPUTERS. REPLACE FILL AND CONCRETE SLAB TO MATCH EXISTING CONSTRUCTION AND FLOOR ELEVATION.
- 111 REMOVE SECTION OF CONCRETE FLOOR SLAB FOR INSTALLATION OF NEW DUCTWORK.
- 112 CUT SECTION OF EXISTING REMOVABLE STEEL TRENCH COVER PLATE AT BOTH ENDS OF NEW WALL LOCATION AS REQUIRED TO ALLOW EXISTING TRENCH CONSTRUCTION TO SUPPORT NEW CMU WALL. NEW CMU WALL TO BE BUILT AROUND EXISTING STEAM PIPES. (SEE NEW CONSTRUCTION NOTE 119 ON SHEET A2.1.4)
- 113 REMOVE KEY CABINET AND SALVAGE FOR RELOCATION.
- 114 REMOVE ROOF CONSTRUCTION FOR INSTALLATION OF NEW DUCTWORK AND MECHANICAL ROOF TOP UNIT.
- 115 REMOVE EXISTING BITUMINOUS CONCRETE PAVING.
- 116 REMOVE EXISTING CASEWORK AND SALVAGE FOR REINSTALLATION.
- 117 REMOVE EXISTING SHELVING AND SALVAGE FOR REINSTALLATION.
- 118 REMOVE EXISTING SINK AND SALVAGE FOR REINSTALLATION.
- 119 NOT USED.

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


402 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE SECOND FLOOR PLAN

AREA 4
UPPER FLOOR
DEMOLITION PLAN

A2.3.4D



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-5510

STRUCTURAL:
Diablo Silicon Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree Mograph Associates Inc.
190 Carrington Center, Suite 2100
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO
BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

Jeter
Cook &
Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06155
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. [Signature]
P.M. [Signature]
D.P. [Signature]
J.C. [Signature]

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"


AREA 4
LOWER LEVEL
FLOOR PLAN

A214



NUMBERED NOTE LEGEND:


- | | | | | | |
|---|---|---|---|--|---|
| <p>1 2 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>2 3 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>3 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>4 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>5 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>6 6 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>7 10 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>8 12 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>9 NOT USED</p> <p>10 16 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>11 FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION</p> <p>12 20 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>13 4 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>14 6 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>15 NOT USED</p> <p>16 NOT USED</p> <p>17 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>18 14 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>19 16 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>20 NOT USED</p> <p>21 20 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>22 14 FT. x 4 FT. MAGNETIC MARKER BOARD WITH GRID</p> | <p>23 4 FT. x 4 FT. LECTURE UNIT (HINGED MARKER/TACKBOARD)</p> <p>24 2 - 4 FT. x 4 FT. SLIDING MARKER BOARDS ATTACHED TO NEW OVERHEAD CABINETS</p> <p>25 NOT USED</p> <p>26 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD</p> <p>27 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH STAFF EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD</p> <p>28 6 FT. x 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>29 ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>30 EXISTING ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>31 NEW MAP AND TACK RAIL, FULL LENGTH OF TACKBOARD OR CHALKBOARD BELOW</p> <p>32 NEW SURFACE MOUNTED PAPER TONER DISPENSER</p> <p>33 NEW SURFACE MOUNTED SOAP DISPENSER</p> <p>34 4 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)</p> <p>35 8 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6)</p> <p>36 4 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)</p> <p>37 8 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)</p> <p>38 8 FT. LONG x 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 3)</p> <p>39 10 FT. LONG x 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4)</p> | <p>40 12" x 12" x 72" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3)</p> <p>41 15" x 15" x 72" WIDE SINGLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2)</p> <p>42 15" x 15" x 72" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1)</p> <p>43 NEW WOOD PEDESTAL TYPE LOCKER ROOM BENCH</p> <p>44 AUDITORIUM SEATS RELOCATED TO MATCH EXISTING LOCATION</p> <p>45 AUDITORIUM SEATS RELOCATED TO NEW LOCATION</p> <p>46 NEW MANUALLY OPERATED GYM BLEACHERS</p> <p>47 NEW WALL PADDING</p> <p>48 REFINISH & RESTRIPE WOOD FLOOR</p> <p>49 NEW AUDITORIUM SEATS</p> <p>50 NEW NON ACCESSIBLE WORKSINK</p> <p>51 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING</p> <p>52 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.</p> <p>53 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.</p> <p>54 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.</p> <p>55 NEW FIRE EXTINGUISHER AND SEMI RECESSED CABINET AT AN ACCESSIBLE HEIGHT.</p> <p>56 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT.</p> <p>57 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT.</p> <p>58 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT</p> <p>59 NOT USED</p> | <p>60 NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION.</p> <p>61 EXISTING ELECTRONIC GATE RELOCATED AS INDICATED</p> <p>62 EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED</p> <p>63 EXISTING VENDING MACHINE RELOCATED AS INDICATED</p> <p>64 EXISTING MAIL BOX UNITS FROM PREVIOUS FACILITY ROOM RELOCATED AS INDICATED</p> <p>65 ACCESSIBLE FUME HOOD W/VENTING SYSTEM</p> <p>66 NEW HEATING/VENTILATION UNIT AND LOUVER</p> <p>67 RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM</p> <p>68 NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES</p> <p>69 NEW DRINKING FOUNTAIN FOR PERSONS WITH DISABILITIES</p> <p>70 NEW ACCESSIBLE SINK FOR PERSONS WITH DISABILITIES</p> <p>71 NEW WORK STATION FOR PERSONS WITH DISABILITIES</p> <p>72 5'-0" W x 2'-0" D WORKSTATION FOR PERSONS WITH DISABILITIES. SEE DTLS. #7 & #7A, DWG. A7.1.6.</p> <p>73 NEW 5'-0" x 2'-6" ADJUSTABLE WORK TABLE FOR PERSONS WITH DISABILITIES. SEE DTLS. #8 & #8A, DWG. A7.1.6.</p> <p>74 NEW HORIZONTAL WINDOW BLINDS</p> <p>75 NOT USED</p> <p>76 NEW ACCESSIBLE DARKROOM SINK.</p> <p>77 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF</p> <p>78 15" - 18" D. MELAMINE SHELVING UNITS ON SHELF STANDARDS</p> <p>79 NEW WALL MOUNTED TV MONITOR</p> <p>80 EXPANSION JOINT COVER PLATE AT FLOOR</p> | <p>81 ACCESS PANELS TO FIRE DAMPERS</p> <p>82 NEW 3'-6" W x 1'-10" x 1'-4" WOOD BENCH - SEE DET. #9 ON DWG. A9.9.0</p> <p>83 NEW NARCOTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3.</p> <p>84 RESURFACE EXISTING CHALKBOARD - SEE PLANS FOR SIZE</p> <p>85 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED</p> <p>86 EXISTING MARKER BOARD RELOCATED AS INDICATED</p> <p>87 EXISTING TACKBOARD RELOCATED AS INDICATED</p> <p>88 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS</p> <p>89 RELOCATED MAP RAIL</p> <p>90 EXISTING CHALKBOARD RELOCATED</p> <p>91 EXISTING MAGNETIC BOARD RELOCATED</p> <p>92 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS</p> <p>93 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB.</p> <p>94 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.</p> <p>95 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TUNNEL TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.</p> <p>96 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEPRESSION SLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING, ADJACENT CONCRETE FLOOR SLAB.</p> <p>97 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING.</p> <p>98 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING.</p> <p>99 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.</p> <p>100 INFILL ROOF OPENING AND EXISTING FRAMING ABOVE WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION.</p> <p>101 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>102 INFILL VOIDS BETWEEN WALL AND STEEL BEAM CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>103 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>104 REPLACE MISSING CERAMIC WALL TILES WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER.</p> <p>105 EXTEND EXISTING WALL CONSTRUCTION TO DECK ABOVE. INFILL ALL VOIDS AT WALL PENETRATIONS AND BETWEEN DECK AND WALL CONSTRUCTION TO PROVIDE WALL RATING AS INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>106 ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>107 REINSTALL LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>108 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND WALL CONSTRUCTION</p> <p>109 TOOTH IN NEW BRICKWORK AND BLOCKWORK INTO EXIST. CONST.</p> <p>110 REFER TO MECH. DWGS. FOR FIRE DAMPER WALL ACCESS PANEL LOCATIONS. COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION.</p> <p>111 NOT USED</p> <p>112 CLEAN AND PREPARE EXPOSED AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW CEMENTITIOUS FINISH.</p> <p>113 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F..</p> | <p>114 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F..</p> <p>115 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.</p> <p>116 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.</p> <p>117 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK</p> <p>118 REINSTALL REMOVED SINK IN SAME LOCATION</p> <p>119 REINSTALL REMOVED CASEWORK IN SAME LOCATION</p> <p>120 REINSTALL REMOVED SHELVING IN SAME LOCATION</p> <p>121 NEW A.C. CONDENSING UNITS ON 3'-0" x 3'-0" x 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE</p> <p>122 NEW GUY WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCREASE EXISTING STEAM PIPES.</p> <p>123 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA.</p> <p>124 EDGE OF FOOTING</p> <p>125 NEW FOOTING DRAIN LINE</p> <p>126 NEW YARD DRAIN</p> <p>127 NEW YARD DRAIN LINE</p> <p>128 EXISTING HEATING/VENTILLATION UNIT AND LOUVER TO REMAIN</p> <p>129 EXISTING DRINKING FOUNTAIN TO REMAIN</p> <p>130 EXISTING PROJECTION SCREEN TO REMAIN</p> <p>131 EXISTING MARKER BOARD TO REMAIN</p> <p>132 EXISTING TACKBOARD TO REMAIN</p> <p>133 EXISTING DISPLAY CASE TO REMAIN</p> <p>134 EXISTING LADDER AT PIT</p> <p>135 EXISTING HAND RAIL AT PIT</p> <p>136 EXISTING STAR - SEE DETAILS 9 & 10, DWG. A6.4.6 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE.</p> <p>137 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN.</p> <p>138 EXISTING MIRROR TO REMAIN</p> <p>139 EXISTING WIRE MESH DOOR AND PARTITION TO REMAIN</p> |
|---|---|---|---|--|---|



NORTH

MATCH LINE E-E
MATCH DWG A2.1.4

MATCH LINE F-F
MATCH DWG A2.1.7



- LABORATORY PLUMBING FIXTURES**
- LSK-1 16"x22"x30" STAINLESS STEEL SINK
 - LSK-2 16"x22"x30" ACCESSIBLE STAINLESS STEEL SINK
 - ESK-1 12"x16"x30" EPOXY RESIN SINK
 - ESK-2 10"x14"x30" EPOXY RESIN ACCESSIBLE SINK


NUMBERED NOTE LEGEND:

- ① 2 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ② 3 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ③ 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ④ 5 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ⑤ 6 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ⑥ 8 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ⑦ 10 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ⑧ 12 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ⑨ NOT USED
- ⑩ 16 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ⑪ FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION
- ⑫ 20 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- ⑬ 4 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- ⑭ 6 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- ⑮ NOT USED
- ⑯ 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- ⑰ 14 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- ⑱ 16 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- ⑲ NOT USED
- ⑳ 20 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- ㉑ 14 FT. x 4 FT. MAGNETIC MARKER BOARD WITH GRID

- ⑳ 12" x 12" x 72" WIDE DOUBLE-TIER LOCKERS W/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3)
- ㉑ 15" x 15" x 72" WIDE SINGLE-TIER LOCKERS W/SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2)
- ㉒ NOT USED
- ㉓ 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
- ㉔ 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH STAFF EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
- ㉕ 6 FT. x 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- ㉖ ELECTRICALLY 6 FT. x 6 FT. PROJECTION SCREEN - CEILING MOUNTED TO WOOD BLOCKING ABOVE CEILING. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- ㉗ EXISTING ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- ㉘ NEW MAP AND TACK RAIL, FULL LENGTH OF TACKBOARD OR CHALKBOARD BELOW
- ㉙ NEW SURFACE MOUNTED PAPER TOWEL DISPENSER
- ㉚ NEW SURFACE MOUNTED SOAP DISPENSER
- ㉛ 4 FT. x 4 FT. x 4" SURFACE MOUNTED LENDING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)
- ㉜ 8 FT. x 4 FT. x 4" SURFACE MOUNTED LENDING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 9)
- ㉝ 4 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)
- ㉞ 8 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)
- ㉟ 8 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 3)
- ㊱ 10 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4)

- ㊲ NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION.
- ㊳ EXISTING ELECTRONIC GATE RELOCATED AS INDICATED
- ㊴ EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED
- ㊵ EXISTING VENDING MACHINE RELOCATED AS INDICATED
- ㊶ EXISTING MAIL BOX UNITS FROM PREVIOUS FACILITY ROOM RELOCATED AS INDICATED
- ㊷ ACCESSIBLE FUME HOOD W/VENTING SYSTEM
- ㊸ NEW HEATING/VENTILATION UNIT AND LOUVER
- ㊹ RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM
- ㊺ NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES
- ㊻ NEW WALL PADDING
- ㊼ REFINISH & RESTRIPE WOOD FLOOR
- ㊽ NEW AUDITORIUM SEATS
- ㊾ NEW NON ACCESSIBLE WORKSINK
- ㊿ NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING
- 1 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 2 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 3 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 4 NEW FIRE EXTINGUISHER AND SEMI RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
- 5 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
- 6 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 7 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT
- 8 NOT USED
- 9 NEW ACCESSIBLE DARRROOM SINK.
- 10 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF
- 11 6" - 16" O. MELAMINE SHELVING UNITS ON SHELF STANDARDS
- 12 NEW WALL MOUNTED TV MONITOR
- 13 EXPANSION JOINT COVER PLATE AT FLOOR

- 14 ACCESS PANELS TO FIRE DAMPERS
- 15 NEW 3'-6"W X 1'-10" X 1'-4"H WOOD BENCH - SEE DTL. #9 ON DWG. A8.9.0
- 16 NEW NARCOTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3
- 17 RESURFACE EXISTING CHALKBOARD - SEE PLANS FOR SIZE
- 18 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED
- 19 EXISTING MARKER BOARD RELOCATED AS INDICATED
- 20 EXISTING TACKBOARD RELOCATED AS INDICATED
- 21 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS
- 22 EXISTING CHALKBOARD RELOCATED
- 23 EXISTING CHALKBOARD RELOCATED
- 24 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS
- 25 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB.
- 26 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 27 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TUNNEL TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 28 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEEPSLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING, ADJACENT CONCRETE FLOOR SLAB.
- 29 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING.
- 30 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING.
- 31 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.
- 32 INFILL ROOF OPENING AND EXISTING FRAMING ABOVE WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION.
- 33 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 34 INFILL VOIDS BETWEEN WALL AND STEEL BEAM CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 35 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 36 REPLACE MISSING CERAMIC WALL TILES WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER.
- 37 EXTEND EXISTING WALL CONSTRUCTION TO DECK ABOVE, INFILL ALL VOIDS AT WALL PENETRATIONS AND BETWEEN DECK AND WALL CONSTRUCTION TO PROVIDE WALL RATING AS INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5. ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 38 REINSTALL LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 39 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND WALL CONSTRUCTION
- 40 TOOTH IN NEW BRICKWORK AND BLOCKWORK INTO EXIST CONST.
- 41 REPLACE MESH DWGS. FOR FIRE DAMPER/WALL ACCESS PANEL LOCATIONS. COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION.
- 42 NOT USED
- 43 CLEAN AND PREPARE EXPOSED AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW CEMENTITIOUS FINISH.
- 44 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F.
- 45 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F.
- 46 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.
- 47 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.
- 48 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK
- 49 REINSTALL REMOVED SINK IN SAME LOCATION
- 50 REINSTALL REMOVED CASEWORK IN SAME LOCATION
- 51 REINSTALL REMOVED SHELVING IN SAME LOCATION
- 52 NEW A.C. CONDENSING UNITS ON 3'-0" X 3'-0" X 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE
- 53 NEW CMU WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCREASE EXISTING STEAM PIPES.
- 54 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA.
- 55 NEW YARD DRAIN LINE
- 56 NEW FOOTING DRAIN LINE
- 57 NEW YARD DRAIN
- 58 NEW YARD DRAIN LINE
- 59 EXISTING HEATING/VENTILATION UNIT AND LOUVER TO REMAIN
- 60 EXISTING DRINKING FOUNTAIN TO REMAIN
- 61 EXISTING PROJECTION SCREEN TO REMAIN
- 62 EXISTING MARKER BOARD TO REMAIN
- 63 EXISTING TACKBOARD TO REMAIN
- 64 EXISTING DISPLAY CASE TO REMAIN
- 65 EXISTING LADDER AT PIT
- 66 EXISTING HAND RAIL AT PIT
- 67 EXISTING STAIR - SEE DETAILS 9 & 10, DWG. A6.4.6 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE.
- 68 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN.
- 69 EXISTING MIRROR TO REMAIN
- 70 EXISTING WIRE MESH DOOR AND PARTITION TO REMAIN



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diasavo Etkon Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cushboo Mognath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.


450 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 6
LOWER LEVEL
FLOOR PLAN

A2.1.6



LABORATORY PLUMBING FIXTURES

- LSK-1 16"x22"x8" STAINLESS STEEL SINK
- LSK-2 16"x22"x5" ACCESSIBLE STAINLESS STEEL SINK
- ILSK-1 12"x18"x8" EPOXY RESIN SINK
- ILSK-2 10"x14"x8" EPOXY RESIN ACCESSIBLE SINK

NUMBERED NOTE LEGEND:

- | | | | |
|--|--|---|--|
| <p>1 2 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>2 3 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>3 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>4 5 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>5 6 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>6 8 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>7 10 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>8 12 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>9 NOT USED</p> <p>10 16 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>11 FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION</p> <p>12 20 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>13 4 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>14 6 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>15 NOT USED</p> <p>16 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>17 14 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>18 16 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>19 NOT USED</p> <p>20 20 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>21 NOT USED</p> <p>22 20 FT. x 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>23 14 FT. x 4 FT. MAGNETIC MARKER BOARD WITH GRID</p> | <p>23 12" x 4 FT. LECTURE UNIT (HINGED MARKER/TACKBOARD)</p> <p>24 2 - 4 FT. x 4 FT. SLIDING MARKER BOARDS ATTACHED TO NEW OVERHEAD CABINETS</p> <p>25 NOT USED</p> <p>26 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD</p> <p>27 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH STAFF EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD</p> <p>28 6 FT. x 8 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>29 ELECTRICALLY 6 FT. x 6 FT. PROJECTION SCREEN - CEILING MOUNTED TO WOOD BLOCKING ABOVE CEILING. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>30 EXISTING ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>31 NEW MAP AND TACK RAIL FULL LENGTH OF TACKBOARD OR CHALKBOARD BELOW</p> <p>32 NEW SURFACE MOUNTED PAPER TOWEL DISPENSER</p> <p>33 NEW SURFACE MOUNTED SOAP DISPENSER</p> <p>34 4 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)</p> <p>35 8 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6)</p> <p>36 4 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)</p> <p>37 8 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)</p> <p>38 8 FT. LONG X 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 3)</p> <p>39 10 FT. LONG X 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4)</p> <p>40 12" x 12" x 72" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3)</p> <p>41 15" x 15" x 72" WIDE SINGLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2)</p> <p>42 15" x 15" x 72" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1)</p> <p>43 NEW WOOD PEDESTAL TYPE LOCKER ROOM BENCH</p> <p>44 AUDITORIUM SEATS RELOCATED TO MATCH EXISTING LOCATION</p> <p>45 AUDITORIUM SEATS RELOCATED TO NEW LOCATION</p> <p>46 NEW MANUALLY OPERATED GYM BLEACHERS</p> <p>47 NEW WALL PADDING</p> <p>48 REFRESH & RESTRIPE WOOD FLOOR</p> <p>49 NEW AUDITORIUM SEATS</p> <p>50 NEW NON ACCESSIBLE WORKSINK</p> <p>51 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING</p> <p>52 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOHNERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.</p> <p>53 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.</p> <p>54 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOHNERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.</p> <p>55 NEW FIRE EXTINGUISHER AND SEMI RECESSED CABINET AT AN ACCESSIBLE HEIGHT.</p> <p>56 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT.</p> <p>57 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT.</p> <p>58 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT</p> <p>59 NOT USED</p> | <p>60 NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION.</p> <p>61 EXISTING ELECTRONIC GATE RELOCATED AS INDICATED</p> <p>62 EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED</p> <p>63 EXISTING VENDING MACHINE RELOCATED AS INDICATED</p> <p>64 EXISTING MAIL BOX UNITS FROM PREVIOUS FACULTY ROOM RELOCATED AS INDICATED</p> <p>65 ACCESSIBLE FUME HOOD W/VENTING SYSTEM</p> <p>66 NEW HEATING/VENTILATION UNIT AND LOUVER</p> <p>67 RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM</p> <p>68 NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES</p> <p>69 NEW DRINKING FOUNTAIN FOR PERSONS WITH DISABILITIES</p> <p>70 NEW WORK STATION FOR PERSONS WITH DISABILITIES</p> <p>71 5'-0" W X 2'-0" D WORKSTATION FOR PERSONS WITH DISABILITIES. SEE DTL. #7 & #7A, DWG. A7.1.6.</p> <p>72 NEW 5'-0" X 2'-0" ADJUSTABLE WORK TABLE FOR PERSONS WITH DISABILITIES. SEE DTL. #8 & #8A, DWG. A7.1.6.</p> <p>73 NOT USED</p> <p>74 NEW METAL DARKROOM SINK</p> <p>75 NEW METAL CLOTHES HANGING RAIL WITH MELAMINE SHELF</p> <p>76 (5) - 18" D. MELAMINE SHELVING UNITS ON SHELF STANDARDS</p> <p>77 NEW WALL MOUNTED TV MONITOR</p> <p>78 EXPANSION JOINT COVER PLATE AT FLOOR</p> <p>79 ACCESS PANELS TO FIRE DAMPERS</p> <p>80 NEW 3'-6" W X 1'-10" D X 1 1/4" WOOD BENCH - SEE DTL. #9 ON DWG. A8.0.0</p> <p>81 NEW NARCOTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3.</p> <p>82 RESURFACE EXISTING CHALKBOARD - SEE PLANS FOR SIZE</p> <p>83 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED</p> <p>84 EXISTING MARKER BOARD RELOCATED AS INDICATED</p> <p>85 EXISTING TACKBOARD RELOCATED AS INDICATED</p> <p>86 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS</p> <p>87 EXISTING MAP RAIL</p> <p>88 RELOCATED CHALKBOARD RELOCATED</p> <p>89 EXISTING MAGNETIC BOARD RELOCATED</p> <p>90 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS</p> <p>91 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB.</p> <p>92 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.</p> <p>93 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TUNNEL TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.</p> <p>94 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEEP STEAM SLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING ADJACENT CONCRETE FLOOR SLAB.</p> <p>95 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING.</p> <p>96 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING.</p> <p>97 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.</p> <p>98 INFILL ROOF OPENING AND EXISTING FRAMING ABOVE WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION.</p> <p>99 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>100 INFILL VOIDS BETWEEN WALL AND STEEL BEAM CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>101 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>102 REPLACE MISSING CERAMIC WALL TILES WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER.</p> <p>103 EXTEND EXISTING WALL CONSTRUCTION TO DECK ABOVE. INFILL ALL VOIDS AT WALL PENETRATIONS AND BETWEEN DECK AND WALL CONSTRUCTION TO PROVIDE WALL RATING AS INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>104 ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>105 REINSTATE LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>106 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND BLOCKWORK INTO EXIST. CONST.</p> <p>107 TOOTH IN NEW BRICKWORK AND BLOCKWORK INTO EXIST. CONST.</p> <p>108 REFER TO MECH. DWGS. FOR FIRE DAMPER/WALL ACCESS PANEL LOCATIONS. COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION.</p> <p>109 NOT USED</p> <p>110 CLEAN AND PREPARE EXPOSED AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW GEMENTION'S FINISH.</p> <p>111 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F..</p> | <p>112 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F..</p> <p>113 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.</p> <p>114 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.</p> <p>115 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK</p> <p>116 REINSTALL REMOVED SINK IN SAME LOCATION</p> <p>117 REINSTALL REMOVED CASEWORK IN SAME LOCATION</p> <p>118 REINSTALL REMOVED SHELVING IN SAME LOCATION</p> <p>119 NEW A.C. CONDENSING UNITS ON 3'-0" X 3'-0" X 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE.</p> <p>120 NEW CMU WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCASE EXISTING STEAM PIPES.</p> <p>121 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA.</p> <p>122 EDGE OF FOOTING</p> <p>123 NEW FOOTING DRAIN LINE</p> <p>124 NEW YARD DRAIN</p> <p>125 NEW YARD DRAIN LINE</p> <p>126 EXISTING HEATING/VENTILATION UNIT AND LOUVER TO REMAIN</p> <p>127 EXISTING DRINKING FOUNTAIN TO REMAIN</p> <p>128 EXISTING PROJECTION SCREEN TO REMAIN</p> <p>129 EXISTING MARKER BOARD TO REMAIN</p> <p>130 EXISTING TACKBOARD TO REMAIN</p> <p>131 EXISTING DISPLAY CASE TO REMAIN</p> <p>132 EXISTING LADDER AT PIT</p> <p>133 EXISTING HAND RAIL AT PIT</p> <p>134 EXISTING STAIR - SEE DETAILS 9 & 10, DWG. A6.4.6 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE.</p> <p>135 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN.</p> <p>136 EXISTING MIRROR TO REMAIN</p> <p>137 EXISTING WIRE MESH DOOR AND PARTITION TO REMAIN</p> |
|--|--|---|--|

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hartford, CT 06183-3510

STRUCTURAL:
Disalvo Ericson Group
83 Copus Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree Mognath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-0110

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"



AREA 7 LOWER LEVEL FLOOR PLAN

A2.17

NUMBERED NOTE LEGEND:

- 1 2 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
2 3 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
3 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
4 5 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
5 6 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
6 8 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
7 10 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
8 12 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
9 NOT USED
10 16 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
11 FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION
12 20 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
13 4 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
14 6 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
15 NOT USED
16 NOT USED
17 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
18 14 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
19 16 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
20 NOT USED
21 20 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
22 14 FT. x 4 FT. MAGNETIC MARKER BOARD WITH GRID
23 4 FT. x 4 FT. LECTURE UNIT (HINGED MARKER/TACKBOARD)
24 2 - 4 FT. x 4 FT. SLIDING MARKER BOARDS ATTACHED TO NEW OVERHEAD CABINETS
25 NOT USED
26 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
27 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH STAFF EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
28 6 FT. x 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
29 ELECTRICALLY 6 FT. x 6 FT. PROJECTION SCREEN - CEILING MOUNTED TO WOOD BLOCKING ABOVE CEILING. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
30 EXISTING ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN. RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
31 NEW MAP AND TACK RAIL FULL LENGTH OF TACKBOARD OR CHALKBOARD BELOW
32 NEW SURFACE MOUNTED PAPER TOWEL DISPENSER
33 NEW SURFACE MOUNTED SOAP DISPENSER
34 4 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)
35 8 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6)
36 4 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)
37 8 FT. LONG x 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)
38 10 FT. LONG x 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4)
39 12" x 12" x 72" WIDE DOUBLE-TIER LOCKERS W/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3)
40 15" x 15" x 72" WIDE SINGLE-TIER LOCKERS W/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2)
41 15" x 15" x 72" WIDE DOUBLE-TIER LOCKERS W/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1)
42 NEW WOOD PEDESTAL TYPE LOCKER ROOM BENCH
43 AUDITORIUM SEATS RELOCATED TO MATCH EXISTING LOCATION
44 AUDITORIUM SEATS RELOCATED TO NEW LOCATION
45 NEW MANUALLY OPERATED GYM BLEACHERS
46 NEW WALL PADDING
47 REFINISH & RESTRIPE WOOD FLOOR
48 NEW AUDITORIUM SEATS
49 NEW NON ACCESSIBLE WORKSINK
50 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING
51 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
52 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.
53 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
54 NEW FIRE EXTINGUISHER AND SEMI RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
55 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
56 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT.
57 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT
58 NOT USED
59 NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION.
60 EXISTING ELECTRONIC GATE RELOCATED AS INDICATED
61 EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED
62 EXISTING VENDING MACHINE RELOCATED AS INDICATED
63 EXISTING MAIL BOX UNITS FROM PREVIOUS FACILITY ROOM RELOCATED AS INDICATED
64 ACCESSIBLE FUME HOOD W/VENTING SYSTEM
65 NEW HEATING/VENTILATION UNIT AND LOUVER
66 RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM
67 NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES
68 NEW DRINKING FOUNTAIN FOR PERSONS WITH DISABILITIES
69 NEW ACCESSIBLE SINK FOR PERSONS WITH DISABILITIES
70 NEW WORK STATION FOR PERSONS WITH DISABILITIES
71 5'-0" x 2'-0" D WORKSTATION FOR PERSONS WITH DISABILITIES. SEE DTLS. 7 & 7A, DWG. A7.1.6.
72 NEW HORIZONTAL WINDOW BLINDS
73 NOT USED
74 NEW ACCESSIBLE DARKROOM SINK.
75 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF
76 18" D. MELAMINE SHELVING UNITS ON SHELF STANDARDS
77 NEW WALL MOUNTED TV MONITOR

- 78 EXPANSION JOINT COVER PLATE AT FLOOR
79 ACCESS PANELS TO FIRE DAMPERS
80 NEW 3'-6" x 1'-0" x 3/4" WOOD BENCH - SEE DETL. #9 ON DWG. A6.1.0
81 NEW NARCOTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3
82 RESURFACE EXISTING CHALKBOARD - REFER TO PLANS FOR SIZE
83 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED
84 EXISTING MARKER BOARD RELOCATED AS INDICATED
85 EXISTING TACKBOARD RELOCATED AS INDICATED
86 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS
87 RELOCATED MAP RAIL
88 EXISTING CHALKBOARD RELOCATED
89 EXISTING MAGNETIC BOARD RELOCATED
90 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS
91 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB.
92 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
93 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TUNNEL TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
94 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEEPENED SLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING ADJACENT CONCRETE FLOOR SLAB.
95 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING.
96 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING.
97 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.
98 INFILL ROOF OPENING AND EXISTING FRAMING ABOVE WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION.
99 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
100 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
101 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
102 REPLACE MISSING CERAMIC WALL TILES WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER.
103 EXTEND EXISTING WALL CONSTRUCTION TO DECK ABOVE. INFILL ALL VOIDS AT WALL PENETRATIONS AND BETWEEN DECK AND WALL CONSTRUCTION TO PROVIDE WALL RATING AS INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
104 ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
105 REINSTALL LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
106 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND WALL CONSTRUCTION TOOTH IN NEW BRICKWORK AND BLOCKWORK INTO EXIST. CONST.
107 REFER TO MECH. DWGS. FOR FIRE DAMPER/WALL ACCESS PANEL LOCATIONS. COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION.
108 NOT USED
109 CLEAN AND PREPARE EXPOSED AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW CEMENTITIOUS FINISH.
110 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F..
111 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F..
112 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.
113 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.
114 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK
115 REINSTALL REMOVED SINK IN SAME LOCATION
116 REINSTALL REMOVED CASEWORK IN SAME LOCATION
117 REINSTALL REMOVED SHELVING IN SAME LOCATION
118 NEW A.C. CONDENSING UNITS ON 3'-0" x 3'-0" x 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE
119 NEW CMU WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCASE EXISTING STEAM PIPES.
120 EXISTING HEATING/VENTILATION UNIT AND LOUVER TO REMAIN
121 NOT USED
122 EXISTING PROJECTION SCREEN TO REMAIN
123 EXISTING MARKER BOARD TO REMAIN
124 EXISTING TACKBOARD TO REMAIN
125 EXISTING DISPLAY CASE TO REMAIN
126 EXISTING LADDER AT PIT
127 EXISTING HAND RAIL AT PIT
128 EXISTING STAIR - SEE DETAILS 9 & 10, DWG. A6.4.6 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE.
129 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN.



REVISIONS:
CONSULTANTS:
SITE/CIVIL:
Volmer Associates, LLP
2821 Whitney Ave.
Hamden, CT 06518-9510
STRUCTURAL:
D'Amico Erlson Group
83 Coppes Hill Road
Ridgely, CT 06877
MECHANICAL:
Lawrence Mechanical
200 Elm St.
New Canaan, CT 06840
FOOD SERVICE:
Crabtree Morgan Associates Inc.
100 Cummings Center, Suite 210C
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.
P.M.
D.P.
J.C.

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 1 MAIN LEVEL FLOOR PLAN

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Deshazo Etkon Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cabrera McGrath Associates Inc.
100 Cambridge Center, Suite 2100
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8" = 1'-0"

AREA 2
MAIN LEVEL
FLOOR PLAN


A2.2.2



- NEW STANDPIPE**
- STAGE CURTAINS (INCLUDING PROSCENIUM CURTAIN)**
- INSTALLED JANUARY 2003.
 - FABRIC - 2102 FIRE RETARDANT COTTON.
 - TESTS AND CERTIFICATIONS.
 - a) NFPA 101 LIFE SAFETY CODE 1988
 - b) NFPA 701 SMALL SCALE AND LARGE SCALE/SS
 - c) CITY OF NEW YORK BOARD OF STANDARDS AND APPEALS CAL. NO. 284-40SR
 - d) CALIFORNIA STATE FIRE MARSHALL REGISTRATION NO. GA 35801 AND C-141.01
- NEW SMOKE VENTS**
- SMOKE VENT CALCULATIONS:**
- 5% OF STAGE AREA (2467 SF) = 123.4 SF REQUIRED VENT AREA.
- 4'-6" X 8' SMOKE VENTS PROVIDING 128 SF OF VENT AREA PROVIDED.
- REFINISH STAGE FLOOR WITH A BLACK PAINT FINISH = 2075 SF². [ADD ALTERNATE #1].**
- REFINISH STAGE FLOOR, THE TWO ACCESS STAIRWELLS (TREADS, RISERS AND EXPOSED SIDES) AND THE FINISH WOOD CONSTRUCTION AT THE FRONT OF THE STAGE EXPOSED TO THE AUDITORIUM - FLOOR & STAIR TREAD AREA = 418 SF + VERTICAL SURFACES = 252 SF² - TOTAL - 460 SF². [ADD ALTERNATE #1].**




NUMBERED NOTE LEGEND:

- | | |
|---|---|
| <p>1 2 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>2 3 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>3 4 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>4 5 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>5 6 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>6 8 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>7 10 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>8 12 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>9 NOT USED</p> <p>10 16 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>11 FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION</p> <p>12 20 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD</p> <p>13 4 FT. X 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>14 6 FT. X 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>15 NOT USED</p> <p>16 NOT USED</p> <p>17 12 FT. X 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>18 14 FT. X 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>19 16 FT. X 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>20 NOT USED</p> <p>21 20 FT. X 4 FT. MARKER BOARD W/CLIP STRIP</p> <p>22 14 FT. X 4 FT. MAGNETIC MARKER BOARD WITH GRID</p> <p>23 4 FT. X 4 FT. LECTURE UNIT (HINGED MARKER/TACKBOARD)</p> <p>24 2 - 4 FT. X 4 FT. SLIDING MARKER BOARDS ATTACHED TO NEW OVERHEAD CABINETS</p> <p>25 NOT USED</p> <p>26 4 FT. X 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. X 4 FT. STATIONARY CENTER MARKER BOARD</p> <p>27 4 FT. X 4 FT. SLIDING MARKER BOARDS WITH STAFF EACH SIDE OF 8 FT. X 4 FT. STATIONARY CENTER MARKER BOARD</p> <p>28 6 FT. X 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>29 ELECTRICALLY OPERATED 10 FT. X 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>30 EXISTING ELECTRICALLY OPERATED 10 FT. X 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.</p> <p>31 NEW MAP AND TACK RAIL FULL LENGTH OF TACKBOARD OR CHALKBOARD BELOW</p> <p>32 NEW SURFACE MOUNTED PAPER TOWEL DISPENSER</p> <p>33 NEW SURFACE MOUNTED SOAP DISPENSER</p> <p>34 4 FT. X 4 FT. X 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)</p> <p>35 8 FT. X 4 FT. X 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6)</p> <p>36 4 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)</p> <p>37 8 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)</p> <p>38 4 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 3)</p> <p>39 10 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4)</p> <p>40 12" X 12" X 72" WIDE DOUBLE-TIER LOCKERS W/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3)</p> <p>41 15" X 15" X 72" WIDE SINGLE-TIER LOCKERS W/SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2)</p> <p>42 15" X 15" X 72" WIDE DOUBLE-TIER LOCKERS W/SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1)</p> <p>43 NEW WOOD PEDESTAL TYPE LOCKER ROOM BENCH</p> <p>44 AUDITORIUM SEATS RELOCATED TO MATCH EXISTING LOCATION</p> <p>45 NEW MANUALLY OPERATED OYM BLEACHERS</p> <p>46 NEW WALL PADDING</p> <p>47 REFINISH & RESTRIPE WOOD FLOOR</p> <p>48 NEW AUDITORIUM SEATS</p> <p>49 NEW NON ACCESSIBLE WORKSINK</p> <p>50 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING</p> <p>51 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.</p> <p>52 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.</p> <p>53 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.</p> <p>54 NEW FIRE EXTINGUISHER AND SEMI RECESSED CABINET AT AN ACCESSIBLE HEIGHT.</p> <p>55 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT.</p> <p>56 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT.</p> <p>57 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT</p> <p>58 NOT USED</p> <p>59 NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION.</p> <p>60 EXISTING ELECTRONIC GATE RELOCATED AS INDICATED</p> <p>61 EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED</p> <p>62 EXISTING VENDING MACHINE RELOCATED AS INDICATED</p> <p>63 EXISTING MAIL BOX UNITS FROM PREVIOUS FACULTY ROOM RELOCATED AS INDICATED</p> <p>64 ACCESSIBLE FUME HOOD W/VENTING SYSTEM</p> <p>65 NEW HEATING/VENTILATION UNIT AND LOUVER</p> <p>66 RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM</p> <p>67 NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES</p> <p>68 NEW DRINKING FOUNTAIN FOR PERSONS WITH DISABILITIES</p> <p>69 NEW ACCESSIBLE SINK FOR PERSONS WITH DISABILITIES</p> <p>70 NEW WORK STATION FOR PERSONS WITH DISABILITIES</p> <p>71 5'-0" W X 2'-0" D WORKSTATION FOR PERSONS WITH DISABILITIES. SEE DTL. #7 & #7A, DWG. A7.1.6.</p> <p>72 NEW 5'-0" X 2'-6" ADJUSTABLE WORK TABLE FOR PERSONS WITH DISABILITIES. SEE DTL. #8 & #8A, DWG. A7.1.6.</p> <p>73 NOT USED</p> <p>74 NEW ACCESSIBLE DARKROOM SINK.</p> <p>75 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF</p> <p>76 15" - 18" D. MELAMINE SHELVING UNITS ON SHELF STANDARDS</p> <p>77 NEW WALL MOUNTED TV MONITOR</p> <p>78 EXPANSION JOINT COVER PLATE AT FLOOR</p> <p>79 ACCESS PANELS TO FIRE DAMPERS</p> <p>80 NEW 3'-6" W X 1'-10" X 1'-4" H WOOD BENCH - SEE DTL. #9 ON DWG. A9.9.0</p> <p>81 NEW NARROWCOTS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3.</p> <p>82 RESURFACE EXISTING CHALKBOARD - SEE PLANS FOR SIZE</p> <p>83 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED</p> <p>84 EXISTING TACKBOARD RELOCATED AS INDICATED</p> <p>85 EXISTING TACKBOARD RELOCATED AS INDICATED</p> <p>86 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS</p> <p>87 RELOCATED MAP RAIL</p> <p>88 EXISTING CHALKBOARD RELOCATED</p> <p>89 EXISTING CHALKBOARD BOARD RELOCATED</p> <p>90 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS</p> <p>91 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB.</p> <p>92 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.</p> <p>93 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TUNNEL TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.</p> <p>94 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEPRESSED SLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING ADJACENT CONCRETE FLOOR SLAB.</p> <p>95 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING.</p> <p>96 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING.</p> <p>97 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.</p> <p>98 INFILL ROOF OPENING AND EXISTING FRAMING ABOVE WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION.</p> <p>99 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>100 INFILL VOIDS BETWEEN WALL AND STEEL BEAM CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>101 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>102 REPLACE MISSING CERAMIC WALL TILES WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER.</p> <p>103 EXTEND EXISTING WALL CONSTRUCTION TO DECK ABOVE. INFILL ALL VOIDS AT WALL PENETRATIONS AND BETWEEN DECK AND WALL CONSTRUCTION TO PROVIDE WALL RATING AS INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>104 ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>105 REINSTATE LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.</p> <p>106 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND WALL CONSTRUCTION</p> <p>107 TOOTH IN NEW BRICKWORK AND BLOCKWORK INTO EXIST CONST. REFER TO MECH. DWGS. FOR FIRE DAMPER/WALL ACCESS PANEL LOCATIONS. COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION.</p> <p>108 NOT USED</p> <p>109 CLEAN AND PREPARE EXPOSED AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW CEMENTITIOUS FINISH.</p> <p>110 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F.</p> <p>111 EXISTING HEATING/VENTILATION UNIT AND LOUVER TO REMAIN</p> <p>112 EXISTING DRINKING FOUNTAIN TO REMAIN</p> <p>113 EXISTING PROJECTION SCREEN TO REMAIN</p> <p>114 EXISTING MARKER BOARD TO REMAIN</p> <p>115 EXISTING TACKBOARD TO REMAIN</p> <p>116 EXISTING DISPLAY CASE TO REMAIN</p> <p>117 EXISTING LADDER AT PIT</p> <p>118 EXISTING HAND RAIL AT PIT</p> <p>119 EXISTING STAIR - SEE DETAILS 9 & 10, DWG. AS.4.6 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE.</p> <p>120 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN.</p> <p>121 EXISTING MIRROR TO REMAIN</p> <p>122 EXISTING WIRE MESH DOOR AND PARTITION TO REMAIN</p> | <p>112 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F.</p> <p>113 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.</p> <p>114 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.</p> <p>115 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK</p> <p>116 REINSTALL REMOVED SINK IN SAME LOCATION</p> <p>117 REINSTALL REMOVED CASEWORK IN SAME LOCATION</p> <p>118 REINSTALL REMOVED SHELVING IN SAME LOCATION</p> <p>119 NEW A.C. CONDENSING UNITS ON 3'-0" X 3'-0" X 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE.</p> <p>120 NEW CMU WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCASE EXISTING STEAM PIPES.</p> <p>121 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA.</p> <p>122 EDGE OF FOOTING</p> <p>123 NEW FOOTING DRAIN LINE</p> <p>124 NEW YARD DRAIN</p> <p>125 NEW YARD DRAIN LINE</p> |
|---|---|



NUMBERED NOTE LEGEND:

- 1 2 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 2 3 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 3 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 4 5 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 5 6 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 6 8 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 7 10 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 8 12 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 9 NOT USED
- 10 16 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 11 FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION
- 12 20 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 13 4 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 14 6 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 15 NOT USED
- 16 NOT USED
- 17 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 18 14 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 19 16 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 20 NOT USED
- 21 20 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 22 14 FT. x 4 FT. MAGNETIC MARKER BOARD WITH GRID
- 23 4 FT. x 4 FT. LECTURE UNIT (HINGED MARKER/TACKBOARD)
- 24 2 - 4 FT. x 4 FT. SLIDING MARKER BOARDS ATTACHED TO NEW OVERHEAD CABINETS
- 25 NOT USED
- 26 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
- 27 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH STAFF EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
- 28 6 FT. x 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 29 ELECTRICALLY 6 FT. x 6 FT. PROJECTION SCREEN - CEILING MOUNTED TO WOOD BLOCKING ABOVE CEILING REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 30 EXISTING ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 31 NEW MAP AND TACK RAIL FULL LENGTH OF TACKBOARD OR CHALKBOARD BELOW
- 32 NEW SURFACE MOUNTED PAPER TOWEL DISPENSER
- 33 NEW SURFACE MOUNTED SOAP DISPENSER
- 34 4 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)
- 35 8 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6)
- 36 4 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)
- 37 8 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)
- 38 10 FT. LONG x 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 3)
- 39 12" x 12" x 7/8" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3)
- 40 15" x 15" x 7/8" WIDE SINGLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2)
- 41 15" x 15" x 7/8" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1)
- 42 NEW WOOD PEDESTAL TYPE LOCKER ROOM BENCH
- 43 AUDITORIUM SEATS RELOCATED TO MATCH EXISTING LOCATION
- 44 AUDITORIUM SEATS RELOCATED TO NEW LOCATION
- 45 NEW MANUALLY OPERATED GYM BLEACHERS
- 46 NEW WALL PADDING
- 47 REFINISH & RESTRIPE WOOD FLOOR
- 48 NEW AUDITORIUM SEATS
- 49 NEW NON ACCESSIBLE WORKSINK
- 50 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING
- 51 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 52 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 53 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 54 NEW FIRE EXTINGUISHER AND SEMI RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
- 55 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
- 56 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 57 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT
- 58 NOT USED
- 59 NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION.
- 60 EXISTING ELECTRONIC GATE RELOCATED AS INDICATED
- 61 EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED
- 62 EXISTING VENDING MACHINE RELOCATED AS INDICATED
- 63 EXISTING MAIL BOX UNITS FROM PREVIOUS FACILITY ROOM RELOCATED AS INDICATED
- 64 ACCESSIBLE FUME HOOD W/VENTING SYSTEM
- 65 NEW HEATING/VENTILLATION UNIT AND LOUVER
- 66 RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM
- 67 NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES
- 68 NEW DRINKING FOUNTAIN FOR PERSONS WITH DISABILITIES
- 69 NEW ACCESSIBLE SINK FOR PERSONS WITH DISABILITIES
- 70 NEW WORK STATION FOR PERSONS WITH DISABILITIES
- 71 5'-0" W X 2'-0" D WORKSTATION FOR PERSONS WITH DISABILITIES. SEE D.T.S. 7 & 7A, DWG. A7.1.6.
- 72 NEW 5'-0" W X 2'-6" ADJUSTABLE WORK TABLE FOR PERSONS WITH DISABILITIES. SEE D.T.S. 8 & 8A, DWG. A7.1.6.
- 73 NEW HORIZONTAL WINDOW BLINDS
- 74 NOT USED
- 75 NEW ACCESSIBLE DARKROOM SINK.
- 76 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF
- 77 (S) - 18" D. MELAMINE SHELVING UNITS ON SHELF STANDARDS
- 78 NEW WALL MOUNTED TV MONITOR
- 79 EXPANSION JOINT COVER PLATE AT FLOOR
- 80 ACCESS PANELS TO FIRE DAMPERS
- 81 NEW 3'-6" W X 1'-10" D X 14" H WOOD BENCH - SEE D.T.L. #9 ON DWG. A9.9.0
- 82 NEW NARCOTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3.
- 83 RESURFACE EXISTING CHALKBOARD - REFER TO PLANS FOR SIZE
- 84 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED
- 85 EXISTING MARKER BOARD RELOCATED AS INDICATED
- 86 EXISTING TACKBOARD RELOCATED AS INDICATED
- 87 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS
- 88 RELOCATED MAP RAIL
- 89 EXISTING CHALKBOARD RELOCATED
- 90 EXISTING MAGNETIC BOARD RELOCATED
- 91 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS
- 92 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB.
- 93 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING FLOOR SLAB.
- 94 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TRUNK TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 95 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEPRESSED SLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING ADJACENT CONCRETE FLOOR SLAB.
- 96 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING.
- 97 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING.
- 98 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.
- 99 INFILL ROOF OPENING AND EXISTING FRAMING ABOVE WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION.
- 100 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A01.3, A01.4 AND A01.5.
- 101 INFILL VOIDS BETWEEN WALL AND STEEL BEAM CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A01.3, A01.4 AND A01.5.
- 102 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A01.3, A01.4 AND A01.5.
- 103 REPLACE MISSING CERAMIC WALL TILES WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER.
- 104 EXTEND EXISTING WALL CONSTRUCTION TO DECK ABOVE. INFILL ALL VOIDS AT WALL PENETRATIONS AND BETWEEN DECK AND WALL CONSTRUCTION TO PROVIDE WALL RATING AS INDICATED ON BUILDING CODE DRAWINGS A01.3, A01.4 AND A01.5.
- 105 ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A01.3, A01.4 AND A01.5.
- 106 REINSTALL LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A01.3, A01.4 AND A01.5.
- 107 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND WALL CONSTRUCTION
- 108 TOOTH IN NEW BRICKWORK AND BLOCKWORK INTO EXIST. CONST.
- 109 REFER TO MECH. DWGS. FOR FIRE DAMPER/WALL ACCESS PANEL LOCATIONS. COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION.
- 110 NOT USED
- 111 CLEAN AND PREPARE EXPOSED AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW CONCRETE FINISH
- 112 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F..
- 113 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F..
- 114 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.
- 115 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.
- 116 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK
- 117 REINSTALL REMOVED SINK IN SAME LOCATION
- 118 REINSTALL REMOVED SHELVE IN SAME LOCATION
- 119 NEW A.C. CONDENSING UNITS ON 3'-0" X 3'-0" X 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE
- 120 NEW CMU WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCREASE EXISTING STEAM PIPES.
- 121 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA.
- 122 EXISTING HEATING/VENTILLATION UNIT AND LOUVER TO REMAIN
- 123 EXISTING DRINKING FOUNTAIN TO REMAIN
- 124 EXISTING PROJECTION SCREEN TO REMAIN
- 125 EXISTING MARKER BOARD TO REMAIN
- 126 EXISTING TACKBOARD TO REMAIN
- 127 EXISTING DISPLAY CASE TO REMAIN
- 128 EXISTING LADDER AT PIT
- 129 EXISTING HAND RAIL AT PIT
- 130 EXISTING STAIR - SEE DETAILS 9 & 10, DWG. A6.4.6 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE.
- 131 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN.



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hartford, CT 06183-3510

STRUCTURAL:
Draavo Erlson Group
83 Copper Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
200 Elm St
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044


Jeter Cook & Jepsen
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepsen Architects, Inc.

P.C. [Signature]
P.M. [Signature]
D.P. [Signature]
J.C. [Signature]


ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 3
MAIN LEVEL
FLOOR PLAN



NUMBERED NOTE LEGEND:

- 1 2 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 2 3 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 3 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 4 5 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 5 6 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 6 8 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 7 10 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 8 12 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 9 NOT USED
- 10 16 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 11 FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION
- 12 20 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 13 4 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 14 6 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 15 NOT USED
- 16 NOT USED
- 17 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 18 14 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 19 16 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 20 NOT USED
- 21 20 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 22 14 FT. x 4 FT. MAGNETIC MARKER BOARD WITH GRID
- 23 4 FT. x 4 FT. LECTURE UNIT (HINGED MARKER/TACKBOARD)
- 24 2 - 4 FT. x 4 FT. SLIDING MARKER BOARDS ATTACHED TO NEW OVERHEAD CABINETS
- 25 NOT USED
- 26 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
- 27 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH START EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
- 28 6 FT. x 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 29 ELECTRICALLY 6 FT. x 6 FT. PROJECTION SCREEN - CEILING MOUNTED TO WOOD BLOCKING ABOVE CEILING. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 30 EXISTING ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 31 NEW MAP AND TACK RAIL FULL LENGTH OF TACKBOARD OR CHALKBOARD BELOW
- 32 NEW SURFACE MOUNTED PAPER TOWEL DISPENSER
- 33 NEW SURFACE MOUNTED SOAP DISPENSER
- 34 4 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)
- 35 8 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6)
- 36 4 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)
- 37 8 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)
- 38 8 FT. LONG X 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 3)
- 39 10 FT. LONG X 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4)
- 40 12' x 12' x 72" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3)
- 41 15' x 15' x 72" WIDE SINGLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2)
- 42 15' x 15' x 72" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1)
- 43 NEW WOOD PEDESTAL TYPE LOCKER ROOM BENCH
- 44 AUDITORIUM SEATS RELOCATED TO MATCH EXISTING LOCATION
- 45 AUDITORIUM SEATS RELOCATED TO NEW LOCATION
- 46 NEW MANUALLY OPERATED GYM BLEACHERS
- 47 NEW WALL PADDING
- 48 NEW WALL PADDING
- 49 NEW WALL PADDING
- 50 NEW NON ACCESSIBLE WORKSINK
- 51 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING
- 52 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 53 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 54 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 55 NEW FIRE EXTINGUISHER AND SEMI RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
- 56 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
- 57 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 58 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT
- 59 NOT USED
- 60 NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION.
- 61 EXISTING ELECTRONIC GATE RELOCATED AS INDICATED
- 62 EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED
- 63 EXISTING VENDING MACHINE RELOCATED AS INDICATED
- 64 EXISTING MAIL BOX UNITS FROM PREVIOUS FACILITY ROOM RELOCATED AS INDICATED
- 65 ACCESSIBLE FUME HOOD W/VENTING SYSTEM
- 66 NEW HEATING/VENTILATION UNIT AND LOUVER
- 67 RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM
- 68 NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES
- 69 NEW DRINKING FOUNTAIN FOR PERSONS WITH DISABILITIES
- 70 NEW ACCESSIBLE SINK FOR PERSONS WITH DISABILITIES
- 71 NEW WORK STATION FOR PERSONS WITH DISABILITIES
- 72 5'-0" W X 2'-0" D WORKSTATION FOR PERSONS WITH DISABILITIES. SEE DTLS. 7 & 7A, DWG. A7.1.6.
- 73 NEW 5'-0" X 2'-6" ADJUSTABLE WORK TABLE FOR PERSONS WITH DISABILITIES. SEE DTLS. 8 & 8A, DWG. A7.1.6.
- 74 NEW HORIZONTAL WINDOW BLINDS
- 75 NOT USED
- 76 NEW ACCESSIBLE DARKROOM SINK.
- 77 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF
- 78 (5) - 18" D. MELAMINE SHELVING UNITS ON SHELF STANDARDS
- 79 NEW WALL MOUNTED TV MONITOR
- 80 EXPANSION JOINT COVER PLATE AT FLOOR
- 81 ACCESS PANELS TO FIRE DAMPERS
- 82 NEW 3'-6" W X 1'-10" X 1'4" WOOD BENCH - SEE DTL. #9 ON DWG. A9.9.0
- 83 NEW NARCOPTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3.
- 84 RESURFACE EXISTING CHALKBOARD - REFER TO PLANS FOR SIZE
- 85 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED
- 86 EXISTING MARKER BOARD RELOCATED AS INDICATED
- 87 EXISTING TACKBOARD RELOCATED AS INDICATED
- 88 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS
- 89 RELOCATED MAP RAIL
- 90 EXISTING CHALKBOARD RELOCATED
- 91 EXISTING MAGNETIC BOARD RELOCATED
- 92 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS
- 93 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB.
- 94 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 95 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 96 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TUNNEL TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 97 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEEPRESSED SLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING ADJACENT CONCRETE FLOOR SLAB.
- 98 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING.
- 99 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING.
- 100 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.
- 101 NEW ROOF OPENING AND EXISTING FRAMING WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION.
- 102 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 103 INFILL VOIDS BETWEEN WALL AND STEEL BEAM CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 104 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 105 REPLACE MISSING CERAMIC WALL TILES WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER.
- 106 EXTEND EXISTING WALL CONSTRUCTION TO DECK ABOVE. INFILL ALL VOIDS AT WALL PENETRATIONS AND BETWEEN DECK AND WALL CONSTRUCTION TO PROVIDE WALL RATING AS INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 107 ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 108 REINSTALL LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 109 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND WALL CONSTRUCTION
- 110 TYPING IN NEW BRICKWORK AND BLOCKWORK INTO EXIST. CONST. REFER TO MECH. DWGS. FOR FIRE DAMPER WALL ASSEMBLY LOCALS COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATI
- 111 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F.
- 112 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F.
- 113 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.
- 114 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.
- 115 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK
- 116 REINSTALL REMOVED SINK IN SAME LOCATION
- 117 REINSTALL REMOVED CASEWORK IN SAME LOCATION
- 118 REINSTALL REMOVED SHELVING IN SAME LOCATION
- 119 NEW A.C. CONDENSING UNITS ON 3'-0" X 3'-0" X 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE
- 120 NEW CMU WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCREASE EXISTING STEAM PIPES.
- 121 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA.
- 122 EXISTING HEATING/VENTILATION UNIT AND LOUVER TO REMAIN
- 123 EXISTING DRINKING FOUNTAIN TO REMAIN
- 124 EXISTING PROJECTION SCREEN TO REMAIN
- 125 EXISTING MARKER BOARD TO REMAIN
- 126 EXISTING TACKBOARD TO REMAIN
- 127 EXISTING DISPLAY CASE TO REMAIN
- 128 EXISTING LADDER AT PIT
- 129 EXISTING HAND RAIL AT PIT
- 130 EXISTING STAIR - SEE DETAILS 9 & 10, DWG. A6.4.8 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE
- 131 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN.



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diavelo Etkon Group
63 Coppas Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Britain, CT 06840

FOOD SERVICE:
Chabree McGrath Associates Inc.
90 Carver's Center, Suite 250
Beverly, MA 01915-8113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepsen
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepsen Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 5 MAIN LEVEL FLOOR PLAN

A2.2.5

CONSULTANTS:
SITE/CIVIL:
Vohmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Delsavo Ericson Group
63 Coppes Hill Road
Ridgeland, CT 06457

MECHANICAL:
Lawrence Mechanical
283 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 206
Beverly, MA 01915-6115

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044


Jeter Cook & Jepson
Architects, Inc.
400 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 6
MAIN LEVEL
FLOOR PLAN

A2.2.6



NUMBERED NOTE LEGEND:

- 1 2 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 2 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 3 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 4 5 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 5 6 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 6 8 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 7 12 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 8 16 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 9 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 10 16 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 11 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 12 4 FT. x 4 FT. LECTURE UNIT (Hinged Marker/Tackboard)
- 13 6 FT. x 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 14 EXISTING ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO REFLECTED CEILING DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 15 4 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)
- 16 8 FT. x 4 FT. x 4" SURFACE MOUNTED LOCKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6)
- 17 4 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)
- 18 8 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)
- 19 8 FT. LONG x 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 3)
- 20 10 FT. LONG x 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4)
- 21 12" x 12" x 3/4" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1)
- 22 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING
- 23 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 24 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 25 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF
- 26 (3) - 18" D. MELAMINE SHELVING UNITS ON SHELF STANDARDS
- 27 EXPANSION JOINT COVER PLATE AT FLOOR
- 28 NEW NARCOTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3
- 29 RESURFACE EXISTING CHALKBOARD - REFER TO PLANS FOR SIZE
- 30 EXISTING MARKER BOARD RELOCATED AS INDICATED
- 31 EXISTING REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 32 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TUNNEL TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 33 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.
- 34 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 35 REINSTALL LOCKS FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 36 REFER TO MECH. DWGS. FOR FIRE DAMPER/WALL ACCESS PANEL LOCATIONS COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION.
- 37 CLEAN AND PREPARE EXPOSED AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW CEMENTITIOUS FINISH.
- 38 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F..
- 39 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.
- 40 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.
- 41 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK
- 42 NEW A.C. CONDENSING UNITS ON 3'-0" x 3'-0" x 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE
- 43 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA.
- 44 NEW FOOTING DRAIN LINE
- 45 NEW YARD DRAIN
- 46 EXISTING TACKBOARD TO REMAIN
- 47 EYE CHART BY OWNER

REVISIONS:

CONSULTANTS:

SITE/CIVIL: Vollmer Associates, LLP 2521 Whitney Ave. Hamden, CT 06518-3510

STRUCTURAL: Deslvo Erison Group 63 Coppa Hill Road Ridgefield, CT 06877

MECHANICAL: Lawrence Mechanical 290 Elm St. New Canaan, CT 06840

FOOD SERVICE: Crabtree McGrath Associates Inc. 100 Cummings Center, Suite 216C Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.

450 Church Street, Hartford, Connecticut 06103 © 2000 Jeter, Cook & Jepson Architects, Inc.


P.C. P.M. D.P. J.C.

ISSUE 5/31/05 0244.01

AREA 7 MAIN LEVEL FLOOR PLAN


A2.2.7


LABORATORY PLUMBING FIXTURES table with 2 columns: Symbol, Description



NUMBERED NOTE LEGEND:

- List of 100 numbered notes detailing construction specifications, material requirements, and installation instructions.





MATCH LINE G-G
MATCH DWG A2.2.6

NUMBERED NOTE LEGEND:

- 1 2 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 2 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 3 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 4 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 5 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 6 4 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 7 10 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 8 12 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 9 NOT USED
- 10 16 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 11 FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION
- 12 20 FT. x 4 FT. FABRIC-WRAPPED TACKBOARD
- 13 4 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 14 6 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 15 NOT USED
- 16 12 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 17 14 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 18 16 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 19 NOT USED
- 20 20 FT. x 4 FT. MARKER BOARD W/CLIP STRIP
- 21 14 FT. x 4 FT. MAGNETIC MARKER BOARD WITH GRID

- 22 4 FT. x 4 FT. LECTURE UNIT (HINGED MARKER/TACKBOARD)
- 23 2 - 4 FT. x 4 FT. SLIDING MARKER BOARDS ATTACHED TO NEW OVERHEAD CABINETS
- 24 NOT USED
- 25 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
- 26 4 FT. x 4 FT. SLIDING MARKER BOARDS WITH STAFF EACH SIDE OF 8 FT. x 4 FT. STATIONARY CENTER MARKER BOARD
- 27 6 FT. x 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 28 ELECTRICALLY OPERATED 6 FT. x 6 FT. PROJECTION SCREEN - CEILING MOUNTED TO WOOD BLOCKING ABOVE CEILING. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 29 NOT USED
- 30 EXISTING ELECTRICALLY OPERATED 10 FT. x 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING AS INDICATED. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS.
- 31 NEW MAP AND TACK RAIL FULL LENGTH OF TACKBOARD OR CHALKBOARD BELOW
- 32 NEW SURFACE MOUNTED PAPER TONER DISPENSER
- 33 NEW SURFACE MOUNTED SNAP DISPENSER
- 34 4 FT. x 4 FT. x 4" SURFACE MOUNTED LOOKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5)
- 35 8 FT. x 4 FT. x 4" SURFACE MOUNTED LOOKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6)
- 36 4 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1)
- 37 8 FT. LONG x 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2)
- 38 10 FT. LONG x 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4)


- 39 12" x 12" x 72" WIDE DOUBLE-TIER LOCKERS W/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3)
- 40 15" x 15" x 72" WIDE SINGLE-TIER LOCKERS W/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2)
- 41 15" x 15" x 72" WIDE DOUBLE-TIER LOCKERS W/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1)
- 42 NEW WOOD PEDESTAL TYPE LOCKER ROOM BENCH
- 43 AUDITORIUM SEATS RELOCATED TO MATCH EXISTING LOCATION
- 44 AUDITORIUM SEATS RELOCATED TO NEW LOCATION
- 45 NEW MANUALLY OPERATED GYM BLEACHERS
- 46 NEW WALL PADDING
- 47 REFRESH AND RESTRIPE WOOD FLOOR
- 48 NEW AUDITORIUM SEATS
- 49 NEW NON ACCESSIBLE WORKSINK
- 50 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING
- 51 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 52 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 53 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION.
- 54 NEW FIRE EXTINGUISHER AND SEMI RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
- 55 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT.
- 56 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT.
- 57 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT
- 58 NOT USED

- 59 NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION.
- 60 EXISTING ELECTRONIC GATE RELOCATED AS INDICATED
- 61 EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED
- 62 EXISTING VENDING MACHINE RELOCATED AS INDICATED
- 63 EXISTING WALL BOX UNITS FROM PREVIOUS FACILITY ROOM RELOCATED AS INDICATED
- 64 ACCESSIBLE FUME HOOD W/VENTING SYSTEM
- 65 NEW HEATING/VENTILATION UNIT AND LOUVER
- 66 RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM
- 67 NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES
- 68 NEW DRINKING FOUNTAIN FOR PERSONS WITH DISABILITIES
- 69 NEW ACCESSIBLE SINK FOR PERSONS WITH DISABILITIES
- 70 NEW WORK STATION FOR PERSONS WITH DISABILITIES
- 71 5'-0" W X 2'-0" D WORKSTATION FOR PERSONS WITH DISABILITIES. SEE DTLS. #7 & #1A, DWG. A7.1.6.
- 72 NEW 5'-0" X 2'-6" ADJUSTABLE WORK TABLE FOR PERSONS WITH DISABILITIES. SEE DTLS. #8 & #8A, DWG. A7.1.6.
- 73 NOT USED
- 74 NEW ACCESSIBLE DARKROOM SINK.
- 75 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF
- 76 (3) - 18" D. MELAMINE SHELVING UNITS ON SHELF STANDARDS
- 77 NEW WALL MOUNTED TV MONITOR
- 78 EXPANSION JOINT COVER PLATE AT FLOOR

- 79 ACCESS PANELS TO FIRE DAMPERS
- 80 NEW 3'-6" W X 1'-10" X 1'4" H WOOD BENCH - SEE DTLS. #9 ON DWG. A9.9.0
- 81 NEW NARCOTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3.
- 82 RESURFACE EXISTING CHALKBOARD - SEE PLANS FOR SIZE
- 83 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED
- 84 EXISTING MARKER BOARD RELOCATED AS INDICATED
- 85 EXISTING TACKBOARD RELOCATED AS INDICATED
- 86 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS
- 87 RELOCATED MAP RAIL
- 88 EXISTING CHALKBOARD RELOCATED
- 89 EXISTING MAGNETIC BOARD RELOCATED
- 90 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS
- 91 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB.
- 92 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 93 NEW REINFORCED CONCRETE SLAB CONSTRUCTION OVER EXISTING STEAM PIPE TUNNEL TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB.
- 94 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEEPRESSED SLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING, ADJACENT CONCRETE FLOOR SLAB.
- 95 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING.
- 96 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING.

- 97 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB.
- 98 INFILL ROOF OPENING AND EXISTING FRAMING ABOVE WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION.
- 99 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 100 INFILL VOIDS BETWEEN WALL AND STEEL BEAM CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 101 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 102 REPLACE MISSING CERAMIC WALL TILES WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER.
- 103 ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 104 REINSTATE LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5.
- 105 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND WALL CONSTRUCTION
- 106 TOOTH IN NEW BRICKWORK AND BLOCKWORK INTO EXIST. CONST.
- 107 REFER TO MECH. DWGS. FOR FIRE DAMPER/WALL ACCESS PANEL LOCATIONS. COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION.
- 108 NOT USED
- 109 CLEAN AND PREPARE EXPOSED AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW CEMENTITIOUS FINISH.
- 110 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F.

- 111 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F.
- 112 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C.
- 113 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C.
- 114 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK
- 115 REINSTALL REMOVED SINK IN SAME LOCATION
- 116 REINSTALL REMOVED CASEWORK IN SAME LOCATION
- 117 REINSTALL REMOVED SHELVE IN SAME LOCATION
- 118 NEW A.C. CONDENSING UNITS ON 3'-0" X 3'-0" X 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE
- 119 NEW CMU WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCREASE EXISTING STEAM PIPES.
- 120 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA.
- 121 EDGE OF FOOTING
- 122 NEW YARD DRAIN
- 123 NEW YARD DRAIN LINE
- 124 EXISTING HEATING/VENTILATION UNIT AND LOUVER TO REMAIN
- 125 EXISTING DRINKING FOUNTAIN TO REMAIN
- 126 EXISTING PROJECTION SCREEN TO REMAIN
- 127 EXISTING MARKER BOARD TO REMAIN
- 128 EXISTING TACKBOARD TO REMAIN
- 129 EXISTING DISPLAY CASE TO REMAIN
- 130 EXISTING LADDER AT PIT
- 131 EXISTING HAND RAIL AT PIT
- 132 EXISTING STAIR - SEE DETAILS 9 & 10, DWG. A6.4.6 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE.
- 133 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN.
- 134 EXISTING MIRROR TO REMAIN
- 135 EXISTING WIRE MESH DOOR AND PARTITION TO REMAIN



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Votner Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-5510

STRUCTURAL:
Dialvo Ericson Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cabrera Mognath Associates Inc.
100 Carrington Center, Suite 2100
Beverly, MA 01915-6113

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044


**Jeter
Cook &
Jepson
Architects, Inc.**

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*


ISSUE 5/31/05
JOB 0244.01
DRAW RK
SCALE 1/8"=1'-0"

AREA 8
MAIN LEVEL
FLOOR PLAN



NUMBERED NOTE LEGEND:

- | | | | | | | |
|---|---|---|--|--|---|---|
| <ul style="list-style-type: none"> ① 2 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ② 3 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ③ 4 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ④ 5 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ⑤ 6 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ⑥ 8 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ⑦ 10 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ⑧ 12 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ⑨ NOT USED ⑩ 16 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ⑪ FABRIC WRAPPED TACKBOARD(S) REFER TO INTERIOR ELEVATION ⑫ 20 FT. X 4 FT. FABRIC-WRAPPED TACKBOARD ⑬ 4 FT. X 4 FT. MARKER BOARD W/CLIP STRIP ⑭ 6 FT. X 4 FT. MARKER BOARD W/CLIP STRIP ⑮ NOT USED ⑯ NOT USED ⑰ 12 FT. X 4 FT. MARKER BOARD W/CLIP STRIP ⑱ 14 FT. X 4 FT. MARKER BOARD W/CLIP STRIP ⑲ 16 FT. X 4 FT. MARKER BOARD W/CLIP STRIP ⑳ NOT USED ㉑ 20 FT. X 4 FT. MARKER BOARD W/CLIP STRIP ㉒ 14 FT. X 4 FT. MAGNETIC MARKER BOARD WITH GRID | <ul style="list-style-type: none"> ㉓ 4 FT. X 4 FT. LECTURE UNIT (HINDED MARKER/TACKBOARD) ㉔ 2 - 4 FT. X 4 FT. SLIDING MARKER BOARDS ATTACHED TO NEW OVERHEAD CABINETS ㉕ NOT USED ㉖ 4 FT. X 4 FT. SLIDING MARKER BOARDS WITH GRID EACH SIDE OF 8 FT. X 4 FT. STATIONARY CENTER MARKER BOARD ㉗ 4 FT. X 4 FT. SLIDING MARKER BOARDS WITH STAFF EACH SIDE OF 8 FT. X 4 FT. STATIONARY CENTER MARKER BOARD ㉘ 6 FT. X 6 FT. PROJECTION SCREEN - WALL MOUNTED - REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS. ㉙ ELECTRICALLY OPERATED 10 FT. X 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS. ㉚ EXISTING ELECTRICALLY OPERATED 10 FT. X 10 FT. CEILING MOUNTED PROJECTOR SCREEN, RELOCATED AND MOUNTED TO WOOD BLOCKING ABOVE CEILING. REFER TO REFLECTED CEILING DRAWINGS AND TELECOMMUNICATIONS DRAWINGS FOR CEILING MOUNTED PROJECTOR LOCATIONS. ㉛ 4 FT. X 4 FT. MARKER BOARD W/CLIP STRIP OR CHALKBOARD BELOW ㉜ NEW SURFACE MOUNTED PAPER TOWEL DISPENSER ㉝ NEW SURFACE MOUNTED SOAP DISPENSER ㉞ 4 FT. X 4 FT. X 4" SURFACE MOUNTED LOOKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 5) ㉟ 8 FT. X 4 FT. X 4" SURFACE MOUNTED LOOKING GLASS DISPLAY CASE (SEE SPEC. SECT. 10400 - DES. TYPE 6) ㊱ 4 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 1) ㊲ 8 FT. LONG X 1'-0" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 2) ㊳ 8 FT. LONG X 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 3) ㊴ 10 FT. LONG X 1'-4" DEEP LIGHTED GLASS DISPLAY CABINET W/LOCK. (SEE SPEC. SECT. 10400 - DES. TYPE 4) | <ul style="list-style-type: none"> ㊵ 12" X 12" X 72" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-3) ㊶ 15" X 15" X 72" WIDE SINGLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-2) ㊷ 15" X 15" X 72" WIDE DOUBLE-TIER LOCKERS w/ SLOPED TOP (SPECIFICATION SECTION 10505 - DESIGNATION L-1) ㊸ NEW WOOD PEDESTAL TYPE LOCKER ROOM BENCH ㊹ AUDITORIUM SEATS RELOCATED TO MATCH EXISTING LOCATION ㊺ AUDITORIUM SEATS RELOCATED TO NEW LOCATION ㊻ NEW MANUALLY OPERATED GYM BLEACHERS ㊼ NEW WALL PADDING ㊽ REFINISH & RESTRIPE WOOD FLOOR ㊾ NEW AUDITORIUM SEATS ㊿ NEW NON ACCESSIBLE WORKSTATION 1 NEW PRIVACY CURTAINS AND CEILING TRACK MOUNTED TO WOOD BLOCKING ABOVE CEILING 2 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION. 3 EXISTING FIRE EXTINGUISHER AND FULLY RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT. 4 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET LOWERED TO ACCESSIBLE HEIGHT AT EXISTING LOCATION. 5 EXISTING FIRE EXTINGUISHER AND SEMI RECESSED CABINET RELOCATED TO NEW LOCATION AS INDICATED AT AN ACCESSIBLE HEIGHT. 6 NEW FIRE EXTINGUISHER AND FULLY RECESSED CABINET AT AN ACCESSIBLE HEIGHT. 7 EXISTING SURFACE MOUNTED FIRE EXTINGUISHER RELOCATED AS INDICATED AT AN ACCESSIBLE HEIGHT. 8 NEW SURFACE MOUNTED FIRE EXTINGUISHER AT AN ACCESSIBLE HEIGHT 9 NOT USED | <ul style="list-style-type: none"> 10 NEW ACCESSIBLE TELEPHONE AT EXISTING ACCESSIBLE TELEPHONE STATION. 11 EXISTING ELECTRONIC GATE RELOCATED AS INDICATED 12 EXISTING WASHER/DRYER UNIT RELOCATED AS INDICATED 13 EXISTING VENDING MACHINE RELOCATED AS INDICATED 14 EXISTING MAIL BOX UNITS FROM PREVIOUS FACILITY ROOM RELOCATED AS INDICATED 15 ACCESSIBLE FUME HOOD W/VENTING SYSTEM 16 NEW HEATING/VENTILATION UNIT AND LOUVER 17 RELOCATED MIRROR FROM EXISTING GIRL'S LOCKER ROOM 18 NEW EYE AND BODY WASH FOR PERSONS WITH DISABILITIES 19 NEW DRINKING FOUNTAIN FOR PERSONS WITH DISABILITIES 20 NEW ACCESSIBLE SINK FOR PERSONS WITH DISABILITIES 21 NEW WORK STATION FOR PERSONS WITH DISABILITIES 22 5'-0" W X 2'-0" D WORKSTATION FOR PERSONS WITH DISABILITIES. SEE DTLS. #7 & #7A, DWG. A7.1.6. 23 NEW 5'-0" X 2'-6" ADJUSTABLE WORK TABLE FOR PERSONS WITH DISABILITIES. SEE DTLS. #8 & #8A, DWG. A7.1.6. 24 NEW HORIZONTAL WINDOW BLINDS 25 NOT USED 26 NEW ACCESSIBLE DARKROOM SINK. 27 NEW METAL CLOTHES HANGING ROD WITH MELAMINE SHELF 28 (5) - 18" O. MELAMINE SHELVING UNITS ON SHELF STANDARDS 29 NEW WALL MOUNTED TV MONITOR 30 EXPANSION JOINT COVER PLATE AT FLOOR | <ul style="list-style-type: none"> 31 ACCESS PANELS TO FIRE DAMPERS 32 NEW 3'-5" W X 1'-10" D X 1'4" H WOOD BENCH - SEE DTLS. #9 ON DWG. A9.9.0 33 NEW NARCOTICS CABINET W/LOCK - SEE ELEV. 9, DWG. A7.1.3. 34 RESURFACE EXISTING CHALKBOARD - SEE PLANS FOR SIZE 35 EXISTING PROJECTION SCREEN RELOCATED AS INDICATED 36 EXISTING MARKER BOARD RELOCATED AS INDICATED 37 EXISTING TACKBOARD RELOCATED AS INDICATED 38 NEW ROOF DRAINAGE SYSTEM ABOVE - REFER TO PLUMBING DRAWINGS 39 RELOCATED MAP RAIL 40 EXISTING CHALKBOARD RELOCATED 41 EXISTING MAGNETIC BOARD RELOCATED 42 NEW DUCTWORK SHAFT - REFER TO MECHANICAL DRAWINGS 43 NEW REINFORCED CONCRETE SLAB CONSTRUCTION ON GRADE TO MATCH HEIGHT OF EXISTING FLOOR SLAB. 44 NEW REINFORCED CONCRETE SLAB CONSTRUCTION TO MATCH HEIGHT OF EXISTING CONCRETE FLOOR SLAB. 45 NEW REINFORCED CONCRETE CONSTRUCTION OVER 18" DEPRESSION SLAB OF EXISTING GARAGE TO MATCH HEIGHT OF EXISTING FLOOR SLAB. 46 NEW FLOOR OPENING AND NEW STEEL FRAMING TIED INTO EXISTING FLOOR FRAMING. 47 NEW ROOF OPENING AND NEW STEEL FRAMING TIED INTO EXISTING ROOF FRAMING. | <ul style="list-style-type: none"> 48 INFILL FLOOR OPENING AND EXISTING FRAMING WITH NEW FLOOR CONSTRUCTION TO MATCH EXISTING CONSTRUCTION AND HEIGHT OF EXISTING FLOOR SLAB. 49 INFILL ROOF OPENING AND EXISTING FRAMING ABOVE WITH NEW ROOF CONSTRUCTION TO MATCH EXISTING CONSTRUCTION. 50 INFILL VOIDS BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5. 51 INFILL VOIDS BETWEEN WALL AND STEEL BEAM CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5. 52 INFILL VOIDS IN WALL CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5. 53 REPLACE MISSING CERAMIC TILE WITH SALVAGED CERAMIC TILES FROM BASE UNDER SERVING COUNTER. 54 EXTEND EXISTING WALL CONSTRUCTION TO DECK ABOVE. INFILL ALL VOIDS AT WALL PENETRATIONS AND BETWEEN DECK AND WALL CONSTRUCTION TO PROVIDE WALL RATING AS INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5. 55 ADD ADDITIONAL LAYER OF GYPSUM BOARD ON OPPOSITE SIDE OF WALL TO DECK CONSTRUCTION AND INFILL VOIDS TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5. 56 REINSTATE LOOSE FIRE SAFING INSULATION BETWEEN WALL AND DECK CONSTRUCTION TO PROVIDE WALL RATING INDICATED ON BUILDING CODE DRAWINGS A0.1.3, A0.1.4 AND A0.1.5. 57 INFILL SPACE BETWEEN CEILING AND WALL CONSTRUCTION AND CHIMNEY AND WALL CONSTRUCTION 58 TOOTH IN NEW BRICKWORK AND BLOCKWORK INTO EXIST. CONST. REFER TO MECH. DWGS. FOR FIRE DAMPER/WALL ACCESS PANEL LOCATIONS. COORDINATED WITH MECH. CONTRACTOR FOR EXACT SIZE AND LOCATION. 59 NOT USED 60 CLEAN AND PREPARE EXISTING AREA OF EXISTING FOUNDATION WALL AND INSTALL NEW CEMENTITIOUS FINISH. 61 RELOCATED FIRST AID CABINET - TOP/CAB. 4'-0" A.F.F. | <ul style="list-style-type: none"> 62 RELOCATED KEY CABINET - TOP/CAB. 4'-0" A.F.F. 63 6 NEW 1'-0" DEEP WOOD SHELVES ON STANDARDS @ 16" O.C. 64 4 NEW 2'-0" DEEP SHELVES ON STANDARDS @ 16" O.C. 65 EXTEND GYPSUM BOARD AND METAL STUD CONST. TO ROOF DECK 66 REINSTALL REMOVED SINK IN SAME LOCATION 67 REINSTATE REMOVED CASEWORK IN SAME LOCATION 68 REINSTATE REMOVED SHELVING IN SAME LOCATION 69 NEW A.C. CONDENSING UNITS ON 3'-0" X 3'-0" X 4" PRECAST CONCRETE PADS INSTALLED LEVEL ON GRADE 70 NEW CMU WALL TO BE BUILT DOWN INTO THE EXISTING TRENCH. NEW WALL CONSTRUCTION TO INCREASE EXISTING STEAM PIPES. 71 INSTALL NEW 5/8" GYPSUM BOARD ON WALLS AND EXTEND TO BOTTOM OF DECK IN THIS AREA. 72 EDGE OF FOOTING 73 NEW FOOTING DRAIN LINE 74 NEW YARD DRAIN 75 NEW YARD DRAIN LINE 76 EXISTING HEATING/VENTILATION UNIT AND LOUVER TO REMAIN 77 EXISTING DRINKING FOUNTAIN TO REMAIN 78 EXISTING PROJECTION SCREEN TO REMAIN 79 EXISTING MARKER BOARD TO REMAIN 80 EXISTING TACKBOARD TO REMAIN 81 REINSTALL REMOVED SINK IN SAME LOCATION 82 EXISTING DISPLAY CASE TO REMAIN 83 EXISTING LADDER AT PIT 84 EXISTING HAND RAIL AT PIT 85 EXISTING STAIR - SEE DETAILS 9 & 10, DWG. A6.4.6 FOR FURTHER INFORMATION AND FOR WIRE MESH INFILL OF EXISTING GUARDRAIL FOR BUILDING CODE COMPLIANCE. 86 EXISTING TRENCH WITH STEEL COVER PLATES TO REMAIN. 87 EXISTING MIRROR TO REMAIN 88 EXISTING WIRE MESH DOOR AND PARTITION TO REMAIN |
|---|---|---|--|--|---|---|



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Voltrav Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Dishno Etkon Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabbree Mcgrath Associates Inc.
300 Cummings Center, Suite 216C
Beverly, MA 01915-0113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepsen Architects, Inc.

P.C. *[Signature]*
P.M. *[Signature]*
D.P. *[Signature]*
J.C. *[Signature]*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE SECOND FLOOR PLAN

AREA 4
UPPER LEVEL
FLOOR PLAN

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diabro-Erikson Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree Mognath Associates Inc.
100 Cummings Center, Suite 2160
Beverly, MA 01915-6113

ROOF LEGEND

	STRUCTURAL DECK IS LEVEL. ROOF SLOPE OBTAINED WITH TAPERED INSULATION.
	STRUCTURAL DECK AND STEEL IS SLOPED.
	ROOF DRAIN
	RAIN WATER LEADER
	VENT PIPE
	EXHAUST FAN
	ROOF INSULATION THICKNESS IN INCHES
	WALK WAY PADS
	ICE AND WATER SHIELD
	INSTALL CRICKETS MADE OF TAPERED INSULATION AT MECHANICAL ROOF TOP UNITS TO DIVERT WATER TO ROOF DRAINS
	CRICKET

- ROOF NOTES**
- ALL NEW ROOFING SHALL BE SINGLE-PLY MEMBRANE.
 - ROOF PITCH ON NEW CONSTRUCTION TO BE 1/2" PER FOOT (MIN.) - EITHER SLOPED STEEL OR TAPERED INSULATION.
 - Voids in existing roof from removal of mechanical equipment to be infilled with metal roof deck, rigid insulation and roofing to match existing roofing.
 - FOR INSTALLATION OF A.H.U., C.C.U., & R.T.U. MECHANICAL UNITS REFER TO STRUCTURAL DRAWINGS FOR REQUIRED STEEL FRAMING. REMOVE EXISTING ROOF TO ACCOMMODATE INSTALLATION OF MECH. UNIT AND INTEGRATE ROOFING INTO CURB OF MECHANICAL UNIT.
 - INSTALL SAFETY SCREENS ON ALL SKYLIGHTS TO COMPLY WITH OSHA REQUIREMENT 1910.23.

ABBREVIATIONS:

A.H.U.	- AIR HANDLING UNIT
ANT.	- ANTENNA
A.I.	- AIR INTAKE
C.C.	- COMPRESSOR CONDENSER (UNIT)
C.C.U.	- COMPRESSOR CONDENSER UNIT
E.F.	- EXHAUST FAN
E.G.V.	- ELEVATOR GRAVITY VENT
E.J.	- EXPANSION JOINT
E.V.	- EXHAUST VENT
F.H.E.F.	- FUME HOOD EXHAUST FAN
F.H.I.G.V.	- FUME HOOD INTAKE GRAVITY VENT
N.D.	- NEW ROOF DRAIN
N.E.V.	- NEW EXHAUST VENT
N.V.P.	- NEW VENT PIPE
R.D.	- ROOF DRAIN
R.H.	- ROOF HATCH
R.T.U.	- ROOF TOP UNIT
R.W.L.	- RAIN WATER LEADER
SC.	- SCUPPER
S.D.	- SATELLITE DISH
SK.	- SKYLIGHT
S.V.	- SMOKE VENT
V.P.	- VENT PIPE

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepsen
Architects, Inc.


400 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepsen Architects, Inc.

P.C.
P.M.
D.P.
J.C.


ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 1 ROOF PLAN

A2.4.1



CONSULTANTS:
 SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510
 STRUCTURAL:
 DiSalvo Ericson Group
 63 Coppes Hill Road
 Ridgefield, CT 06877
 MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840
 FOOD SERVICE:
 Crabtree Mograph Associates Inc.
 100 Cummings Center, Suite 220C
 Beverly, MA 01915-6113



ROOF LEGEND

1/2" FT. MIN. TAPERED INSUL.	STRUCTURAL DECK IS LEVEL. ROOF SLOPE OBTAINED WITH TAPERED INSULATION.
1/2" FT. MIN. SLOPED STEEL	STRUCTURAL DECK AND STEEL IS SLOPED.
RD	ROOF DRAIN
R.W.L.	RAIN WATER LEADER
VP	VENT PIPE
EF	EXHAUST FAN
LXX	ROOF INSULATION THICKNESS IN INCHES
[Hatched Box]	WALK WAY PADS
[Cross-hatched Box]	ICE AND WATER SHIELD
MECH UNIT	INSTALL CRICKETS MADE OF TAPERED INSULATION AT MECHANICAL ROOF TOP UNITS TO DIVERT WATER TO ROOF DRAINS
CRICKET	

- ROOF NOTES**
- ALL NEW ROOFING SHALL BE SINGLE-PLY MEMBRANE.
 - ROOF PITCH ON NEW CONSTRUCTION TO BE 1/2" PER FOOT (MIN.) - EITHER SLOPED STEEL OR TAPERED INSULATION.
 - Voids in existing roof from removal of mechanical equipment to be infilled with metal roof deck, rigid insulation and roofing to match existing roofing.
 - FOR INSTALLATION OF A.H.U., C.C.U. & R.T.U. MECHANICAL UNITS REFER TO STRUCTURAL DRAWINGS FOR REQUIRED STEEL FRAMING. REMOVE EXISTING ROOF TO ACCOMMODATE INSTALLATION OF MECH. UNIT AND INTEGRATE ROOFING INTO CURB OF MECHANICAL UNIT.
 - INSTALL SAFETY SCREENS ON ALL SKYLIGHTS TO COMPLY WITH OSHA REQUIREMENT 1910.23.


ABBREVIATIONS:

A.H.U.	- AIR HANDLING UNIT
ANT.	- ANTENNA
A.I.	- AIR INTAKE
C.C.	- COMPRESSOR CONDENSER (UNIT)
C.C.U.	- COMPRESSOR CONDENSER UNIT
E.F.	- EXHAUST FAN
E.G.V.	- ELEVATOR GRANTY VENT
E.J.	- EXPANSION JOINT
E.V.	- EXHAUST VENT
F.H.E.F.	- FUME HOOD EXHAUST FAN
F.H.G.V.	- FUME HOOD INTAKE GRANTY VENT
N.D.V.P.	- NEW DRYER VENT PIPE
N.E.V.	- NEW EXHAUST VENT
N.R.D.	- NEW ROOF DRAIN
N.V.P.	- NEW VENT PIPE
R.D.	- ROOF DRAIN
R.H.	- ROOF HATCH
R.T.U.	- ROOF TOP UNIT
R.W.L.	- RAIN WATER LEADER
SC.	- SCUPPER
S.D.	- SATELLITE DISH
SK.	- SKYLIGHT
S.V.	- SMOKE VENT
V.P.	- VENT PIPE

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.
 450 Church Street Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.



P.C. *[Signature]*
 P.M. *[Signature]*
 D.P. *[Signature]*
 J.C. *[Signature]*

ISSUE 5/31/05
 JOB 0244.01
 DRAWN RK
 SCALE 1/8"=1'-0"

AREA 2 ROOF PLAN

A2.4.2

REVISIONS:	


CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3570

STRUCTURAL:
DiStasio Edson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cabrera McGrath Associates Inc.
100 Cummings Center, Suite 210C
Beverly, MA 01915-6113



ROOF LEGEND

$1/2$ " / FT. MIN. TAPERED INSUL. → STRUCTURAL DECK IS LEVEL. ROOF SLOPE OBTAINED WITH TAPERED INSULATION.

$1/2$ " / FT. MIN. SLOPED STEEL → STRUCTURAL DECK AND STEEL IS SLOPED.

RD → ROOF DRAIN

R.W.L. → RAIN WATER LEADER

VP → VENT PIPE

EF → EXHAUST FAN

XXX → ROOF INSULATION THICKNESS IN INCHES

WALKWAY PADS

ICE AND WATER SHIELD

MECH UNIT → INSTALL CRICKETS MADE OF TAPERED INSULATION AT MECHANICAL ROOF TOP UNITS TO DIVERT WATER TO ROOF DRAINS

CRICKET

- ROOF NOTES**
- ALL NEW ROOFING SHALL BE SINGLE-PLY MEMBRANE.
 - ROOF PITCH ON NEW CONSTRUCTION TO BE 1/2" PER FOOT (MIN.) - EITHER SLOPED STEEL OR TAPERED INSULATION.
 - VOIDS IN EXISTING ROOF FROM REMOVAL OF MECHANICAL EQUIPMENT TO BE FILLED WITH METAL ROOF DECK, RIGID INSULATION AND ROOFING TO MATCH EXISTING ROOFING.
 - FOR INSTALLATION OF A.H.U., C.C.U., & R.T.U. MECHANICAL UNITS REFER TO STRUCTURAL DRAWINGS FOR REQUIRED STEEL FRAMING. REMOVE EXISTING ROOF TO ACCOMMODATE INSTALLATION OF MECH. UNIT AND INTEGRATE ROOFING INTO CURB OF MECHANICAL UNIT.
 - INSTALL SAFETY SCREENS ON ALL SKYLIGHTS TO COMPLY WITH OSHA REQUIREMENT 1910.23.

ABBREVIATIONS:

A.H.U.	- AIR HANDLING UNIT
ANT.	- ANTENNA
AI.	- AIR INTAKE
C.C.	- COMPRESSOR CONDENSER (UNIT)
C.C.U.	- COMPRESSOR CONDENSER UNIT
EF.	- EXHAUST FAN
E.G.V.	- ELEVATOR GRANTY VENT
E.J.	- EXPANSION JOINT
E.V.	- EXHAUST VENT
F.H.E.F.	- FUME HOOD EXHAUST FAN
F.H.I.G.V.	- FUME HOOD INTAKE GRANTY VENT
N.D.V.P.	- NEW DRYER VENT PIPE
N.E.V.	- NEW EXHAUST VENT
N.R.D.	- NEW ROOF DRAIN
N.V.P.	- NEW VENT PIPE
R.D.	- ROOF DRAIN
R.H.	- ROOF HATCH
R.T.U.	- ROOF TOP UNIT
R.W.L.	- RAIN WATER LEADER
SC.	- SCUPPER
S.D.	- SATELLITE DISH
SK.	- SKYLIGHT
S.V.	- SMOKE VENT
V.P.	- VENT PIPE


ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut, 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.



P.C.

P.M.

D.P.

J.C.

ISSUE 5/31/05

JOB 0244.01

DRAWN RK

SCALE 1/8"=1'-0"

AREA 3 ROOF PLAN

A2.4.3

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hartford, CT 06183-3510

STRUCTURAL:
Disaio Etkon Group
83 Coppes Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cabrino Mognath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01916-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044


Jeter Cook & Jepson Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.
P.M.
D.P.
J.C.

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 4 ROOF PLAN

A2.4.4



ROOF LEGEND


- 1/2" FT. MIN. TAPERED INSUL.
- 1/2" FT. MIN. SLOPED STEEL
- RD ROOF DRAIN
- R.W.L. RAIN WATER LEADER
- VP VENT PIPE
- EF EXHAUST FAN
- X.XX ROOF INSULATION THICKNESS IN INCHES
- WALK WAY PADS
- ICE AND WATER SHIELD
- MECH UNIT INSTALL CRICKETS MADE OF TAPERED INSULATION AT MECHANICAL ROOF TOP UNITS TO DIVERT WATER TO ROOF DRAINS
- CRICKET


ROOF NOTES

1. ALL NEW ROOFING SHALL BE SINGLE-PLY MEMBRANE.
2. ROOF PITCH ON NEW CONSTRUCTION TO BE 1/2" PER FOOT (MIN.) - EITHER SLOPED STEEL OR TAPERED INSULATION.
3. VOIDS IN EXISTING ROOF FROM REMOVAL OF MECHANICAL EQUIPMENT TO BE INFILLED WITH METAL ROOF DECK, RIGID INSULATION AND ROOFING TO MATCH EXISTING ROOFING.
4. FOR INSTALLATION OF A.H.U., C.C.U., & R.T.U. MECHANICAL UNITS REFER TO STRUCTURAL DRAWINGS FOR REQUIRED STEEL FRAMING. REMOVE EXISTING ROOF TO ACCOMMODATE INSTALLATION OF MECH. UNIT AND INTEGRATE ROOFING INTO CURB OF MECHANICAL UNIT.
5. INSTALL SAFETY SCREENS ON ALL SKYLIGHTS TO COMPLY WITH OSHA REQUIREMENT 1910.23.

ABBREVIATIONS:

- A.H.U. - AIR HANDLING UNIT
- ANT. - ANTENNA
- AI - AIR INTAKE
- C.C. - COMPRESSOR CONDENSER UNIT
- C.C.U. - COMPRESSOR CONDENSER UNIT
- E.F. - EXHAUST FAN
- E.V. - EXHAUST VENT
- E.V.G. - ELEVATOR GRAVITY VENT
- E.J. - EXPANSION JOINT
- F.H.E.F. - FUME HOOD EXHAUST FAN
- F.H.E.V. - FUME HOOD INTAKE GRAVITY VENT
- N.D.V.P. - NEW DRYER VENT PIPE
- N.E.V. - NEW EXHAUST VENT
- N.R.D. - NEW ROOF DRAIN
- N.V.P. - NEW VENT PIPE
- R.D. - ROOF DRAIN
- R.H. - ROOF HATCH
- R.T.U. - ROOF TOP UNIT
- R.W.L. - RAIN WATER LEADER
- SC - SCUPPER
- S.D. - SATELLITE DISH
- SK. - SKYLIGHT
- S.V. - SMOKE VENT
- V.P. - VENT PIPE





ROOF LEGEND

1/2" FT. MIN. TAPERED INSUL. → STRUCTURAL DECK IS LEVEL. ROOF SLOPE OBTAINED WITH TAPERED INSULATION.

1/2" FT. MIN. SLOPED STEEL → STRUCTURAL DECK AND STEEL IS SLOPED.

○ R.D. ROOF DRAIN

○ R.W.L. RAIN WATER LEADER

○ V.P. VENT PIPE

⊗ E.F. EXHAUST FAN

◇ XX ROOF INSULATION THICKNESS IN INCHES

▭ WALK WAY PADS


▭ ICE AND WATER SHIELD

▭ MECH UNIT CRICKET → INSTALL CRICKETS MADE OF TAPERED INSULATION AT MECHANICAL ROOF TOP UNITS TO DIVERT WATER TO ROOF DRAINS

- ROOF NOTES**
- ALL NEW ROOFING SHALL BE SINGLE-PLY MEMBRANE.
 - ROOF PITCH ON NEW CONSTRUCTION TO BE 1/2" PER FOOT (MIN.) - EITHER SLOPED STEEL OR TAPERED INSULATION.
 - VOIDS IN EXISTING ROOF FROM REMOVAL OF MECHANICAL EQUIPMENT TO BE INFILLED WITH METAL ROOF DECK, ROOF INSULATION AND ROOFING TO MATCH EXIST.
 - FOR INSTALLATION OF A.H.U., C.C.U. & R.T.U. MECHANICAL UNITS REFER TO STRUCTURAL DRAWINGS FOR REQUIRED STEEL FRAMING. REMOVE EXISTING ROOF TO ACCOMMODATE INSTALLATION OF MECH. UNIT AND INTEGRATE ROOFING INTO CURB OF MECHANICAL UNIT.
 - INSTALL SAFETY SCREENS ON ALL SKYLIGHTS TO COMPLY WITH OSHA REQUIREMENT 1910.23.

ABBREVIATIONS

A.H.U.	- AIR HANDLING UNIT
ANT.	- ANTENNA
AL	- AIR INTAKE
C.C.	- COMPRESSOR CONDENSER (UNIT)
C.C.U.	- COMPRESSOR CONDENSER UNIT
E.F.	- EXHAUST FAN
E.G.V.	- ELEVATOR GRAVITY VENT
E.J.	- EXPANSION JOINT
E.V.	- EXHAUST VENT
F.H.E.F.	- FUME HOOD EXHAUST FAN
F.H.I.G.V.	- FUME HOOD INTAKE GRAVITY VENT
N.D.V.P.	- NEW DRYER VENT PIPE
N.E.V.	- NEW EXHAUST VENT
N.R.D.	- NEW ROOF DRAIN
N.W.P.	- NEW WENT PIPE
R.D.	- ROOF DRAIN
R.H.	- ROOF HATCH
R.T.U.	- ROOF TOP UNIT
R.W.L.	- RAIN WATER LEADER
SC.	- SCUPPER
S.D.	- SATELLITE DISH
SK.	- SKYLIGHT
S.V.	- SMOKE VENT
V.P.	- VENT PIPE



MATCH LINE E-E
MATCH DWG A2.4.6

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave
Hamden, CT 06518-3510

STRUCTURAL:
Disho Edison Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-0115

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*

P.M. *[Signature]*

D.P. *[Signature]*

J.C. *[Signature]*

ISSUE 5/31/05

JOB 0244.01

DRAWN RK

SCALE 1/8" = 1'-0"

AREA 5 ROOF PLAN

CONSULTANTS:
SITE/CIVIL:
 Walker Associates, LLP
 2321 Wilbury Ave.
 Hamden, CT 06518-3510
STRUCTURAL:
 Disano Edison Group
 83 Copps Hill Road
 Ridgefield, CT 06877
MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840
FOOD SERVICE:
 Crabtree McGrath Associates Inc.
 100 Cummings Center, Suite 210C
 Beverly, MA 01915-0118

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

453 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. *[Signature]*
 P.M. *[Signature]*
 D.P. *[Signature]*
 J.C. *[Signature]*

ISSUE 5/31/05
 JOB 0244.01
 DRAWN RK
 SCALE 1/8"=1'-0"

AREA 6 ROOF PLAN

ROOF LEGEND

1/2" FT. MIN. TAPERED INSUL. → STRUCTURAL DECK IS LEVEL. ROOF SLOPE OBTAINED WITH TAPERED INSULATION.

1/2" FT. MIN. SLOPED STEEL → STRUCTURAL DECK AND STEEL IS SLOPED.

⊙ RD → ROOF DRAIN

○ R.W.L. → RAIN WATER LEADER

○ V.P. → VENT PIPE

⊠ EF → EXHAUST FAN

◇ 1.XX → ROOF INSULATION THICKNESS IN INCHES

▭ WALK WAY PADS

▭ ICE AND WATER SHIELD


⊠ MECH UNIT → INSTALL CRICKETS MADE OF TAPERED INSULATION AT MECHANICAL ROOF TOP UNITS TO DIVERT WATER TO ROOF DRAINS

○ CRICKET

- ### ROOF NOTES
- ALL NEW ROOFING SHALL BE SINGLE-PLY MEMBRANE.
 - ROOF PITCH ON NEW CONSTRUCTION TO BE 1/2" PER FOOT (MIN.) - EITHER SLOPED STEEL OR TAPERED INSULATION.
 - VOIDS IN EXISTING ROOF FROM REMOVAL OF MECHANICAL EQUIPMENT TO BE INFILLED WITH METAL ROOF DECK, RIGID INSULATION AND ROOFING TO MATCH EXISTING ROOFING.
 - FOR INSTALLATION OF A.H.U., C.C.U., & R.T.U. MECHANICAL UNITS REFER TO STRUCTURAL DRAWINGS FOR REQUIRED STEEL FRAMING. REMOVE EXISTING ROOF TO ACCOMMODATE INSTALLATION OF MECH. UNIT AND INTEGRATE ROOFING INTO CURVE OF MECHANICAL UNIT.
 - INSTALL SAFETY SCREENS ON ALL SKYLIGHTS TO COMPLY WITH OSHA REQUIREMENT 1910.23.

ABBREVIATIONS:

A.H.U.	- AIR HANDLING UNIT
ANT.	- ANTENNA
A.I.	- AIR INTAKE
C.C.	- COMPRESSOR CONDENSER (UNIT)
C.C.U.	- COMPRESSOR CONDENSER UNIT
E.F.	- EXHAUST FAN
E.G.V.	- ELEVATOR GRANTY VENT
E.J.	- EXPANSION JOINT
E.V.	- EXHAUST VENT
F.H.E.F.	- FUME HOOD EXHAUST FAN
F.H.I.V.	- FUME HOOD INTAKE GRANTY VENT
N.D.V.P.	- NEW DRYER VENT PIPE
N.E.V.	- NEW EXHAUST VENT
N.R.D.	- NEW ROOF DRAIN
N.V.P.	- NEW VENT PIPE
R.D.	- ROOF DRAIN
R.H.	- ROOF HATCH
R.T.U.	- ROOF TOP UNIT
R.W.L.	- RAIN WATER LEADER
SC.	- SCUPPER
S.D.	- SATELLITE DISH
SK.	- SKYLIGHT
S.V.	- SMOKE VENT
V.P.	- VENT PIPE



REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Disvelo-Ericson Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cabrée McGrath Associates Inc.
101 Carrington Centre, Suite 200C
Beverly, MA 01915-6113




ROOF LEGEND

	STRUCTURAL DECK IS LEVEL. ROOF SLOPE OBTAINED WITH TAPERED INSULATION.
	STRUCTURAL DECK AND STEEL IS SLOPED.
	ROOF DRAIN
	RAIN WATER LEADER
	VENT PIPE
	EXHAUST FAN
	ROOF INSULATION THICKNESS IN INCHES
	WALKWAY PADS
	ICE AND WATER SHIELD
	INSTALL CRICKETS MADE OF TAPERED INSULATION AT MECHANICAL ROOF TOP UNITS TO DIVERT WATER TO ROOF DRAINS
	CRICKET


ABBREVIATIONS:

A.H.U.	- AIR HANDLING UNIT
ANT.	- ANTENNA
A.I.	- AIR INTAKE
C.C.	- COMPRESSOR CONDENSER (UNIT)
C.C.U.	- COMPRESSOR CONDENSER UNIT
E.F.	- EXHAUST FAN
E.G.V.	- ELEVATOR GRAVITY VENT
E.J.	- EXPANSION JOINT
E.V.	- EXHAUST VENT
F.H.E.F.	- FUME HOOD EXHAUST FAN
F.H.I.G.V.	- FUME HOOD INTAKE GRAVITY VENT
N.D.V.P.	- NEW DRYER VENT PIPE
N.E.V.	- NEW EXHAUST VENT
N.R.D.	- NEW ROOF DRAIN
N.V.P.	- NEW VENT PIPE
R.D.	- ROOF DRAIN
R.H.	- ROOF HATCH
R.T.U.	- ROOF TOP UNIT
R.W.L.	- RAIN WATER LEADER
S.C.	- SCUPPER
S.D.	- SATELLITE DISH
SK.	- SKYLIGHT
S.V.	- SMOKE VENT
V.P.	- VENT PIPE

- ROOF NOTES**
- ALL NEW ROOFING SHALL BE SINGLE-PLY MEMBRANE.
 - ROOF PITCH ON NEW CONSTRUCTION TO BE 1/2" PER FOOT (MIN.) - EITHER SLOPED STEEL OR TAPERED INSULATION.
 - VOIDS IN EXISTING ROOF FROM REMOVAL OF MECHANICAL EQUIPMENT TO BE INFILLED WITH METAL ROOF DECK, RIGID INSULATION AND ROOFING TO MATCH EXISTING ROOFING.
 - FOR INSTALLATION OF A.H.U., C.C.U., & R.T.U. MECHANICAL UNITS REFER TO STRUCTURAL DRAWINGS FOR REQUIRED STEEL FRAMING. REMOVE EXISTING ROOF TO ACCOMMODATE INSTALLATION OF MECH. UNIT AND INTEGRATE ROOFING INTO CURB OF MECHANICAL UNIT.
 - INSTALL SAFETY SCREENS ON ALL SKYLIGHTS TO COMPLY WITH OSHA REQUIREMENT 1910.23.



ROOF PLAN - STAIR #3714



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.

P.M.

D.P.

J.C.

ISSUE 9/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 7 ROOF PLAN

A2.4.7

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
DiSalvo Erickson Group
83 Coppes Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Britain, CT 06840

FOOD SERVICE:
Cresbro Mognath Associates Inc.
100 Cummings Center, Suite 290C
Beverly, MA 01915-6113



ROOF LEGEND

1/2" FT. MIN. TAPERED INSUL. → STRUCTURAL DECK IS LEVEL. ROOF SLOPE OBTAINED WITH TAPERED INSULATION.

1/2" FT. MIN. SLOPED STEEL → STRUCTURAL DECK AND STEEL IS SLOPED.

RD → ROOF DRAIN

R.W.L. → RAIN WATER LEADER

VP → VENT PIPE

EF → EXHAUST FAN

XX → ROOF INSULATION THICKNESS IN INCHES

WALK WAY PADS

ICE AND WATER SHIELD

MECH UNIT → INSTALL CRICKETS MADE OF TAPERED INSULATION AT MECHANICAL ROOF TOP UNITS TO DIVERT WATER TO ROOF DRAINS

CRICKET

- ROOF NOTES**
- ALL NEW ROOFING SHALL BE SINGLE-PLY MEMBRANE.
 - ROOF PITCH ON NEW CONSTRUCTION TO BE 1/2" PER FOOT (MIN.) - EITHER SLOPED STEEL OR TAPERED INSULATION.
 - VOIDS IN EXISTING ROOF FROM REMOVAL OF MECHANICAL EQUIPMENT TO BE INFILLED WITH METAL ROOF DECK, RIGID INSULATION AND ROOFING TO MATCH EXISTING ROOFING.
 - FOR INSTALLATION OF A.H.U., C.C.U., & R.T.U. MECHANICAL UNITS REFER TO STRUCTURAL DRAWINGS FOR REQUIRED STEEL FRAMING. REMOVE EXISTING ROOF TO ACCOMMODATE INSTALLATION OF MECH. UNIT AND INTEGRATE ROOFING INTO CURB OF MECHANICAL UNIT.
 - INSTALL SAFETY SCREENS ON ALL SKYLIGHTS TO COMPLY WITH OSHA REQUIREMENT 1910.23.

ABBREVIATIONS

A.H.U.	- AIR HANDLING UNIT
ANT.	- ANTENNA
AL	- AIR INTAKE
C.C.	- COMPRESSOR CONDENSER (UNIT)
C.C.U.	- COMPRESSOR CONDENSER UNIT
E.F.	- EXHAUST FAN
E.G.V.	- ELEVATOR GRAVITY VENT
E.J.	- EXPANSION JOINT
E.V.	- EXHAUST VENT
F.H.E.F.	- FUME HOOD EXHAUST FAN
F.H.G.V.	- FUME HOOD INTAKE GRAVITY VENT
N.D.V.P.	- NEW DRYER VENT PIPE
N.E.V.	- NEW EXHAUST VENT
N.R.D.	- NEW ROOF DRAIN
N.V.P.	- NEW VENT PIPE
R.D.	- ROOF DRAIN
R.H.	- ROOF HATCH
R.T.U.	- ROOF TOP UNIT
R.W.L.	- RAIN WATER LEADER
SC	- SCUPPER
S.D.	- SATELLITE DISH
SK	- SKYLIGHT
S.V.	- SMOKE VENT
V.P.	- VENT PIPE

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000, Jeter, Cook & Jepson Architects, Inc.

P.C. *JK*
P.M. *WV*
D.P. *JK*
J.C. *JK*

ISSUE 5/31/05
JOB 0244.01
DRAWN RK
SCALE 1/8"=1'-0"

AREA 8
ROOF PLAN

A2.4.8



REVISIONS

CONSULTANTS

SITE/CIVIL:
Volmer
571 Homestead
Shelby, CT 06070

STRUCTURAL:
The DiSalvo Ericson Group
83 Copps Hill Road
Ridgefield, CT 06877


MECHANICAL:
Lawrence Mechanical
283 Elm St
New Canaan, CT 06840

KEYNOTE LEGEND	
1	EXISTING FOUNDATIONS. CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS, INCLUDING FOOTING ELEVATIONS AND DIMENSIONS, BEFORE PROCEEDING WITH ANY WORK.
2	REMOVE EXISTING FOUNDATIONS (NOT FULLY SHOWN) AS REQUIRED TO INSTALL NEW WORK.
3	SHORE EXISTING STRUCTURE AS REQUIRED AND REMOVE EXISTING MASONRY BEARING WALL AS INDICATED IN SECTIONS. SEE SHORING NOTES ON DRAWING S1.0.
4	SHORE EXISTING STRUCTURE AS REQUIRED AND REMOVE EXISTING MASONRY BEARING WALL TO UNDERSIDE OF EXISTING ROOF DECK. SEE SHORING NOTES ON DRAWING S1.0.
5	SHORE AND CUT EXISTING STEEL BEAM AS REQUIRED AND CONNECT TO STEEL COLUMN. SEE SHORING NOTES ON DRAWING S1.0. PROVIDE 5/16" DOUBLE ANGLE CONNECTION ANGLES W/3" ROHS 3/4" DIA# A325 BOLTS OR FIELD WELD EACH CONNECTION ANGLE TO COLUMN WITH 1/4" FILLET HELDS WITH 1/2" RETURN AT TOP. FIELD WELD EACH CONNECTION ANGLE TO EXISTING STEEL BEAM WITH 1/4" FILLET HELDS 3 SIDES. (SEE SECTION 3754.4 FOR SIMILAR DETAIL.)
6	EXISTING CONCRETE SLAB ON GRADE. SHORING AS REQUIRED TO REMOVE EXISTING FOUNDATIONS AND EXISTING EXTERIOR MASONRY WALL AND TO INSTALL NEW FOUNDATIONS AND NEW CONCRETE SLAB ON GRADE.
7	COORDINATE LOCATION OF FOUNDATION WALL WITH LOCATION OF EXTERIOR DOORS. SEE ARCHITECTURAL DRAWINGS.

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

Jeter Cook & Jepson
Architects, Inc.

420 Church Street Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jepson Architects, Inc.




THE DI SALVO ERICSON GROUP
Structural Engineers, Inc.
83 Copps Hill Road
Ridgefield, CT 06877
Tel (203) 438-9551
Fax (203) 431-6158
E-mail: esmail@idsg.com

PROJ. ENGINEER:	EA	PROJ. ENGINEER:	OR
ISSUE:	03/31/05		
JOB:	03222		
DRAWN:	TC		
SCALE:	AS NOTED		


AREA 1
PARTIAL FOUNDATION AND SLAB ON GRADE AND ROOF FRAMING PLANS IN EXISTING BUILDING

S2.0.1




AREA 1-VESTIBULE NO. 2141 AND MENS' TOILET NO. 2142
PARTIAL FOUNDATION PLAN
1/8" = 1'-0"

- TOP OF MAIN LEVEL FLOOR CONCRETE SLAB ON GRADE ELEVATION = DATUM ELEVATION 0'-0". FIELD VERIFY ALIGNMENT WITH EXISTING FLOOR. TOP OF CONCRETE SLAB SHALL MATCH EXISTING MAIN LEVEL FLOOR CONCRETE SLAB ELEVATION UNLESS OTHERWISE NOTED. FIELD VERIFY EXISTING ELEVATION BEFORE PROCEEDING WITH ANY WORK.
 - CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
 - SEE ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS, ELEVATIONS AND ANGLES. DO NOT SCALE DRAWING.
 - FLOOR CONSTRUCTION: 5" CONCRETE SLAB ON GRADE, REINFORCED WITH 6x6 - 1/4"x1/4" WELDED WIRE FABRIC, UNLESS OTHERWISE NOTED. FOR DETAILS, SEE S3.0.
 - FOR FOUNDATION CONDITION AT EXTERIOR DOORS, SEE "TYPICAL DETAIL AT EXTERIOR DOORS", S/53.0.
 - COORDINATE ALL PITS, TRENCHES, POCKETS, BRICK SHELVES, SLEEVES, PENETRATIONS AND INSERTS IN CONCRETE WALLS AND SLABS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS.
 - FOR FOOTING SCHEDULE AND FOOTING DETAIL, SEE DRAWING S3.1.
 - FOR PIER SCHEDULE AND PIER DETAILS, SEE DRAWING S3.1.
 - FOR COLUMN SCHEDULE, SEE DRAWING S4.0.
 - FOR MASONRY SHEAR WALL FOUNDATION INFORMATION, INCLUDING DOVELS BETWEEN FOUNDATIONS AND MASONRY WALLS, SEE DRAWING S5.0.
 - PROVIDE DOVELS BETWEEN FOUNDATIONS AND MASONRY WALLS EQUAL TO SIZE AND SPACING OF MASONRY WALL VERTICAL REINFORCEMENT. SEE DRAWING S5.0.
 - FOR GENERAL NOTES, SEE DRAWING S1.0.
 - 1 INDICATES BOTTOM OF FOOTING ELEVATION IS APPROXIMATE. BOTTOM OF NEW FOOTING SHALL MATCH BOTTOM OF EXISTING FOOTING UNLESS EXISTING FOOTING ELEVATION IS ABOVE FROST DEPTH IN WHICH CASE CONTRACTOR SHALL NOTIFY ARCHITECT AND ENGINEER PRIOR TO PROCEEDING WITH ANY WORK AND SHALL UNDERPIN EXIST. FOUNDATIONS AS REQUIRED, TO COMPLY WITH THE BUILDING CODE. SEE "TYP. UNDERPINNING DETAIL" ON DWG. S5.0.
- LEGEND:**
- [Pattern] INDICATES 8" CMU SHEARWALL, UNLESS OTHERWISE NOTED.
 - [1] = BOTTOM OF FOOTING ELEVATION FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION.
 - [1.1] = TOP OF WALL ELEVATION FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION.
 - [2] = TOP OF CONCRETE SLAB ELEVATION FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION. MAINTAIN FULL SLAB THICKNESS AT SLOPED AND DEPRESSIONED AREAS. SEE ARCHITECTURAL DRAWINGS FOR LOCATION AND EXTENT.
 - SP# = APPROXIMATE LOCATION OF STEPS IN FOOTINGS ON PLAN. COORDINATE LOCATION AND ELEVATION WITH SITE GRADINGS AND MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS. FOR DETAILS, SEE 4/53.0.
 - CJ# = APPROXIMATE LOCATION OF CONTROL/CONSTRUCTION JOINTS IN SLABS ON GRADE. FOR DETAILS, SEE 1/53.0.
 - F-## = FOOTING TYPE. SEE FOOTING SCHEDULE AND FOOTING DETAIL, ON DRAWING S3.1.
 - P-# = PIER TYPE. SEE PIER SCHEDULE AND PIER DETAILS ON DRAWING S3.1. FOR TOP OF PIER ELEVATION, SEE DRAWING S4.0.
 - C# = COLUMN AND BASE PLATE SIZE. SEE COLUMN SCHEDULE. BOTTOM OF BASE PLATE SHALL BE -6 1/2" BELOW MAIN LEVEL FLOOR DATUM ELEVATION UNLESS OTHERWISE NOTED THUS EX-"X" FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION.



AREA 1-VESTIBULE NO. 2141 AND MENS' TOILET NO. 2142
PARTIAL ROOF FRAMING PLAN
1/8" = 1'-0"

- TOP OF EXISTING STEEL ELEVATION (UNDERSIDE OF DECK). SEE ARCHITECTURAL DRAWINGS AND FIELD VERIFY.
- EXISTING ROOF CONSTRUCTION: METAL ROOF DECK ON STEEL JOISTS/BEAM FRAMING. THE CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS PRIOR TO PROCEEDING WITH ANY WORK.
- THE CONTRACTOR SHALL VERIFY AND COORDINATE ALL DIMENSIONS, ELEVATIONS AND ANGLES WITH ARCHITECTURAL DRAWINGS AND EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
- PLANS DO NOT SHOW THE FULL EXTENT OF ROOF PENETRATIONS IN EXISTING ROOF. COORDINATE SIZE AND LOCATION OF ALL ROOF PENETRATIONS WITH ARCHITECTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS. ALL ROOF PENETRATIONS SHALL BE REVIEWED BY THE ENGINEER PRIOR TO FABRICATION AND INSTALLATION OF PENETRATION FRAMING ELEMENTS. PROVIDE FRAMING AS INDICATED IN TYPICAL DETAIL 16/54.1. DO NOT SCALE DRAWINGS.
- [Pattern] INDICATES 8" CMU SHEARWALL, UNLESS OTHERWISE NOTED.
- FOR MASONRY SHEARWALL INFORMATION, SEE DRAWINGS S5.0 AND S5.1.
- FOR BRACING OF INTERIOR CMU WALLS WHICH ARE NOT SHEARWALLS AND WHICH ARE NON-LOADBEARING, SEE "TYPICAL BRACING DETAIL AT TOP OF PARTITION WALL". FOR SIZE, LENGTH AND LOCATION OF THESE CMU WALLS, SEE ARCHITECTURAL DRAWINGS.
- FOR STEEL JOIST REINFORCEMENT AT SUPPORT OF PIPES/CONDUITS, REINFORCE SIMILAR TO TYPICAL DETAIL 17/54.1.
- FOR COLUMN SIZES, SEE FOUNDATION PLAN.
- FOR GENERAL NOTES, SEE DRAWING S1.0.



KEY PLAN

PLAN 03/31/05 09:51 AM 1/8" = 1'-0" S2.0.1

KEYNOTE LEGEND

- 1 EXISTING FOUNDATIONS. CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS, INCLUDING FOOTING ELEVATIONS AND DIMENSIONS, BEFORE PROCEEDING WITH ANY WORK.


REVISIONS

CONSULTANTS

SITE/CIVIL:
Volmer
571 Hopmeadow
Shelton, CT 06470



STRUCTURAL:
The DiSalvo Ericson Group
63 Copper Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
200 Elm St.
New Canaan, CT 06840




AREA 3-GIRLS LOCKER ROOM-FOUNDATION PLAN AND SLAB ON GRADE PLAN
1/8" = 1'-0"

- TOP OF MAIN LEVEL FLOOR CONCRETE SLAB ON GRADE ELEVATION = DATUM ELEVATION 0'-0". FIELD VERIFY ALIGNMENT WITH EXISTING FLOOR. TOP OF CONCRETE SLAB SHALL MATCH EXISTING MAIN LEVEL FLOOR CONCRETE SLAB ELEVATION, UNLESS OTHERWISE NOTED. FIELD VERIFY EXISTING ELEVATION BEFORE PROCEEDING WITH ANY WORK.
 - CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
 - SEE ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS, ELEVATIONS AND ANGLES. DO NOT SCALE DRAWINGS.
 - FLOOR CONSTRUCTION: 5" CONCRETE SLAB ON GRADE, REINFORCED WITH 6x6 - W4x4x1/4 HELDED WIRE FABRIC, UNLESS OTHERWISE NOTED. FOR DETAILS, SEE 53.0.
 - FOR FOUNDATION CONDITION AT EXTERIOR DOORS, SEE "TYPICAL DETAIL AT EXTERIOR DOORS", 3/53.0.
 - COORDINATE ALL PITS, TRENCHES, POCKETS, BRICK, SHELVES, SLEEVES, PENETRATIONS AND INSERTS IN CONCRETE WALLS AND SLABS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS.
 - FOR FOOTING SCHEDULE AND FOOTING DETAIL, SEE DRAWING 53.1.
 - FOR PIER SCHEDULE AND PIER DETAILS, SEE DRAWING 53.1.
 - FOR COLUMN SCHEDULE, SEE DRAWING 54.0.
 - FOR MASONRY SHEAR WALL FOUNDATION INFORMATION, INCLUDING DONNELLS BETWEEN FOUNDATIONS AND MASONRY WALLS, SEE DRAWING 55.0.
 - PROVIDE DONNELLS BETWEEN FOUNDATIONS AND MASONRY WALLS EQUAL TO SIZE AND SPACING OF MASONRY WALL VERTICAL REINFORCEMENT. SEE DRAWING 55.0.
 - FOR GENERAL NOTES, SEE DRAWING 51.0.
 - INDICATES BOTTOM OF FOOTING ELEVATION IS APPROXIMATE. BOTTOM OF NEW FOOTING SHALL MATCH BOTTOM OF EXISTING FOOTING, UNLESS EXISTING FOOTING ELEVATION IS ABOVE FROST DEPTH IN WHICH CASE CONTRACTOR SHALL NOTIFY ARCHITECT AND ENGINEER PRIOR TO PROCEEDING WITH ANY WORK AND SHALL UNDERPIN EXIST. FOUNDATIONS AS REQUIRED, TO COMPLY WITH THE BUILDING CODE. SEE "TYP. UNDERPINNING DETAIL" ON DWG. 53.0. ALSO SEE NOTE "A".
- LEGEND**
- INDICATES 8" CMU SHEARWALL, UNLESS OTHERWISE NOTED.
 - [±] = BOTTOM OF FOOTING ELEVATION FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION.
 - [±] = TOP OF HALL ELEVATION FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION.
 - [±] = TOP OF CONCRETE SLAB ELEVATION FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION. MAINTAIN FULL SLAB THICKNESS AT SLOPED AND DEPRESSED AREAS. SEE ARCHITECTURAL DRAWINGS FOR LOCATION AND EXTENT.
 - SF = APPROXIMATE LOCATION OF STEPS IN FOOTINGS ON PLAN. COORDINATE LOCATION AND ELEVATION WITH SITE GRADINGS AND MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS. FOR DETAILS, SEE 4/53.0.
 - C.J. = APPROXIMATE LOCATION OF CONTROL/CONSTRUCTION JOINTS IN SLABS ON GRADE. FOR DETAILS, SEE 1/53.0.
 - F-## = FOOTING TYPE. SEE FOOTING SCHEDULE AND FOOTING DETAIL ON DRAWING 53.1.
 - P-## = PIER TYPE. SEE PIER SCHEDULE AND PIER DETAILS ON DRAWING 53.1. FOR TOP OF PIER ELEVATION, SEE DRAWING 54.0.
 - [] = COLUMN AND BASE PLATE SIZE. SEE COLUMN SCHEDULE. BOTTOM OF BASE PLATE SHALL BE -6 1/2" BELOW MAIN LEVEL FLOOR DATUM ELEVATION UNLESS OTHERWISE NOTED THUS 4x4-X" FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION.



AREA 3-GIRLS LOCKER ROOM-ROOF FRAMING PLAN
1/8" = 1'-0"

- TOP OF STEEL ELEVATION (UNDERSIDE OF DECK), 1/3-3/12". ALL OTHER TOP OF STEEL ELEVATIONS NOTED THUS (X-X") FROM ELEVATION 1/3-3/12". STEEL SLOPES DOWN AS INDICATED.
- CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
- SEE ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS, ELEVATIONS AND ANGLES. DO NOT SCALE DRAWINGS.
- ROOF DECK CONSTRUCTION: SEE GENERAL NOTES, DRAWING 51.0.
- ALL FRAMING SHALL BE EQUALLY SPACED BETWEEN COLUMN LINES, UNLESS OTHERWISE INDICATED.
- INDICATES DIRECTION OF DOWNWARD SLOPE.
- PLANS DO NOT SHOW THE FULL EXTENT OF ROOF PENETRATIONS. COORDINATE SIZE AND LOCATION OF ALL ROOF PENETRATIONS WITH ARCHITECTURAL, MECHANICAL AND ELECTRICAL DRAWINGS. ALL ROOF PENETRATIONS SHALL BE REVIEWED BY THE ENGINEER PRIOR TO FABRICATION AND INSTALLATION OF PENETRATION FRAMING ELEMENTS. PROVIDE FRAMING AS INDICATED IN TYPICAL DETAIL 2/54.0. DO NOT SCALE DRAWINGS.
- MAXIMUM HEIGHT OF MECHANICAL UNITS, (INCLUDING HEIGHT OF CURB) USED IN THE DESIGN OF SUPPORTING MEMBERS ARE INDICATED ON THE PLANS. SEE MECHANICAL DRAWINGS FOR LOCATION OF MECHANICAL UNITS. FOR FRAMING INFORMATION, SEE TYPICAL DETAIL 2/54.0 AND GENERAL NOTES, DRAWING 51.0.
- INDICATES 8" CMU SHEARWALL, UNLESS OTHERWISE NOTED.
- FOR MASONRY SHEARWALL INFORMATION, SEE DRAWINGS 55.0 AND 55.1.
- FOR BRACING OF INTERIOR CMU WALLS WHICH ARE NOT SHEARWALLS AND WHICH ARE NON-LOADBEARING, SEE DETAIL 2/55.1. FOR SIZE, LENGTH AND LOCATION OF THESE CMU WALLS, SEE ARCHITECTURAL DRAWINGS.
- FOR COLUMN SIZES, SEE DRAWING 54.0.
- FOR GENERAL NOTES, SEE DRAWING 51.0.



KEY PLAN

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jepson Architects, Inc.


THE DISALVO ERICSON GROUP
Structural Engineers, Inc.

63 Copper Hill Road
Ridgefield, CT 06877
Tel: (203) 438-9581
Fax: (203) 438-9188
Email: eric@disg.com

PROJ. ENGINEER: EH PROJ. ENGINEER: OR
ISSUE: 03/31/05
JOB: 03222
DRAWN: TC
SCALE: AS NOTED

AREA 3 FOUNDATION AND SLAB ON GRADE AND ROOF FRAMING PLAN


S2.03



KEY PLAN

AREA 4 PART. FOUNDATION PLAN


1/8" = 1'-0"



- TOP OF MAIN LEVEL FLOOR CONCRETE SLAB ON GRADE ELEVATION = DATUM ELEVATION 0'-0". FIELD VERIFY.
- EXISTING BOILER ROOM FLOOR CONSTRUCTION: 5" +/- CONCRETE SLAB ON GRADE REINFORCED WITH #4F. FIELD VERIFY.
- EXISTING PIT FLOOR CONSTRUCTION: 6" +/- CONCRETE SLAB ON GRADE REINFORCED WITH #4F. FIELD VERIFY.
- THE CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS PRIOR TO PROCEEDING WITH ANY WORK.
- THE CONTRACTOR SHALL VERIFY AND COORDINATE ALL DIMENSIONS, ELEVATIONS AND ANGLES WITH ARCHITECTURAL DRAWINGS AND EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
- COORDINATE ALL PITS, EQUIPMENT PADS, TRENCHES, POCKETS, BRICK SHELVES, SLEEVES, PENETRATIONS AND INSERTS IN CONCRETE WALLS AND SLABS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS.
- EXISTING STRUCTURAL INFORMATION IS BASED UPON EXISTING STRUCTURAL DRAWINGS F-1 AND F-2 DATED FEB. 14, 1956 AND ARE AVAILABLE FROM OWNER AND ARCHITECT.
- FOR COLUMN SCHEDULE, SEE DRAWING S4.0.
- FOR GENERAL NOTES, SEE DRAWING S10.0.

LEGEND


- 1. TOP OF CONCRETE SLAB ELEVATION FROM TOP OF MAIN LEVEL FLOOR DATUM ELEVATION.
- 2. COLUMN AND BASE PLATE SIZE. SEE COLUMN SCHEDULE. FOR BOTTOM OF BASE PLATE ELEVATION, SEE SECTIONS.
- EXISTING STRUCTURAL INFORMATION IS BASED UPON EXISTING STRUCTURAL DRAWINGS F-1 AND F-2 DATED FEB. 14, 1956 AND ARE AVAILABLE FROM OWNER AND ARCHITECT. EXISTING ROOF CONSTRUCTION AT EXISTING BOILER ROOM: 3 1/2"



AREA 4 PART. ROOF FRAMING PLAN


1/8" = 1'-0"

- EXISTING ROOF CONSTRUCTION AT EXISTING BOILER ROOM: 3 1/2" +/- CONCRETE SLAB REINF. WITH #4F. ON STEEL BEAM FRAMING.
- EXISTING ROOF CONSTRUCTION AT CULINARY ARTS CLASSROOM: METAL ROOF DECK ON STEEL JOISTS/BEAM FRAMING.
- THE CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS PRIOR TO PROCEEDING WITH ANY WORK.
- THE CONTRACTOR SHALL VERIFY AND COORDINATE ALL DIMENSIONS, ELEVATIONS AND ANGLES WITH ARCHITECTURAL DRAWINGS AND EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
- PLANS DO NOT SHOW THE FULL EXTENT OF ROOF PENETRATIONS. COORDINATE SIZE AND LOCATION OF ALL ROOF PENETRATIONS WITH ARCHITECTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS. ALL ROOF PENETRATIONS SHALL BE REVIEWED BY THE ENGINEER PRIOR TO FABRICATION AND INSTALLATION OF PENETRATION FRAMING ELEMENTS. PROVIDE FRAMING AS INDICATED IN TYPICAL DETAIL 16/54.1. DO NOT SCALE DRAWINGS.
- MAXIMUM HEIGHT OF MECHANICAL UNITS, INCLUDING HEIGHT OF CURB USED IN THE ANALYSIS OF EXISTING AND DESIGN OF NEW SUPPORTING MEMBERS ARE INDICATED ON THE PLANS. SEE MECHANICAL DRAWINGS FOR LOCATION OF MECHANICAL UNITS. FOR FRAMING INFORMATION, SEE TYPICAL DETAIL 17/54.1 AND GENERAL NOTES, DRAWING S10.0.
- FOR STEEL JOIST REINFORCEMENT AT SUPPORT OF PIPES/CONDUITS, REINFORCE SIMILAR TO TYPICAL DETAIL 17/54.1
- EXISTING STRUCTURAL INFORMATION IS BASED UPON EXISTING STRUCTURAL DRAWINGS F-1 AND F-2 DATED FEB. 14, 1956 AND ARE AVAILABLE FROM OWNER AND ARCHITECT.
- FOR GENERAL NOTES, SEE DRAWING S10.0.




COMPRESSOR TANK PLATFORM FOUNDATION PLAN

1/4" = 1'-0"




COMPRESSOR TANK PLATFORM FRAMING PLAN

1/4" = 1'-0"



LINE B1 NORTH ELEV., LINE B2 SOUTH ELEV., OPP. HAND

1/4" = 1'-0"



LINE BA WEST ELEV., LINE BB EAST ELEV., OPP. HAND

1/4" = 1'-0"

REVISIONS

CONSULTANTS

SITE/CIVIL:

Volmar
571 Homestead
Simsbury, CT 06070

STRUCTURAL:

The DiSalvo Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:

Lavigne Mechanical
280 Elm St.
New Canaan, CT 06840

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

Jeter Cook & Jepson Architects, Inc.

450 Church Street Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jepson Architects, Inc.

THE DI SALVO ERICSON GROUP Structural Engineers, Inc.

63 Copps Hill Road
Ridgefield, CT 06877
Tel (203) 435-9511
Fax (203) 435-9558
Email: email@dsieg.com

PROJ. ENGINEER: EJ PROJ. ENGINEER: OR

ISSUE 03/31/05


JOB 03222

DRAWN TC

SCALE AS NOTED

AREA 4 PARTIAL FOUNDATION AND SLAB ON GRADE PLAN AND ROOF FRAMING PLAN

S2.0.4




KEYNOTE LEGEND	
1	EXISTING FOUNDATIONS, CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS, INCLUDING FOOTING ELEVATIONS AND DIMENSIONS, BEFORE PROCEEDING WITH ANY WORK.
2	REMOVE EXISTING FOUNDATIONS (NOT FULLY SHOWN), INCLUDING EXISTING RAMP AND LOADING DOCK, AS REQUIRED TO INSTALL NEW WORK. SEE ARCH. DWGS.
3	PROVIDE SHEAR WALL FOOTINGS AND FOUNDATION WALL BELOW UTILITY TUNNEL. TOP OF FOUNDATION WALL SHALL BE AT UNDERSIDE OF TUNNEL BASE FOOTINGS.
4	AT AREA 6 EXTENSION, PROVIDE CONCRETE SLAB ON GRADE. THICKNESS TO MATCH EXISTING CONCRETE SLAB ON GRADE. SEE SECTIONS. PROVIDE CONTROL JOINTS AT 4'-0" SPACINGS.

REVISIONS	

CONSULTANTS	
SITE/CIVIL:	Volmer 571 Hopmeadow Stimbury, CT 06070
STRUCTURAL:	The DiSalvo Ericson Group 63 Copps Hill Road Ridgefield, CT 06877
MECHANICAL:	Lawrence Mechanical 280 Elm St. New Canaan, CT 06840

**AREA 7
FOUNDATION AND SLAB ON GRADE PLAN**
1/8" = 1'-0"

- TOP OF LOWER LEVEL FLOOR CONCRETE SLAB ON GRADE ELEVATION = -12'-0", UNLESS OTHERWISE NOTED.
 - CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
 - SEE ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS, ELEVATIONS AND ANGLES. DO NOT SCALE DRAWING.
 - FLOOR CONSTRUCTION: 5" CONCRETE SLAB ON GRADE, REINFORCED WITH 6x6 - 14.4x14.4 WELDED WIRE FABRIC, UNLESS OTHERWISE NOTED. FOR DETAILS, SEE 55.0.
 - STAIR ENTRY FLOOR CONSTRUCTION: 5" CONCRETE SLAB ON GRADE, REINFORCED WITH 6x6-14.4x14.4 WELDED WIRE FABRIC PLACED 1" CLEAR FROM TOP OF SLAB, ON 6" MIN. GRANULAR FILL.
 - FOR FOUNDATION CONDITION AT EXTERIOR DOORS, SEE "TYPICAL DETAIL AT EXTERIOR DOORS", 5/53.0.
 - COORDINATE ALL PITS, TRENCHES, POCKETS, BRICK SHELVES, SLEEVES, PENETRATIONS AND INSERTS IN CONCRETE WALLS AND SLABS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS.
 - FOR FOOTING SCHEDULE AND FOOTING DETAIL, SEE DRAWING 53.1.
 - FOR PIER SCHEDULE AND PIER DETAILS, SEE DRAWING 53.1.
 - FOR COLUMN SCHEDULE, SEE DRAWING 54.0.
 - FOR MASONRY SHEAR WALL FOUNDATION INFORMATION, INCLUDING DOVELS BETWEEN FOUNDATIONS AND MASONRY WALLS, SEE DRAWING 55.0.
 - PROVIDE DOVELS BETWEEN FOUNDATIONS AND MASONRY WALLS EQUAL TO SIZE AND SPACING OF MASONRY WALL VERTICAL REINFORCEMENT. SEE DRAWING 55.0.
 - FOR GENERAL NOTES, SEE DRAWING 51.0.
 - * INDICATES BOTTOM OF FOOTING ELEVATION IS APPROXIMATE. BOTTOM OF NEW FOOTING SHALL MATCH BOTTOM OF EXISTING FOOTING, UNLESS EXISTING FOOTING ELEVATION IS ABOVE FROST DEPTH IN WHICH CASE CONTRACTOR SHALL NOTIFY ARCHITECT AND ENGINEER PRIOR TO PROCEEDING WITH ANY WORK AND SHALL UNDERPIN EXIST. FOUNDATIONS AS REQUIRED, TO COMPLY WITH THE BUILDING CODE. SEE "TYP. UNDERPINNING DETAIL" ON DWG. 55.0.
- LEGEND:**
- [] INDICATES 6" CMU SHEARWALL, UNLESS OTHERWISE NOTED.
 - [1.] = BOTTOM OF FOOTING ELEVATION FROM TOP OF LOWER LEVEL FLOOR DATUM ELEVATION.
 - [2.] = TOP OF WALL ELEVATION FROM TOP OF LOWER LEVEL FLOOR DATUM ELEVATION.
 - [3.] = TOP OF CONCRETE SLAB ELEVATION FROM TOP OF LOWER LEVEL FLOOR DATUM ELEVATION. MAINTAIN FULL SLAB THICKNESS AT SLOPED AND DEPRESSED AREAS. SEE ARCHITECTURAL DRAWINGS FOR ELEVATION AND EXTENT.
 - *SF* = APPROXIMATE LOCATION OF STEPS IN FOOTINGS ON PLAN. COORDINATE LOCATION AND ELEVATION WITH SITE GRADING AND MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS. FOR DETAILS, SEE 4/53.0.
 - *CJ* = APPROXIMATE LOCATION OF CONTROL/CONSTRUCTION JOINTS IN SLABS ON GRADE. FOR DETAILS, SEE 1/53.0.
 - F-## = FOOTING TYPE. SEE FOOTING SCHEDULE AND FOOTING DETAIL ON DRAWING 53.1.
 - P-## = PIER TYPE. SEE PIER SCHEDULE AND PIER DETAILS ON DRAWING 53.1. FOR TOP OF PIER ELEVATION, SEE DRAWING 54.0.
 - = COLUMN AND BASE PLATE SIZE. SEE COLUMN SCHEDULE. BOTTOM OF BASE PLATE SHALL BE 6 1/2" BELOW LOWER LEVEL FLOOR DATUM ELEVATION UNLESS OTHERWISE NOTED THIS 4'x4' FROM TOP OF LOWER LEVEL FLOOR DATUM ELEVATION.



KEY PLAN

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**
BROOKFIELD, CONNECTICUT

**Jeter
Cook &
Jepson**
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jepson Architects, Inc.

**THE
DISALVO
ERICSON
GROUP** Structural Engineers, Inc.
63 Copps Hill Road
Ridgefield, CT 06877
Tel: (203) 438-9581
Fax: (203) 438-9188
Email: email@199g.com

PROJ. ENGINEER: BH | PROJ. ENGINEER, OR
ISSUE: 03/31/05
JOB: 03222
DRAWN: TC
SCALE: AS NOTED

**AREA 7
FOUNDATION AND
SLAB ON GRADE
PLAN**

S2.0.7



KEYNOTE LEGEND	
1	8" CMU SHEAR WALL ABOVE ON EXISTING MAIN FLOOR CONCRETE SLAB. LOCATE WALL AT CENTERLINE OF EXISTING MAIN FLOOR STEEL FRAMING MEMBER (NOT SHOWN) AT CENTERLINE OF EXISTING COLUMN CENTERLINE. FOR SHEAR WALL REINFORCEMENT, SEE 1/55.1. ALSO, PROVIDE NELSON DDL DEFORMED BAR ANCHORS, 5/4" DIAM. x 3'-0" LONG, AT SPACING OF SHEAR WALL REINFORCEMENT (INCLUDING ADDITIONAL BARS AT ENDS), AUTOMATICALLY TIED WELDED TO TOP OF EXISTING STEEL FRAMING, DRILL CORES INTO EXISTING CONCRETE, AS REQUIRED, TO AUTOMATICALLY WELDED DEFORMED BAR ANCHORS TO STEEL. FILL WITH EPOXY NON-SHRINK GROUT WITH EPOXY BONDING AGENT. DO NOT DISTURB ANY EXISTING SLAB REINFORCEMENT OR ANY BEAM STUDS THAT MAY EXIST.
2	AT LOCATION OF CMU WALL OVER UTILITY TUNNEL, PROVIDE (4) #5 BOTTOM REINF. BARS IN COMPOSITE SLAB, CENTER ON CMU WALL. LOCATE EACH BAR 1" CLEAR FROM BOTTOM OF EACH FLUTE DECK.
3	CONNECT TUBE LINTEL TO UNDERSIDE OF STEEL GIRDER WITH DOUBLE 3/8" MIN. THICK STEEL HANGER ANGLES AND DOUBLE 3/8" MIN. THICK STEEL DIAGONAL BRACING ANGLES. DESIGN CONNECTION FOR 6 KIP HORIZ. REACTION AND A 4 KIP-FIT TORSIONAL REACTION IN ADDITION TO THE VERT. REACTION SHOWN ON THE PLANS.
4	FLOOR CONSTRUCTION: AT EXTERIOR ELEVATED SLAB OVER ENTRY: 4 1/2" CONCRETE SLAB + 3 3/8" NORMAL HEIGHT CONCRETE ON 1 5/8" DEEP 20 GA. (ENCOATED STEEL THICKNESS = 0.0355"), GALVANIZED UFX-36 METAL FORM DECK AS MANUFACTURED BY UNITED STEEL DECK OR APPROVED EQUAL REINFORCE WITH (2) LAYERS OF 4X4 - 1/4"X1/4" W/AF, WITH TOP LAYER PLACED 1/2" CLEAR FROM TOP OF SLAB AND BOTTOM LAYER PLACED 1/4" CLEAR FROM TOP OF DECK.

REVISIONS	

CONSULTANTS	
SITE/CIVIL:	Volmer 571 Hopmeadow Simsbury, CT 06070
STRUCTURAL:	The DiSalvo Ericson Group 63 Copps Hill Road Ridgefield, CT 06877
MECHANICAL:	Lawrence Mechanical 280 Elm St. New Canaan, CT 06840

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

**Jeter
Cook &
Jepson**
Architects, Inc.


450 Church Street Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jepson Architects, Inc.

**THE
DI SALVO
ERICSON
GROUP**
Structural Engineers, Inc.

63 Copps Hill Road
Ridgefield, CT 06877
Tel: (203) 438-9561
Fax: (203) 431-6168
Email: email@dsieg.com

PROJECT ENGINEER:	EH	PROJECT ENGINEER:	OR
ISSUE:	03/31/05	JOB:	03222
DRAWN:	TC	SCALE:	AS NOTED

**AREA 7
MAIN LEVEL FLOOR
FRAMING PLAN**



KEYNOTE LEGEND	
①	PROVIDE NEW STEEL MEMBERS AS SHOWN. PROVIDE WELDED STEEL SHIMS AS REQUIRED BETWEEN EXISTING ROOF DECK AND TOP OF NEW STEEL BEAMS FOR FULL SUPPORT OF EXISTING ROOF DECK.
②	COORDINATE LOCATION OF STEEL BEAMS WITH MECHANICAL CONTRACTOR FOR ROOF TOP UNIT SELECTED.


REVISIONS	

CONSULTANTS	
SITE/CIVIL:	Volmer 571 Homestead Stamford, CT 06907
STRUCTURAL:	The DiSalvo Erickson Group 63 Copps Hill Road Ridgefield, CT 06877
MECHANICAL:	Lawrence Mechanical 380 Elm St. New Canaan, CT 06840

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

ROOF FRAMING PLAN
1/8" = 1'-0"

- EXISTING ROOF CONSTRUCTION: METAL ROOF DECK ON STEEL JOISTS/BEAM FRAMING.
- THE CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS PRIOR TO PROCEEDING WITH ANY WORK.
- THE CONTRACTOR SHALL VERIFY AND COORDINATE ALL DIMENSIONS, ELEVATIONS AND ANGLES WITH ARCHITECTURAL DRAWINGS AND EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
- FOR GENERAL NOTES, SEE DRAWING S100.
- PLANS DO NOT SHOW THE FULL EXTENT OF ROOF PENETRATIONS. COORDINATE SIZE AND LOCATION OF ALL ROOF PENETRATIONS WITH ARCHITECTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS. ALL ROOF PENETRATIONS SHALL BE REVIEWED BY THE ENGINEER PRIOR TO FABRICATION AND INSTALLATION OF PENETRATION FRAMING ELEMENTS. PROVIDE FRAMING AS INDICATED IN TYPICAL DETAIL 17/54-1. DO NOT SCALE DRAWINGS.
- MAXIMUM HEIGHT OF MECHANICAL UNITS, (INCLUDING HEIGHT OF CURB) USED IN THE ANALYSIS OF EXISTING AND DESIGN OF NEW SUPPORTING MEMBERS ARE INDICATED ON THE PLANS. SEE MECHANICAL DRAWINGS FOR LOCATION OF MECHANICAL UNITS. FOR FRAMING INFORMATION SEE TYPICAL DETAIL 17/54-1 AND GENERAL NOTES, DRAWING S10.
- FOR STEEL JOIST REINFORCEMENT AT SUPPORT OF PIPES/CONDUITS, REINFORCE SIMILAR TO TYPICAL DETAIL 17/54-1



Jeter Cook & Jepson
Architects, Inc.

439 Church Street • Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jepson Architects, Inc.

Structural Engineers, Inc.	
63 Copps Hill Road Ridgefield, CT 06877	Tel (203) 436-9281 Fax (203) 436-8188 Email: eni@tdieng.com
PROJ. ENGINEER: EN PROJ. ENGINEER: OR	
ISSUE	03/31/05
JOB	03222
DRAWN	TC
SCALE	AS NOTED

AREA 6
PARTIAL ROOF FRAMING PLAN IN EXISTING BUILDING

S2.2.6

12 13 14 15 16 16.7 17 18 19 20 21 22 23 24 25

KEYNOTE LEGEND	
1	BEAM SLOPES FROM EL. [-0'-3 1/2"] TO EL. [-2'-0"]
2	BEAM SLOPES FROM EL. [-0'-3 1/2"] TO EL. [-0'-8 7/8"]
3	BEAM SLOPES FROM EL. [-0'-8 7/8"] TO EL. [-2'-0"]
4	REINFORCE EXISTING ROOF STRUCTURE, PROVIDE NEW STEEL MEMBERS AS SHOWN, PROVIDE HELDED STEEL SHIMS AS REQUIRED BETWEEN EXISTING ROOF DECK AND TOP OF NEW STEEL BEAM FOR SUPPORT OF EXISTING ROOF DECK.
5	CONNECT TO EXISTING STEEL BEAM WITH DOUBLE 5/16" ANGLES WITH (2) ROWS 3/4" DIAH. A325 BOLTS. FIELD HELD EACH ANGLE TO EXISTING BEAM WITH 1/4" FILLET WELDS AND 1/2" RETURN AT TOP.
6	EXISTING SUPPORT CONDITION AT THIS WALL IS UNKNOWN AT THE TIME OF DESIGN. FIELD VERIFY EXISTING SUPPORT CONDITION FOR EXISTING JOISTS. IF SUPPORT IS A MASONRY BEARING WALL, THEN BEAR NEW BEAMS ON EXISTING BEARING WALL WITH BEARING PLATE BP-5 (SEE DWG. S41 FOR DETAILS). IF SUPPORT IS AN EXISTING STEEL BEAM, THEN CONNECT TO EXISTING STEEL BEAM AS PER KEYNOTE 5.
7	CONNECT TUBE LINTEL TO UNDERSIDE OF STEEL GIRDER WITH DOUBLE 3/8" MIN. THICK STEEL HANGER ANGLES AND DOUBLE 3/8" MIN. THICK STEEL DIAGONAL BRACING ANGLES. DESIGN CONNECTION FOR 6 KIP HORIZ. REACTION AND A 4 KIP-FIT TORSIONAL REACTION IN ADDITION TO THE VERT. REACTION SHOWN ON THE PLANS.


REVISIONS	

CONSULTANTS

SITE/CIVIL:
Volmer
571 Hopmeadow
Simsbury, CT 06070




STRUCTURAL:
The DiSalvo Ericson Group
83 Copps Hill Road
Ridgely, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840



AREA 7 - ROOF FRAMING PLAN
1/8" = 1'-0"

- TOP OF STEEL ELEVATION (UNDERSIDE OF DECK): 14'-11 1/2". ALL OTHER TOP OF STEEL ELEVATIONS NOTED THIS [X-X-X] FROM ELEVATION 14'-11 1/2". STEEL SLOPES DOWN AS INDICATED.
- CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
- SEE ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS, ELEVATIONS AND ANGLES. DO NOT SCALE DRAWING.
- ROOF DECK CONSTRUCTION: SEE GENERAL NOTES, DRAWING S10.
- STRUCTURAL STEEL SUPPORTING "K" SERIES JOISTS SHALL BE 2 1/2" BELOW TOP OF STEEL ELEVATION.
- ALL FRAMING SHALL BE EQUALLY SPACED BETWEEN COLUMN LINES, UNLESS OTHERWISE INDICATED.
- PLANS DO NOT SHOW THE FULL EXTENT OF ROOF PENETRATIONS. COORDINATE SIZE AND LOCATION OF ALL ROOF PENETRATIONS WITH ARCHITECTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS. ALL ROOF PENETRATIONS SHALL BE REVIEWED BY THE ENGINEER PRIOR TO FABRICATION AND INSTALLATION OF PENETRATION FRAMING ELEMENTS. PROVIDE FRAMING AS INDICATED IN TYPICAL DETAIL 2/54.0. DO NOT SCALE DRAWINGS.
- MAXIMUM HEIGHT OF MECHANICAL UNITS, (INCLUDING HEIGHT OF CURB) USED IN THE DESIGN OF SUPPORTING MEMBERS ARE INDICATED ON THE PLANS. SEE MECHANICAL DRAWINGS FOR LOCATION OF MECHANICAL UNITS. FOR FRAMING INFORMATION, SEE TYPICAL DETAIL 1/54.0 AND GENERAL NOTES, DRAWING S10.
- * COORDINATE LOCATION OF STEEL BEAMS WITH MECHANICAL CONTRACTOR FOR ROOF TOP UNIT SELECTED. BEAM SPACING SHALL NOT EXCEED 5'-0".
- FOR STEEL JOIST REINFORCEMENT AT SUPPORT OF PIPES/CONDUITS, SEE TYPICAL DETAIL 10/41.
- INDICATES 8" CMU SHEARWALL, UNLESS OTHERWISE NOTED.
- FOR MASONRY SHEARWALL INFORMATION, SEE DRAWINGS S5.0 AND S5.1.
- FOR BRACING OF INTERIOR CMU WALLS WHICH ARE NOT SHEARWALLS AND WHICH ARE NON-LOADBEARING, SEE DETAIL 0/55.1 FOR SIZE, LENGTH AND LOCATION OF THESE CMU WALLS, SEE ARCHITECTURAL DRAWINGS.
- BP-# INDICATES BEARING PLATE. FOR INFORMATION, SEE DRAWING S41.
- FOR COLUMN SIZES, SEE DRAWING S4.0
- FOR GENERAL NOTES, SEE DRAWING S10



STAIR TOWER ROOF FRAMING PLAN
1/8" = 1'-0"

- TOP OF STEEL ELEVATION (UNDERSIDE OF DECK): 25'-7". ALL OTHER TOP OF STEEL ELEVATIONS NOTED THIS [X-X-X] FROM ELEVATION 25'-7".
- FOR ADDITIONAL PLAN NOTES, SEE "AREA 7-ROOF FRAMING PLAN"

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

Jeter Cook & Jepson
Architects, Inc.


450 Church Street Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jopson Architects, Inc.

THE DISALVO ERICSON GROUP
Structural Engineers, Inc.

83 Copps Hill Road
Ridgely, CT 06877
Tel (203) 438-9555
Fax (203) 433-9555
Email: email@tdg.com


PROJ. ENGINEER: EX | PROJ. ENGINEER: OR
ISSUE: 03/31/05
JOB: 03222
DRAWN: TC
SCALE: AS NOTED

AREA 7 ROOF FRAMING PLAN AND PARTIAL ROOF PLAN - STAIR TOWER




**AREA 6 - STAIR NO. 1603
PARTIAL FOUNDATION AND SLAB ON GRADE PLAN**
1/8" = 1'-0" (1) 523

- TOP OF LOWER LEVEL FLOOR CONCRETE SLAB ON GRADE ELEVATION = ELEVATION -12'-0", UNLESS OTHERWISE NOTED THIS [EX-XX]. FIELD VERIFY ALIGNMENT WITH EXISTING LOWER LEVEL FLOOR. TOP OF CONCRETE SLAB SHALL MATCH EXISTING LOWER LEVEL FLOOR CONCRETE SLAB ELEVATION, UNLESS OTHERWISE NOTED. FIELD VERIFY EXISTING ELEVATION BEFORE PROCEEDING WITH ANY WORK.
- FOR ADDITIONAL PLAN NOTES, SEE "AREA 1 FOUNDATION AND SLAB ON GRADE PLAN" NOTES ON DRAWING S2.0.7.




**AREA 6 - STAIR NO. 1603/2603
PARTIAL MAIN LEVEL FLOOR FRAMING PLAN**
1/8" = 1'-0" (2) 523

- DATUM: TOP OF MAIN LEVEL FLOOR CONCRETE FLOOR SLAB ELEVATION = DATUM ELEVATION 0'-0". FIELD VERIFY ALIGNMENT WITH EXISTING FLOOR. TOP OF CONCRETE SLAB SHALL MATCH EXISTING MAIN LEVEL FLOOR CONCRETE SLAB ELEVATION, UNLESS OTHERWISE NOTED. FIELD VERIFY EXISTING ELEVATION BEFORE PROCEEDING WITH ANY WORK.
- TOP OF STEEL ELEVATION: -0'-4 1/2" UNLESS OTHERWISE NOTED THIS [XX-XX] FROM ELEVATION -0'-4 1/2".
- FOR ADDITIONAL PLAN NOTES, SEE "AREA 1 MAIN LEVEL FLOOR FRAMING PLAN" NOTES ON DRAWING S2.1.7.
- BP-# INDICATES STEEL BEARING PLATE. FOR INFORMATION, SEE DRAWING S4.1.




**AREA 6 - STAIR NO. 2603
PARTIAL ROOF FRAMING PLAN**
1/8" = 1'-0" (3) 523

- TOP OF STEEL ELEVATION (UNDERSIDE OF DECK), 11'-1". ALL OTHER TOP OF STEEL ELEVATIONS NOTED THIS [XX-XX] FROM ELEVATION 11'-1".
- FOR ADDITIONAL PLAN NOTES, SEE "AREA 1 ROOF FRAMING PLAN" NOTES ON DRAWING S2.2.7.




**AREA 6 - CORRIDOR NO. 2622
PARTIAL FOUNDATION AND SLAB ON GRADE PLAN**
1/8" = 1'-0" (4) 523

- TOP OF MAIN LEVEL FLOOR CONCRETE SLAB ON GRADE ELEVATION = DATUM ELEVATION 0'-0". FIELD VERIFY ALIGNMENT WITH EXISTING FLOOR. TOP OF CONCRETE SLAB SHALL MATCH EXISTING MAIN LEVEL FLOOR CONCRETE SLAB ELEVATION, UNLESS OTHERWISE NOTED. FIELD VERIFY EXISTING ELEVATION BEFORE PROCEEDING WITH ANY WORK.
- FOR ADDITIONAL PLAN NOTES, SEE "AREA 3 FOUNDATION AND SLAB ON GRADE PLAN" NOTES ON DRAWING S2.0.3.




**AREA 6 - CORRIDOR NO. 2622
PARTIAL ROOF FRAMING PLAN**
1/8" = 1'-0" (5) 523

- TOP OF STEEL ELEVATION (UNDERSIDE OF DECK), SHALL MATCH EXISTING.
- FOR ADDITIONAL PLAN NOTES, SEE "AREA 3 ROOF FRAMING PLAN" NOTES ON DRAWING S2.0.3.



**AREA 2 - STAGE
PARTIAL ROOF FRAMING PLAN**
1/8" = 1'-0" (6) 524

- CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.
- SEE ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS, ELEVATIONS AND ANGLES. DO NOT SCALE DRAWINGS.
- FOR ADDITIONAL PLAN NOTES, SEE "AREA 1 ROOF FRAMING PLAN" NOTES ON DRAWING S2.2.7.



KEYNOTE LEGEND	
1	SHORE AND CUT EXISTING SPANDREL BEAM AS REQUIRED. FASTEN MED OF EXISTING BEAM TO NEW STEEL COLUMN WITH STIFFENED SEAT CONNECTION. PROVIDE 1/4" X 3/8" (LLV) X 0'-5" LONG SEAT ANGLE WELDED TO FACE OF COLUMN WITH 1/4" FLARE BEVEL GROOVE WELD EACH SIDE. STIFFEN SEAT WITH STEEL PLATE 6" X 3/8" X 0'-4" WELDED TO ANGLE AT CENTERLINE OF COLUMN WITH 1/4" FILLET EACH SIDE. FIELD WELD BOTTOM FLANGE OF EXISTING BEAM TO STIFFENED SEAT WITH 1/4" FILLET EACH SIDE. FASTEN MED OF EXISTING BEAM TO FACE OF COLUMN WITH 1/2" X 3/4" X 0'-5" LONG CLIP ANGLE WELDED TO BOTH EXISTING BEAM AND NEW COLUMN WITH 1/4" FILLET WELD.
2	INFILL EXISTING OPENING: 4 1/2" COMPOSITE CONCRETE SLAB ON METAL DECK. SEE PLAN NOTES ON "AREA 1 MAIN LEVEL FRAMING PLAN" FOR ADDITIONAL INFORMATION. FASTEN EACH NEW W/8 STEEL BEAM TO EXIST STEEL BEAM WITH 5/16" DOUBLE ANGLE CONNECTION (W/2) ROWS 3/4" DIAM A325 BOLTS OR FIELD WELD EACH CONNECTION ANGLE TO BEAM WITH 1/4" FILLET WELDS WITH 1/2" RETURN AT TOP. FIELD WELD EACH CONNECTION ANGLE TO EXISTING STEEL BEAM WITH 1/4" FILLET WELDS 3 SIDES. (SEE SECTION 37/54.4 FOR SIMILAR DETAIL)
3	SHORE AND CUT EXISTING STEEL BEAM AS REQUIRED AND CONNECT TO NEW STEEL BEAM. SEE SHORING NOTES ON DRAWING S1.0. PROVIDE 5/16" DOUBLE ANGLE CONNECTION (W/3) ROWS 3/4" DIAM A325 BOLTS OR FIELD WELD EACH CONNECTION ANGLE TO BEAM WITH 1/4" FILLET WELDS WITH 1/2" RETURN AT TOP. FIELD WELD EACH CONNECTION ANGLE TO EXISTING STEEL BEAM WITH 1/4" FILLET WELDS 3 SIDES.
4	EXISTING FOUNDATIONS. CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS, INCLUDING FOOTING ELEVATIONS AND DIMENSIONS, BEFORE PROCEEDING WITH ANY WORK.
5	SHORE EXISTING STRUCTURE AS REQUIRED AND REMOVE EXISTING CONCRETE FOUNDATION/BEARING WALL (NOT SHOWN). SEE SHORING NOTES ON DRAWING S1.0.
6	12" CMU SHEAR WALL (FOR REIN. SEE I/52.0) ATOP EXIST. CONCRETE FOUNDATION WALL. FIELD VERIFY. PROVIDE (2) LAYERS #5 X 3'-0" DONNELS AT 12" O. C. DRILL AND EMBED 6" INTO EXIST. CONCRETE FOUNDATION WALL WITH HILTI "HIT HYPO" ADHESIVE ANCHORING SYSTEM. SEE SECTION 33/54.3 FOR ADDITIONAL INFORMATION.

REVISIONS	

CONSULTANTS	
SITE/CIVIL:	Volmer 571 Hoosier Road Simsbury, CT 06070
STRUCTURAL:	The DiSalvo Erickson Group 83 Coppe Hill Road Ridgely, CT 06877
MECHANICAL:	Lawrence Mechanical 283 Elm St New Canaan, CT 06840


ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

Jeter Cook & Jepson
Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jepson Architects, Inc.

DiSalvo Erickson Group
Structural Engineers, Inc.
83 Coppe Hill Road
Ridgely, CT 06877
Tel: (203) 426-9081
Fax: (203) 426-9188
Email: enal@ideg.com

PROJ. ENGINEER: BY: PROJ. ENGINEER: OR
ISSUE: 03/31/05
JOB: 03222
DRAWN: TC
SCALE: AS NOTED

**AREA 6 AND AREA 2
PARTIAL FOUNDATION AND SLAB
ON GRADE AND MAIN LEVEL
FLOOR AND ROOF FRAMING
PLANS IN EXISTING BUILDING**
S2.3



S:\Projects\03222\03222.dwg, 03/31/05, 10:58 AM, J. J. JETER

REVISIONS

CONSULTANTS

SITE/CIVIL:
Vonneg
871 Homestead
Shelbury, CT 06070

STRUCTURAL:
The DiSalvo Erisson Group
63 Coppa Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT




Jeter Cook & Jepson Architects, Inc.
 450 Church Street Hartford, Connecticut 06103
 © 2002 Jeter, Cook & Jepson Architects, Inc.

Structural Engineers, Inc.
 THE DI SALVO ERISON GROUP
 63 Coppa Hill Road
 Ridgefield, CT 06877
 Tel: (203) 438-9691 Fax: (203) 431-8188
 Email: esal@dsag.com

PROJ. ENGINEER: EJ PROJ. ENGINEER: OR
 ISSUE: 03/31/05
 JOB: 03222
 DRAWN: TC
 SCALE: AS NOTED

PUMP HOUSE/WATER TANK ROOF FRAMING, SLAB ON GRADE FOUNDATION PLANS

S2.4



CONCRETE BEAM SCHEDULE

MARK	SIZE		REINFORCING			STIRRUPS SPACING EACH END	COMMENTS
	W	D	BOTTOM	TOP	MID DEPTH		
B-1	24"	16"	(10)-#8	(4)-#8	(10)-#6 (1/2 EA. FACE)	#4 AT 12" O.C.	
B-2	24"	16"	(10)-#8	(4)-#8	(10)-#6 (1/2 EA. FACE)	#4 AT 12" O.C.	* SEE NOTE "X", ALSO ADD DROPPED BM. AT PLATFORM SHAFT
B-3	16"	16"	(4)-#8	(2)-#8	(10)-#6 (1/2 EA. FACE)	#4 AT 12" O.C.	* SEE NOTE "X"
B-4	16"	16"	(3)-#8	(2)-#8	(10)-#6 (1/2 EA. FACE)	#4 AT 12" O.C.	* SEE NOTE "X"
B-5	16"	16"	(3)-#8	(3)-#8	(10)-#6 (1/2 EA. FACE)	#4 AT 12" O.C.	* SEE NOTE "X", ALSO ADD DROPPED BM. AT PLATFORM SHAFT
B-6	16"	16"	(3)-#8	(3)-#8	(10)-#6 (1/2 EA. FACE)	#4 AT 12" O.C.	
B-7	24"	16"	(10)-#8	(4)-#8	(10)-#6 (1/2 EA. FACE)	#4 AT 12" O.C.	

PLAN NOTES FOR WATER TANK FOUNDATION AND ROOF FRAMING PLAN.

TOP OF PUMP HOUSE FLOOR CONCRETE SLAB ON GRADE ELEVATION: DATUM ELEVATION 0'-0" = TOP OF GRAPHICAL ELEVATION 14'-0"

CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS BEFORE PROCEEDING WITH ANY WORK.

SEE ARCHITECTURAL DRAWINGS FOR ALL DIMENSIONS, ELEVATIONS AND ANGLES. DO NOT SCALE DRAWINGS.

PUMP HOUSE FLOOR CONSTRUCTION: 6" CONCRETE SLAB ON GRADE, REINFORCED WITH 6x6-W44X4 HELDED WIRE FABRIC, UNLESS OTHERWISE NOTED, FOR DETAILS, SEE 1/53.0.

FOR FOUNDATION CONDITION AT EXTERIOR DOORS, SEE "TYPICAL DETAIL AT EXTERIOR DOORS", 3/53.0.

COORDINATE ALL PITS, TRENCHES, POCKETS, BRICK SHELVES, PENETRATIONS AND INSERTS IN CONCRETE WALLS AND SLABS WITH ARCHITECTURAL AND MECHANICAL DRAWINGS.

FOR FOOTING SCHEDULE AND FOOTING DETAIL, SEE DRAWING S5.1.

FOR PIER SCHEDULE AND PIER DETAILS, SEE DRAWING S5.1.




FOR MASONRY SHEAR WALL FOUNDATION INFORMATION, INCLUDING DOWELS BETWEEN FOUNDATIONS AND MASONRY WALLS, SEE DRAWING S5.0.

PROVIDE DOWELS BETWEEN FOUNDATIONS AND MASONRY WALLS EQUAL TO SIZE AND SPACING OF MASONRY WALL VERTICAL REINFORCEMENT. SEE DRAWING S5.0.

FOR GENERAL NOTES, SEE DRAWING S1.0.

LEGEND:

- INDICATES 6" CMU SHEARWALL, UNLESS OTHERWISE NOTED.
- [...] = BOTTOM OF FOOTINGS ELEVATION FROM TOP OF PUMP HOUSE FLOOR DATUM ELEVATION.
- [...] = TOP OF WALL ELEVATION FROM TOP OF PUMP HOUSE FLOOR DATUM ELEVATION.
- [...] = TOP OF CONCRETE SLAB ELEVATION FROM TOP OF PUMP HOUSE FLOOR DATUM ELEVATION. MAINTAIN FULL SLAB THICKNESS AT SLOPED AND DEPRESSED AREAS. SEE ARCHITECTURAL DRAWINGS FOR LOCATION AND EXTENT.
- SP# = APPROXIMATE LOCATION OF STEPS IN FOOTINGS ON PLAN. COORDINATE LOCATION AND ELEVATION WITH SITE GRADINGS AND MECHANICAL, ELECTRICAL AND PLUMBING DRAWINGS. FOR DETAILS, SEE 4/53.0.
- CJ# = APPROXIMATE LOCATION OF CONTROL/CONSTRUCTION JOINTS IN SLABS ON GRADE. FOR DETAILS, SEE 1/53.0.
- F-## = FOOTING TYPE. SEE FOOTING SCHEDULE AND FOOTING DETAIL ON DRAWING S5.1.
- P-# = PIER TYPE. SEE PIER SCHEDULE AND PIER DETAILS ON DRAWING S5.1.



DATE PLOTTED: 03/31/05 10:58 AM
 PLOTTER: HP DesignJet 5000PS

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

45 Longmeadow Hill Road, Brookfield, Connecticut

J.C.J. # 024401

State Project No.. 018-0044 EA/RR

CONTRACT DOCUMENT PHASE

VOLUME 2 OF 2

for the Town of

BROOKFIELD, CONNECTICUT

May 31, 2005

DAN'S COPY

PROJECT DIRECTORY

ARCHITECT:

JETER, COOK & JEPSON
ARCHITECTS, INC.
450 Church Street
Hartford, CT 06103
Phone: (860) 247-9226
Fax: (860) 524-8067

SITE/CIVIL:

Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

MECHANICAL, ELECTRICAL,
PLUMBING & FIRE PROTECTION
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

TELECOMMUNICATION:

Project Management Team
75 Berlin Road
Cromwell, CT 06416

STRUCTURAL:

Disalvo Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

FOOD SERVICE:

Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

CONSTRUCTION MANAGEMENT:

The Morganti Group, Inc.
100 Mill Plain Road
Danbury, CT 06811

**Jeter
Cook &
Jepson**
Architects, Inc.

REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hartford, CT

STRUCTURAL :
DiSalvo Ericson Group
38-C Grove
Ridgfield, CT

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
280 Elm St.
Newbury, MA

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044


**Jeter
Cook &
Jepson
Architects, Inc.**

400 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN VA
SCALE 1"=50'-0"

EXISTING
CONDITIONS PLAN



LEGEND

NF GAY & CHRISSE MATHIS	TREELINE	TREE
NF GARY & DEBORA PELOSO	BRUSHLINE	BUSH
NF D. OSBORNE	INDEX CONTOUR	SNOW
NF JEANNE WOFFORD & WILLIAM VITETTA	INTERMEDIATE CONTOUR	POST
VERY DENSE TREES	DEPRESSION CONTOUR	CATCH BASIN
	WATER LINE	UTILITY POLE WITH LIGHT
	FENCE	UTILITY POLE
	RETAINING WALL	OUT WARE
	STONE WALL	SPOT ELEVATION
	CONCRETE	SANITARY MANHOLE
	BULMIOUS	WATER VALVE
	FINISHED FLOOR	2" X 2" LAVIN DRAIN
	MORE OR LESS	24" DIAMETER LAVIN DRAIN
	NOW OR FORMERLY	LIGHT POST
	TYPICAL	GAS VALVE
		DRAINAGE MANHOLE

APPROXIMATE LOCATION OF SEPTIC AREAS FROM EXISTING MAPS AND LIMITED FIELD LOCATION

APPROXIMATE LOCATION OF SEPTIC AREAS FROM EXISTING MAPS AND LIMITED FIELD LOCATION

APPROXIMATE LOCATION OF SEPTIC AREAS FROM EXISTING MAPS AND LIMITED FIELD LOCATION

NOTE:
THIS PLAN TAKEN FROM A DRAWING TITLED 'SITE PLAN'
DATED OCTOBER 9, 2003 AND PREPARED BY VOLLMER
ASSOCIATES, LLP/LESS MCMINN SURVEYING 200 OLD
HARTFORD ROAD, COLCHESTER, CT 06415

PT. NO.	NORTHING	EASTING	DESCRIPTION
12	4461.44	10455.46	F.O.C.
13	4448.85	10424.53	COR. OF NEW BLDG.
14	4339.60	10428.94	COR. OF NEW BLDG.
15	4309.60	10343.38	COR. OF NEW BLDG.
16	4227.41	10259.34	COR. OF EXIST. BLDG.
17	4205.16	10195.68	COR. OF EXIST. BLDG.
18	4207.97	10184.14	F.O.C.
19	4186.62	10121.69	F.O.C.
20	4350.48	10144.92	COR. OF EXIST. BLDG.
21	4370.19	10128.71	CENT. OF CURB RADIUS
22	4361.14	10115.95	CENT. OF CURB RADIUS
23	4367.13	10077.80	CENT. OF CURB RADIUS
24	4403.67	10065.67	F.O.C.
25	4403.70	10081.65	CENT. OF CURB RADIUS
26	4406.21	10162.04	CENT. OF CURB RADIUS

F.O.C. = FACE OF CURB

PARKING TABLE

CONFIGURATION	EXISTING 366 SPACES	BASE BID 358 SPACES	ALTERNATE #1 38 ADDITIONAL SPACES (LOT A)	ALTERNATE #3 26 ADDITIONAL SPACES (LOT C)	TOTAL SPACES
A		X			358
B		X	X		396
C		X		X	384
D		X	X	X	422

HANDICAPPED PARKING UNDER CONFIGURATION A & C	REQUIRED 8 (INC. 1 VAN-ACCESSIBLE)	PROVIDED 8 (INC. 1 VAN-ACCESSIBLE)
UNDER CONFIGURATION B	8 (INC. 1 VAN-ACCESSIBLE)	9 (INC. 1 VAN-ACCESSIBLE)
UNDER CONFIGURATION D	9 (INC. 1 VAN-ACCESSIBLE)	9 (INC. 1 VAN-ACCESSIBLE)

SIGNS

SYM.	SIZE (H x W)	COLORS (LETTERS/BACKGROUND)	MESSAGE	MUTCD REF.
(A)	30" x 30"	WHITE/RED	DO NOT ENTER	31-0509
(B)	18" x 24"	BLACK/WHITE	NO LEFT TURN	31-1601
(C)	12" x 24"	BLUE/WHITE	HANDICAPPED PARKING	---
(D)	---	---	VAN-ACCESSIBLE	---
(E)	12" x 18"	WHITE/RED	FIRE LANE/NO PARKING	31-0850(D)
(F)	12" x 18"	WHITE/RED	ACCESSIBLE PASSENGER LOADING ZONE	SEE DETAIL 14/C-11

LEGEND

---	PROPERTY LINE
---	WETLAND LINE
---	EXISTING TREELINE
---	PROPOSED TREELINE
---	EXISTING BRUSHLINE
---	TRAFFIC DIRECTIONAL ARROWS
---	DETAIL #
---	SHEET #
---	EXISTING CURB LINE
---	PROPOSED BITUMINOUS CONCRETE LIP CURB
---	PROPOSED CONCRETE CURB
---	PROPOSED LIGHT POLE
---	PROPOSED PARKING SPACE QUANTITY
---	EXISTING CONTOUR (1' INTERVAL)
---	PROPOSED CONTOUR (2' INTERVAL)
---	EXISTING SPOT GRADE
---	PROPOSED SPOT GRADE
---	PERCENT SLOPE
---	HANDICAP ACCESSIBLE

ZONING TABLE

PARAMETER	REQUIRED	PROVIDED
MINIMUM LOT AREA	80,000 SQ. FT.	1,687,079 SQ. FT.
MINIMUM LOT WIDTH	200 FT.	> 1500 FT.
SIDE YARDS	50 FT.	353 (MIN.)
REAR YARDS	50 FT.	673 (MIN.)
SETBACK FROM CENTER OF ROAD	75 FT.	75 FT.
BUILDING COVERAGE	10 %	EXISTING 131,238 SF (7.8%) PROPOSED 149,973 SF (8.8%)
MAXIMUM BUILDING HEIGHT	30 FT.	40'-4" (EXISTING)

REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
DiSalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGroth Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.


460 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____


ISSUE 5/31/05
JOB 0244.01
DRAWN CM
SCALE 1"=40'-0"


LAYOUT AND MATERIALS PLAN

C-02



NOTE: IF ALTERNATE #1 IS NOT PART OF THE CONTRACT AND LOT 'A' IS NOT TO BE CONSTRUCTED THEN THE EXISTING PARKING LOT, CURBS, WALKS, STRIPING, GRADING, ETC., ARE TO REMAIN.






CONFIGURATION	EXISTING 366 SPACES	BASE BID 358 SPACES	ALTERNATE #1 38 ADDITIONAL SPACES	ALTERNATE #3 26 ADDITIONAL SPACES	TOTAL SPACES
A		X			358
B		X	X		396
C		X		X	384
D		X	X	X	422

HANDICAPPED PARKING	REQUIRED	PROVIDED
UNDER CONFIGURATIONS A & C	8 (INC. 1 VAN-ACCESSIBLE)	8 (INC. 1 VAN-ACCESSIBLE)
UNDER CONFIGURATION B	8 (INC. 1 VAN-ACCESSIBLE)	9 (INC. 1 VAN-ACCESSIBLE)
UNDER CONFIGURATION D	9 (INC. 1 VAN-ACCESSIBLE)	9 (INC. 1 VAN-ACCESSIBLE)

SYM.	SIZE (H x W)	COLORS (LETTERS/BACKGROUND)	MESSAGE	MUTCD REF.
(A)	30' x 30'	WHITE/RED	DO NOT ENTER	31-0509
(B)	18' x 24'	BLACK/WHITE	NO LEFT TURN	31-1601
(C)	12' x 24'	BLUE/WHITE	HANDICAPPED PARKING	----
(D)	----	----	VAN-ACCESSIBLE	----
(E)	12' x 18'	WHITE/RED	FIRE LANE/NO PARKING	31-0650(D)
(F)	12' x 18'	WHITE/RED	ACCESSIBLE PASSENGER LOADING ZONE	SEE DETAIL 14C-11

PT. NO.	NORTHING	EASTING	DESCRIPTION
1	4667.24	10444.94	CORNER OF CURB
2	4571.56	10474.21	CORNER OF CURB
3	4438.12	10446.02	CORNER OF CURB
4	4306.66	10548.12	CORNER OF CURB
5	4187.47	10513.70	CORNER OF CURB
6	4127.04	10483.06	CORNER OF CURB

LEGEND	
---	PROPERTY LINE
~	WETLAND LINE
~	EXISTING TREELINE
~	PROPOSED TREELINE
~	EXISTING BRUSHLINE
→	TRAFFIC DIRECTIONAL ARROWS
⊕	DETAIL KEY
⊕	DETAIL SHEET
---	EXISTING CURB LINE
---	PROPOSED BITUMINOUS CONCRETE LIP CURB
---	PROPOSED CONCRETE CURB
○	PROPOSED LIGHT POLE
⊕	PROPOSED PARKING SPACE QUANTITY
---	EXISTING CONTOUR (1' INTERVAL)
---	PROPOSED CONTOUR (2' INTERVAL)
177.75	EXISTING SPOT GRADE
+ 177.75	PROPOSED SPOT GRADE
3%	PERCENT SLOPE
♿	HANDICAP ACCESSIBLE



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Diego Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McCrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


400 Church Street, Hartford, Connecticut 06103
© 2002 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN CM
SCALE 1"=40'-0"

LAYOUT AND MATERIALS PLAN
ALTERNATE #3

PT. NO.	NORTHING	EASTING	DESCRIPTION
1	5130.19	10304.96	COR. OF NEW BLDG.
2	4988.19	10285.85	COR. OF NEW BLDG.
3	4926.81	10317.77	COR. OF RAMP
4	4897.85	10299.66	COR. OF RAMP
5	4900.92	10293.29	COR. OF NEW BLDG.
6	5054.29	10674.27	COR. OF SOCCER FIELD
7	5125.30	10855.89	COR. OF SOCCER FIELD
8	4817.95	10976.05	COR. OF SOCCER FIELD
9	4748.97	10794.43	COR. OF SOCCER FIELD
10	5186.60	10176.02	COR. OF EXIST. BLDG.
11	4884.78	10325.51	COR. OF EXIST. BLDG.



ZONING TABLE		
ZONE: R-80		
PERMITTED USE: SCHOOL		
ESTIMATED OCCUPANCY (DESIGN): 1200		
BULK REQUIREMENTS		
PARAMETER	REQUIRED	PROVIDED
MINIMUM LOT AREA	80,000 SQ. FT.	1,687,079 SQ. FT.
MINIMUM LOT WIDTH	200 FT.	>1500 FT.
SIDE YARDS	50 FT.	353 (MIN.)
REAR YARDS	50 FT.	673 (MIN.)
SETBACK FROM CENTER OF ROAD	75 FT.	75 FT.
BUILDING COVERAGE	10%	EXISTING 131,238 SF (7.8%) PROPOSED 148,973 SF (8.8%)
MAXIMUM BUILDING HEIGHT	30 FT.	40'-4" (EXISTING)


PARKING TABLE					
CONFIGURATION	EXISTING 366 SPACES	BASE BID 368 SPACES	ALTERNATE #1 38 ADDITIONAL SPACES (LOT A)	ALTERNATE #3 26 ADDITIONAL SPACES (LOT C)	TOTAL SPACES
A		X			366
B		X	X		396
C		X		X	384
D		X	X	X	422

HANDICAPPED PARKING	REQUIRED	PROVIDED
UNDER CONFIGURATIONS A & C	8 (INC. 1 VAN-ACCESSIBLE)	8 (INC. 1 VAN-ACCESSIBLE)
UNDER CONFIGURATION B	8 (INC. 1 VAN-ACCESSIBLE)	9 (INC. 1 VAN-ACCESSIBLE)
UNDER CONFIGURATION D	9 (INC. 1 VAN-ACCESSIBLE)	9 (INC. 1 VAN-ACCESSIBLE)

SIGNS				
SYM.	SIZE (H x W)	COLORS (LETTERS/BACKGROUND)	MESSAGE	MUTCD REF.
(A)	30' x 30'	WHITE/RED	DO NOT ENTER	31-0509
(B)	18' x 24'	BLACK/WHITE	NO LEFT TURN	31-1801
(C)	12' x 24'	BLUE/WHITE	HANDICAPPED PARKING	----
(D)	---	---	VAN-ACCESSIBLE	----
(E)	12' x 18'	WHITE/RED	FIRE LANE/NO PARKING	31-0850(D)
(F)	12' x 18'	WHITE/RED	ACCESSIBLE PASSENGER LOADING ZONE	SEE DETAIL 14/C-11

LEGEND

- PROPERTY LINE
- WETLAND LINE
- EXISTING TREELINE
- PROPOSED TREELINE
- EXISTING BRUSHLINE
- TRAFFIC DIRECTIONAL ARROWS
- DETAIL #
- DETAIL KEY
- SHEET #
- EXISTING CURB LINE
- PROPOSED BITUMINOUS CONCRETE LIP CURB
- PROPOSED CONCRETE CURB
- PROPOSED LIGHT POLE
- PROPOSED PARKING SPACE QUANTITY
- EXISTING CONTOUR (1' INTERVAL)
- PROPOSED CONTOUR (2' INTERVAL)
- 177.75 EXISTING SPOT GRADE
- + 177.75 PROPOSED SPOT GRADE
- 3% PERCENT SLOPE
- (H) HANDICAP ACCESSIBLE



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Disolvo Erickson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

480 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244-01
DRAWN CM
SCALE 1"=40'-0"

LAYOUT AND MATERIALS PLAN

REVISIONS:	

CONSULTANTS:

SITE/CIVIL:
Valmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Diavolo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT


STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 9/31/08
JOB 0244.01
DRAWN CM
SCALE 1"=40'-0"

GRADING, DRAINAGE & SANITARY SEWER PLAN



LEGEND	
(Symbol)	APPROX. 500YR FEMA FLOOD BOUNDARY
(Symbol)	PROPERTY LINE
(Symbol)	CONTRACT LIMIT LINE
(Symbol)	WETLANDS LIMIT LINE
(Symbol)	WETLANDS BUFFER LINE
(Symbol)	EXISTING TREELINE
(Symbol)	EXISTING BRUSHLINE
(Symbol)	TRAFFIC DIRECTIONAL ARROWS
(Symbol)	DETAIL KEY
(Symbol)	SHEET
(Symbol)	EXISTING CURB LINE
(Symbol)	PROPOSED BITUMINOUS CURBING
(Symbol)	PROPOSED FULL-DEPTH CONCRETE CURB LINE
(Symbol)	PARKING SPACE QUANTITY
(Symbol)	EXISTING CONTOUR (1' INTERVAL)
(Symbol)	PROPOSED CONTOUR (2' INTERVAL)
(Symbol)	EXISTING SPOT GRADE
(Symbol)	PROPOSED SPOT GRADE
(Symbol)	PERCENT SLOPE
(Symbol)	PROPOSED LIGHT POLE
(Symbol)	PROPOSED CATCH BASIN
(Symbol)	PROPOSED MANHOLE
(Symbol)	EXISTING CATCH BASIN
(Symbol)	INDICATES FLUSH CONDITION
(Symbol)	HANDICAP ACCESSIBLE


- NOTES:
- HORIZONTAL AND VERTICAL DATUMS ASSUMED AND MATCHED WITH EXISTING SURVEY AND SITEPLAN DRAWINGS.
 - PROPERTY INFORMATION OBTAINED FROM TOWN OF BROOKFIELD TOWN MAPS.
 - ALL BUILDING EXITS ARE FLUSH WITH THE RESPECTIVE BUILDING ELEVATION.
 - ALL ACCESSIBLE ROUTES SHOWN HEREON HAVE A SLOPE <5% AND A CROSS SLOPE <2%, UNLESS OTHERWISE NOTED.
 - DO NOT DRILL NEW OPENING AT BASE OF MANHOLE AND CONNECT NEW PIPE WITH FLEXIBLE RUBBER BOOT. MODIFY EXIST. INVERT AS NECESSARY.

NOTE: PROPOSED DRAINAGE LINES, CURBS AND MANHOLES SHOWN FOR LOT 'A' TO BE CONSTRUCTED ONLY AS PART OF ALTERNATE #1. EXISTING DRAINAGE TO REMAIN IF ALTERNATE #1 IS NOT CONSTRUCTED.

MATCHLINE - SEE SHEET C-05




SCALE IN FEET
40 0 40 80



- NOTES:**
1. HORIZONTAL AND VERTICAL DATUMS ASSUMED AND MATCHED WITH EXISTING SURVEY AND SITEPLAN DRAWINGS.
 2. PROPERTY INFORMATION OBTAINED FROM TOWN OF BROOKFIELD TOWN MAPS.
 3. ALL BUILDING EXITS ARE FLUSH WITH THE RESPECTIVE BUILDING ELEVATION.
 4. ALL ACCESSIBLE ROUTES SHOWN HEREON HAVE A SLOPE <math>< 5\%</math> AND A CROSS SLOPE <math>< 2\%</math>, UNLESS OTHERWISE NOTED.

LEGEND	
	APPROX. 500YR FEMA FLOOD BOUNDARY
	PROPERTY LINE
	CONTRACT LIMIT LINE
	WETLANDS LIMIT LINE
	WETLANDS BUFFER LINE
	EXISTING TREELINE
	EXISTING BRUSHLINE
	TRAFFIC DIRECTIONAL ARROWS
	DETAIL KEY
	DETAIL SHEET
	EXISTING CURBED LINE
	PROPOSED BITUMINOUS CURBING
	PROPOSED FULL-DEPTH CONCRETE CURBED LINE
	PARKING SPACE QUANTITY
	EXISTING CONTOUR (1' INTERVAL)
	PROPOSED CONTOUR (2' INTERVAL)
	EXISTING SPOT GRADE
	PROPOSED SPOT GRADE
	PERCENT SLOPE
	PROPOSED LIGHT POLE
	PROPOSED CATCH BASIN
	PROPOSED MANHOLE
	EXISTING CATCH BASIN
	INDICATES FLUSH CONDITION
	HANDICAP ACCESSIBLE

NOTE: PROPOSED DRAINAGE LINES, CBS AND MANHOLES SHOWN FOR LOT 'A' TO BE CONSTRUCTED ONLY AS PART OF ALTERNATE #1. EXISTING DRAINAGE TO REMAIN IF ALTERNATE #1 IS NOT CONSTRUCTED.




REVISIONS:

- CONSULTANTS:
- SITE/CIVIL :**
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT
- STRUCTURAL :**
DiStasio Ericson Group
35-C Grove
Ridgefield, CT
- MECHANICAL :**
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840
- FOOD SERVICE :**
McGrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044




400 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.	
P.M.	
D.P.	
J.C.	
ISSUE	5/31/05
JOB	0244.01
DRAWN	CM
SCALE	1"=40'-0"

GRADING, DRAINAGE & SANITARY SEWER PLAN
ALTERNATE #3

C-04A



MATCHLINE - SEE SHEET C-04

LEGEND

	APPROX. 500YR FEMA FLOOD BOUNDARY
	PROPERTY LINE
	CONTRACT LIMIT LINE
	WETLANDS LIMIT LINE
	WETLANDS BUFFER LINE
	EXISTING TREELINE
	EXISTING BRUSHLINE
	TRAFFIC DIRECTIONAL ARROWS
	DETAIL KEY
	DETAIL
	SHEET
	EXISTING CURB LINE
	PROPOSED BITUMINOUS CURBING
	PROPOSED FULL-DEPTH CONCRETE CURB LINE
	PARKING SPACE QUANTITY
	EXISTING CONTOUR (1' INTERVAL)
	PROPOSED CONTOUR (2' INTERVAL)
	EXISTING SPOT GRADE
	PROPOSED SPOT GRADE
	PERCENT SLOPE
	PROPOSED LIGHT POLE
	PROPOSED CATCH BASIN
	PROPOSED MANHOLE
	EXISTING CATCH BASIN
	INDICATES FLUSH CONDITION
	HANDICAP ACCESSIBLE

- NOTES:**
- HORIZONTAL AND VERTICAL DATUMS ASSUMED AND MATCHED WITH EXISTING SURVEY AND SITEPLAN DRAWINGS.
 - PROPERTY INFORMATION OBTAINED FROM TOWN OF BROOKFIELD TOWN MAPS.
 - ALL BUILDING EXITS ARE FLUSH WITH THE RESPECTIVE BUILDING ELEVATION.
 - ALL ACCESSIBLE ROUTES SHOWN HEREON HAVE A SLOPE < 5% AND A CROSS SLOPE < 2%, UNLESS OTHERWISE NOTED.
 - CORE DRILL NEW OPENING AT BASE OF MANHOLE AND CONNECT NEW PIPE WITH FLEXIBLE RUBBER BOOT. MODIFY EXIST. INVERT AS NECESSARY.

REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Volmer Associates, LLP
2321 Whitney Ave.
Hartford, CT


STRUCTURAL :
DiSalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGroth Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044




400 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN CM
SCALE 1"=40'-0"


GRADING, DRAINAGE & SANITARY SEWER PLAN



REVISIONS:

- CONSULTANTS:
- SITE/CIVIL :
Vallier Associates, LLP
2321 Whitney Ave.
Hamden, CT
- STRUCTURAL :
Disalvo Ericson Group
38-C Grove
Ridgefield, CT
- MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840
- FOOD SERVICE :
McGroth Associates
280 Elm St.
Newberry, MA


PLANT LIST					
SYMBOL	COMMON NAME	BOTANICAL NAME	QTY.	SIZE	REMARKS
SHRUBS					
IM	ILEX X MESSEVE 'CHINA BOY'	CHINA BOY HOLLY	6	24" - 30" HT.	B&B, DENSE
IMG	ILEX X MESSEVE 'CHINA GIRL'	CHINA GIRL HOLLY	74	24" - 30" HT.	B&B, DENSE
GROUND COVER					
CA	COTONEASTER APOICULATA	CRANBERRY COTONEASTER	815	2 GALLON	4" O.C. SPACING



LEGEND	
	PROPERTY LINE
	WETLAND LINE
	EXISTING TREELINE
	PROPOSED TREELINE
	EXISTING BRUSHLINE
	TRAFFIC DIRECTIONAL ARROWS
	DETAIL KEY
	SHEET
	CENTERLINE OF ROAD
	EXISTING CURB LINE
	PROPOSED BITUMINOUS CURBING
	PROPOSED FULL-DEPTH CONCRETE CURB LINE
	LIGHT POLE
	PARKING SPACE QUANTITY
	EXISTING CONTOUR (1' INTERVAL)
	PROPOSED CONTOUR (1' INTERVAL)
	EXISTING SPOT GRADE
	PROPOSED SPOT GRADE
	PERCENT SLOPE
	EXISTING TREE
	GROUND COVER
	SPORTS FIELD LIGHT

NOTES:

- FOR LIGHTING CONDUIT LAYOUT, REFER TO DRAWING E1.1.
- ALL AREAS DISTURBED BY CONSTRUCTION OPERATIONS SHALL BE TOPSOILED AND SEEDED AS INDICATED IN THE SPECIFICATIONS.



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


400 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.	_____
P.M.	_____
D.P.	_____
J.C.	_____

ISSUE	5/31/05
JOB	0244.01
DRAWN	CM
SCALE	1"=40'-0"

PLANTING AND LIGHTING PLAN


C-06



MATCHLINE - SEE SHEET C-06

- NOTES:**
1. FOR LIGHTING CONDUIT LAYOUT, REFER TO DRAWING E1.1.
 2. ALL AREAS DISTURBED BY CONSTRUCTION OPERATIONS SHALL BE TOPSOILED AND SEEDS AS INDICATED IN THE SPECIFICATION.

LEGEND	
	PROPERTY LINE
	WETLAND LINE
	EXISTING TREELINE
	PROPOSED TREELINE
	EXISTING BRUSHLINE
	TRAFFIC DIRECTIONAL ARROWS
	DETAIL KEY
	SHEET
	CENTERLINE OF ROAD
	EXISTING CURB LINE
	PROPOSED BITUMINOUS CURBING
	PROPOSED FULL-DEPTH CONCRETE CURB LINE
	LIGHT POLE
	PARKING SPACE QUANTITY
	EXISTING CONTOUR (1' INTERVAL)
	PROPOSED CONTOUR (1' INTERVAL)
	EXISTING SPOT GRADE
	PROPOSED SPOT GRADE
	PERCENT SLOPE
	EXISTING TREE
	GROUND COVER
	SPORTS FIELD LIGHT



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hartford, CT

STRUCTURAL:
Disolve Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
400 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN CM
SCALE 1"=40'-0"

PLANTING AND LIGHTING PLAN

C-07

REVISIONS:

CONSULTANTS:
SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Dievo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson

Architects, Inc.

400 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____


ISSUE 5/31/05
JOB 0244.01
DRAWN AD
SCALE 1"=40'-0"

SEDIMENT AND EROSION CONTROL PLAN


C-08

LEGEND	
	APPROX. 500YR FEMA FLOOD BOUNDARY
	PROPERTY LINE
	WETLANDS LIMIT LINE
	50' WETLANDS BUFFER LINE
	SEDIMENT AND EROSION CONTROL SYSTEM
	EXISTING TREELINE
	EXISTING BRUSHLINE
	TRAFFIC DIRECTIONAL ARROWS
	DETAIL SHEET
	CENTERLINE OF ROAD
	EXISTING CURB LINE
	PROPOSED FULL-DEPTH CONCRETE CURB LINE
	LIGHT POLE
	PARKING SPACE QUANTITY
	EXISTING CONTOUR (1' INTERVAL)
	PROPOSED CONTOUR (1' INTERVAL)
	EXISTING SPOT GRADE
	PROPOSED SPOT GRADE
	PERCENT SLOPE

SOILS LEGEND	
Ce	CARLISLE MUCK
PbD	PAXTON FINE SANDY LOAM, 15 - 25% SLOPES
UD	UDORTENTS, SMOOTHED
WxB	WOODBRIDGE FINE SANDY LOAM, 3-8% SLOPES
WxC	WOODRIDGE FINE SANDY LOAM, 8-15% SLOPES



SCALE IN FEET
0 40 80



WxC

WxB

PbD

WxC

WxB

UD


PbD

LONG MEADOW HILL

MATCHLINE - SEE SHEET C-08

SOILS LEGEND	
Ce	CARLISLE MUCK
PbD	PAXTON FINE SANDY LOAM, 15 - 25% SLOPES
UD	UDORTMENTS, SMOOTHED
WxB	WOODBIDGE FINE SANDY LOAM, 3-8% SLOPES
WxC	WOODBIDGE FINE SANDY LOAM, 8-15% SLOPES

LEGEND	
	APPROX. 500YR FEMA FLOOD BOUNDARY
	PROPERTY LINE
	WETLANDS LIMIT LINE
	50' WETLANDS BUFFER LINE
	SEDIMENT AND EROSION CONTROL SYSTEM
	EXISTING TREELINE
	EXISTING BRUSHLINE
	TRAFFIC DIRECTIONAL ARROWS
	DETAIL KEY
	CENTERLINE OF ROAD
	EXISTING CURB LINE
	PROPOSED FULL-DEPTH CONCRETE CURB LINE
	LIGHT POLE
	PARKING SPACE QUANTITY
	EXISTING CONTOUR (1' INTERVAL)
	PROPOSED CONTOUR (1' INTERVAL)
	EXISTING SPOT GRADE
	PROPOSED SPOT GRADE
	PERCENT SLOPE



REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
Dialvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
280 Elm St.
Newbury, MA

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044


**Jeter
Cook &
Jepson**
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.


P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN AD
SCALE 1"=40'-0"


SEDIMENT AND
EROSION CONTROL
PLAN



1 HAY BALE DETAIL "TYPE A"
SCALE: N.T.S.




2 HAY BALE DETAIL "TYPE B"
SCALE: N.T.S.




3 HAY BALE DETAIL- CATCH BASIN IN A DEPRESSION
SCALE: N.T.S.


NOTE:
ALL EXISTING OR PROPOSED CATCH BASINS IN AREAS DISTURBED BY CONSTRUCTION SHALL BE PROTECTED BY SEDIMENTATION CONTROLS.



4 SILT FENCE DETAIL
SCALE: N.T.S.



5 ANTI-TRACKING PAD DETAIL
SCALE: N.T.S.



6 SPLASH PAD
SCALE: N.T.S.

CULVERT	L _a	W
A	50'	18"
B	22'	18"

PROJECT DESCRIPTION:

THE PROJECT CONSISTS OF THE CONSTRUCTION OF BUILDING EXPANSION AND SITE IMPROVEMENTS FOR THE BROOKFIELD HIGH SCHOOL. THE INTENT OF THE SEDIMENT AND EROSION CONTROL PLAN IS TO COLLECT SEDIMENT IN RUNOFF DURING CUTTING AND FILLING OPERATIONS BEFORE CONSTRUCTION AREAS ARE STABILIZED. SEDIMENT AND EROSION CONTROL MEASURES AS DESCRIBED HEREIN SHALL BE INSTALLED WHERE SHOWN IN THE PLANS AND AS DIRECTED BY THE ENGINEER OR TOWN INSPECTOR. EXISTING DRAINAGE CHANNELS AND STORM DRAINAGE STRUCTURES WILL BE MAINTAINED AND PROTECTED DURING CONSTRUCTION UNTIL NEW DRAINAGE APPURTENANCES, WHERE PROPOSED, ARE OPERATIONAL.

CONSTRUCTION SEQUENCE:

- THE SEQUENCE OF CONSTRUCTION IS TO TAKE PLACE AS FOLLOWS:
- CLEARING (TREE REMOVAL)
 - INSTALLATION OF PERIMETER EROSION/SILTATION CONTROL MEASURES
 - GRUBBING
 - TOPSOIL REMOVAL AND STOCKPILING. STOCKPILE MATERIAL TO BE PLACED IN DESIGNATED AREAS AS SHOWN ON THE PLANS. ALL STOCKPILES TO BE STABILIZED UPON COMPLETION OF DUMPING SEQUENCE AT EACH LOCATION.
 - ROUGH GRADING/EARTH REMOVAL. ANNUAL RYE SEEDING FOR STABILIZATION OF MAJOR CUT AND FILL AREAS
 - EXCAVATION AND INSTALLATION OF DRAINAGE AND UTILITY CONDUITS
 - INSTALLATION OF INTERNAL EROSION CONTROLS
 - PREPARATION OF ROAD BED AND PARKING LOT AREAS
 - FINISH PAVEMENT INSTALLATION
 - TOPSOIL AND FINAL SEEDING OF ALL DISTURBED AREAS, MEDIANS, AND OTHER AREAS WITHIN CUL AS DIRECTED BY OWNERS REPRESENTATIVE
 - INSTALLATION OF LIGHTING, GUIDE RAILS AND LANDSCAPING
 - REMOVAL OF PERIMETER EROSION CONTROL MEASURES
 - FINAL CLEAN-UP

SEDIMENTATION AND EROSION CONTROL NOTES:

- SILTATION AND EROSION CONTROL MEASURES SHALL BE INSTALLED AS NECESSARY PRIOR TO THE START OF GRADING AND MAINTAINED UNTIL ALL GROUND SURFACES ARE STABILIZED. E. WITH TURF, PAVEMENT, ETC., AND SHALL CONSIST OF SILT FENCING, HAYBALES, TEMPORARY SEDIMENTATION BASINS AND SWALES, MULCH AND TEMPORARY SEEDING.
- THE OWNER HAS THE AUTHORITY TO CONTROL THE SURFACE AREA OF EARTH MATERIALS EXPOSED BY CONSTRUCTION OPERATIONS AND TO DIRECT THE CONTRACTOR TO IMMEDIATELY PROVIDE PERMANENT OR TEMPORARY POLLUTION CONTROL MEASURES TO PREVENT CONTAMINATION OF ADJACENT STREAMS, WATERCOURSES, LAKES, PONDS, OR OTHER AREAS OF WATER IMPONDEMENT. EVERY EFFORT SHALL BE MADE BY THE CONTRACTOR TO PREVENT EROSION ON THE SITE AND ADJUTING PROPERTY.
- THE ENGINEER HAS THE AUTHORITY TO DIRECT THE CONTRACTOR TO DIVERT SURFACE WATER RUN-OFF AWAY FROM EXPOSED RAW EARTH SURFACES THROUGH THE USE OF TEMPORARY BERMS, DIKES AND DIVERSION CHANNELS.
- THE EROSION CONTROL FEATURES SHALL BE INSTALLED AND MAINTAINED BY THE CONTRACTOR AND SHALL BE CHECKED DAILY AND AFTER EACH SEVERE RAIN STORM FOR DAMAGE. UNTIL SUCH FEATURES ARE, IN THE OPINION OF THE ENGINEER, NO LONGER NEEDED. ALL SEDIMENTATION TRAPS AND SEDIMENTATION BASINS SHALL HAVE THE ACCUMULATED SEDIMENT AND/OR CLEAN WATER REMOVED BEFORE IT SIGNIFICANTLY REDUCES THEIR STORAGE VOLUME OR FUNCTION, PRIOR TO THE NEXT RAIN STORM FORECAST FOR THE REGION.
- THE CONTRACTOR SHALL, AT ALL TIMES, HAVE ON HAND THE NECESSARY MATERIALS AND EQUIPMENT TO PROVIDE FOR EARLY SLOPE STABILIZATION AND CORRECTIVE MEASURES TO DAMAGED SLOPES. THE CONTRACTOR SHALL RESPOND TO MAINTENANCE OR ADDITIONAL MEASURES ORDERED BY THE ENGINEER WITHIN 24 HOURS.
- THE CONTRACTOR SHALL OPERATE ALL EQUIPMENT AND PERFORM ALL CONSTRUCTION OPERATIONS SO AS TO MINIMIZE POLLUTION TO ADJACENT WATER COURSES OR WETLANDS AREAS. THE CONTRACTOR SHALL CEASE ANY OF HIS OPERATIONS WHICH WILL INCREASE POLLUTION DURING RAIN STORMS.
- ALL SLOPES OF STOCKPILE MATERIAL AND OTHER DISTURBED AREAS SHALL BE STABILIZED AND PROTECTED BY SURROUNDING WITH SILT FENCING OR HAYBALES, OR OTHERWISE PROTECTED AS APPROVED BY THE ENGINEER. ALL DAMAGED AREAS SHALL BE REPAIRED AS SOON AS POSSIBLE. THE ENGINEER SHALL LIMIT THE SURFACE AREA OF EACH MATERIAL EXPOSED IF THE CONTRACTOR FAILS TO SUFFICIENTLY PROTECT THE SLOPES TO PREVENT POLLUTION.
- MULCHES SHALL BE HAY, STRAW, WOOD CELLULOSE, WOOD CHIPS, STONE, NETTING, BURLAP OR OTHER SUITABLE MULCH MATERIAL AS APPROVED BY THE ENGINEER. MULCHES SHALL BE REASONABLY CLEAN AND FREE OF NOXIOUS WEEDS AND DELETERIOUS MATERIALS. ASPHALT SPRAYS WILL NOT BE ALLOWED. THE CONTRACTOR SHALL PREVENT STRAW, WOOD CHIPS, ETC., FROM ENTERING ANY RESERVOIRS OR WATERCOURSES.
- HAY BALES SHALL BE PLACED AROUND ALL EXISTING DRAINAGE INLETS OR AS DIRECTED BY THE ENGINEER. THEY SHALL BE HELD IN PLACE BY TWO WOODEN STAKES IN EACH BALE. BALES SHALL BE MAINTAINED OR REPLACED AS ORDERED BY THE ENGINEER UNTIL THEY ARE NO LONGER NECESSARY FOR THE PURPOSE INTENDED OR ARE ORDERED REMOVED BY THE ENGINEER. HAY BALES SHALL BE MADE OF HAY WITH 40 POUNDS MINIMUM WEIGHT AND 120 POUNDS MAXIMUM WEIGHT. WOOD STAKES SHALL BE A MINIMUM OF 1 INCH BY 1 INCH NOMINAL SIZE BY A MINIMUM OF 3 FEET LONG.
- SILT FENCE SHALL CONSIST OF 3-FOOT WIDE GEOSYNTHETIC FABRIC WITH PREFABRICATED WOOD POSTS AS MANUFACTURED BY "MIRAF" OR EQUAL. THE BOTTOM SIX INCHES OF FABRIC SHALL BE BURIED BY EITHER TRENCHING OR BY LAYING THE SIX INCH SECTION HORIZONTALLY ON THE GROUND AND BURYING BY RAMPING THE TOPSOIL UP TO THE CONTROL FENCE.
 - MINIMUM LENGTH OF SILT FENCE IS 15 LF.
 - MAXIMUM POST SPACING IS 10 LF.
 - JOINTS IN FILTER FABRIC SHALL BE ONLY AT SUPPORT POSTS WITH MINIMUM 6" OVERLAP, SECURELY SEALED
 - SILT FENCE SHALL NOT BE USED IN A WATER COURSE
 - FABRIC SUSCEPTIBLE TO SUNLIGHT DAMAGE SHALL NOT BE USED IN ANY INSTALLATIONS WHERE EXPOSURE TO LIGHT WILL EXCEED 30 DAYS, UNLESS SPECIFICALLY AUTHORIZED IN WRITING BY THE ENGINEER.
- TEMPORARY SWALES AND SEDIMENTATION BASINS MAY BE CONSTRUCTED OF RIP-RAP, MULCH, HAYBALES OR JUTE MESH. PORTLAND CONCRETE OR BITUMINOUS CONCRETE WILL NOT BE ALLOWED.
- TEMPORARY GRASS SEED SHALL BE PERENNIAL RYE GRASS (LOLUM PERENNIS) OR AN IMPROVED VARIETY THEREOF, SUCH AS MANHATTAN, HAVING A MINIMUM PURITY OF 98 PERCENT AND A MINIMUM GERMINATION OF 90 PERCENT. THE SEEDING MAY BE ALTERED BY THE ENGINEER IF REQUESTED BY THE CONTRACTOR TO SUIT SPECIAL AREAS OR CONDITIONS.
- AT THE COMPLETION OF THE PROJECT, AND AFTER ALL DISTURBED AREAS ARE STABILIZED, THE CONTRACTOR SHALL COMPLETELY REMOVE ALL SEDIMENTATION AND EROSION CONTROL MEASURES. SILT FENCING SHALL BE CUT FLUSH WITH THE GROUND AND ANY ACCUMULATED SEDIMENTATION SHALL BE THINLY SPREAD UPON EXISTING GROUND COVER. ALL MULCH, HAYBALES AND RIP-RAP SHALL BE REMOVED FROM THE SITE, UNLESS SPECIFICALLY ORDERED BY THE ENGINEER TO REMAIN IN PLACE.

REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
DiSalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
280 Elm St.
Newberry, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.

400 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 9/31/05
JOB 0244.01
DRAWN TAH/AKB
SCALE AS NOTED

SEDIMENT AND EROSION CONTROL DETAILS

CONSULTANTS:
SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hartford, CT

STRUCTURAL:
Disalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
280 Elm St.
Newberry, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT


STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
450 Church Street, Hartford, Connecticut, 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.


P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN CM
SCALE AS NOTED


SITE DETAILS




16 STONE SCREENINGS SURFACE SCALE: NTS




15 ACCESSIBLE PASSENGER LOADING ZONE SCALE: NTS




13 PERENNIAL AND GROUND COVER PLANTING SCALE: NTS




17 PIPE BOLLARD SCALE: 1" = 1'-0"




18 BITUMINOUS CONCRETE OVERLAY PAVEMENT SCALE: 1" = 1'-0"




14 ACCESSIBLE PASSENGER LOADING ZONE SIGN SCALE: 1/2" = 1'-0"




6 STEEL BOLLARD (SHOWN W/ H.C. PARKING SIGN) SCALE: 1/2" = 1'-0"




12 BITUMINOUS CONCRETE LIP CURB SCALE: NTS




7 HANDICAP PARKING SYMBOL SCALE: N.T.S.



DETECTABLE WARNING SURFACE SCALE: NOT TO SCALE



11 ADD-ALTERNATE #1: TIMBER GUARD RAIL SCALE: 1" = 1'-0"




10 CHAIN LINK GATE SCALE: NTS


Table with 4 columns: NOM HEIGHT (H), UPRIGHT HT (U), FRAME HT (F), and ACTUAL DIM. Lists various gate specifications.

Table with 3 columns: OPENING, GATE POSTS, and HINGE SPACE (S). Lists various gate specifications.


SCHEDULE OF CHAIN LINK FENCE FRAMEWORK SIZES table and list of fabric and accessories specifications.




1 CONCRETE PAVEMENT SCALE: 1" = 1'-0"




2 BITUMINOUS CONCRETE PAVEMENT SCALE: 1" = 1'-0"




3 CONCRETE CURB SCALE: NTS




4 CURB RAMP SCALE: NOT TO SCALE




8 HANDICAP PARKING STALL SCALE: N.T.S.



5 STEEL PICKET FENCE SCALE: 1" = 1'-0"



9 4' HT. CHAIN LINK FENCE SCALE: NTS



19 WOOD SCREEN FENCE SCALE: N.T.S.

CONSULTANTS:
 SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL:
 DiSalvo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 McGrath Associates
 280 Elm St.
 Newberry, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT


STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.
 450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____


ISSUE 5/31/05
 JOB 0244.01
 DRAWN CM
 SCALE AS NOTED

SITE DETAILS




NOTE: SEE SHEET C-04A FOR ALT. #3 GRADING AND WALL LAYOUT PLANS


1 HANDICAPPED RAMP ENLARGEMENT (BASE BID)
 SCALE: 1/2" = 1'-0"



4 RETAINING WALL
 SCALE: 3/4" = 1'-0"



2 HANDICAPPED RAMP ENLARGEMENT
 SCALE: 1/2" = 1'-0"



3 HANDICAPPED RAMP ENLARGEMENT
 SCALE: 1/2" = 1'-0"

MARK	H (MAX.)	BFE	A	B	C	D	T	M	N
RW-1	9'-3"	180.5	6'-3"	1'-3"	3'-9"	1'-6"	1'-0"	#4@6"	#5@6"
RW-2	6'-6"	180.5	5'-0"	1'-0"	3'-0"	1'-0"	1'-0"	#4@9"	#5@9"
RW-3	4'-0"	180.5	3'-9"	1'-0"	1'-9"	1'-0"	1'-0"	#4@12"	#4@12"
RW-4	4'-0"	179.1	3'-9"	1'-0"	1'-9"	1'-0"	1'-0"	#4@12"	#4@12"

NOTES


- CONCRETE**
1. ALL CONCRETE WORK SHALL CONFORM TO ACI 318 (LATEST EDITION).
 2. ALL CONCRETE SHALL HAVE A MINIMUM 28 DAY COMPRESSIVE STRENGTH OF 3000 PSI.
 3. MAXIMUM ALLOWABLE SLUMP FOR CONCRETE SHALL BE 4".
 4. ALL CONCRETE SHALL BE AIR ENTRAINED AT 4-6%.
 5. ALL EXPOSED EDGES SHALL HAVE A 1" x 1" CHAMFER FINISH.

REINFORCEMENT


1. REINFORCING STEEL SHALL CONFORM TO ASTM A615 GRADE 60.
2. PROVIDE 3" COVER UNLESS OTHERWISE NOTED.
3. ALL REINFORCING STEEL SHALL BE BENT, LAPPED, SPLICED, AND PLACED IN ACCORDANCE WITH ACI 318 (LATEST EDITION) AND CRSI 'MANUAL OF STANDARD PRACTICE' (LATEST EDITION).

SOILS


1. FOOTINGS SHALL REST ON 6" OF COMPACTED GRAVEL BACKFILL OVER COMPACTED EXISTING SOIL.
2. FOOTING DESIGN BASED ON ASSUMED BEARING PRESSURE OF 3,000 POUNDS PER SQUARE FOOT.
3. ANY FILL PLACED SHALL BE GRANULAR AND BE COMPACTED TO 95% MAXIMUM DRY DENSITY.



8 HANDRAIL DETAIL
 SCALE: 1" = 1'-0"



6 RETAINING WALL W/ FENCE
 SCALE: 3/4" = 1'-0"



7 RETAINING WALL
 SCALE: 3/4" = 1'-0"

CONSULTANTS:
 SITE/CIVIL:
 Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL:
 DiSalvo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 McGrath Associates
 280 Elm St.
 Newberry, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT


STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
 400 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____


ISSUE 5/31/05
 JOB 0244.01
 DRAWN CM
 SCALE AS NOTED

SITE DETAILS




1 SECTION THROUGH PUMP HOUSE/SUCTION TANK & ADJACENT HILLSIDE
 SCALE: 1/4" = 1'-0"

NOTE: THIS DETAIL ONLY TO BE USED FOR GRADING PURPOSES AROUND THE PUMP HOUSE. SEE ARCHITECTURAL DRAWINGS FOR ALL PUMP HOUSE DETAILS AND DIMENSIONS.




3 TYPICAL CATCH BASIN
 SCALE: N.T.S.

NOTE:
 1. TYPE C-L CB TO BE USED WHERE NO ADJACENT CURB IS PROPOSED.




5 CONCRETE UTILITY PAD
 SCALE: N.T.S.

NOTE: REFER TO LAYOUT PLAN, SHEET C-02 FOR LOCATIONS OF CONCRETE PADS




6 TYPICAL CLEANOUT AND RISER SECTIONS
 SCALE: N.T.S.




2 TYPICAL STORM DRAIN & SANITARY MANHOLE
 SCALE: N.T.S.


NOTES:
 1. 8" SOLID RADIAL CONC. BLOCKS MAY BE SUBSTITUTED FOR PRECAST CONC. UNITS. PLASTER OUTSIDE OF MANHOLE W/ 1/2" THICK MORTAR COAT WHEN USING CONC. BLOCK.
 2. MANHOLE BASE SECTION DIAMETER:
 6" TO 18" PIPES - BASE DIA. 4'-0"
 21" TO 27" PIPES - BASE DIA. 5'-0"
 30" TO 42" PIPES - BASE DIA. 6'-0"
 3. 5" OR 6" DIA. PRECAST BASES MAY BE USED WHEN REQUIRED DUE TO SIZE OR NUMBER OF PIPES AT THE MANHOLE. PRECAST REDUCERS WILL BE PLACED ABOVE THE 5" AND 6" BASES AS DIRECTED BY THE ENGINEER. WALL THICKNESSES TO INCREASE 1" FOR EACH 1" OF INSIDE DIAMETER INCREASE.



4 CONCRETE STEPS - SECTION
 SCALE: 1" = 1'-0"



7 SANITARY MANHOLE DROP
 SCALE: 1/2" = 1'-0"



8 TYPICAL YARD DRAIN
 SCALE: N.T.S.

NOTE: SEE PLANS FOR PIPE SIZES

REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
Dievole Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
280 Elm St.
Newberry, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.


445 Church Street Hartford, Connecticut 06103
© 2010 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____


ISSUE 5/31/05
JOB 0244.01
DRAWN TAH/AKB
SCALE AS NOTED

FOOTBALL FIELD LAYOUT AND DRAINAGE PLAN


C-14




1 FOOTBALL FIELD - RUNNING TRACK SUBSURFACE DRAINAGE PLAN
SCALE: 1" = 20'-0"




2 FOOTBALL FIELD - RUNNING TRACK RUBBER-INFILL SYNTHETIC TURF PLAN
SCALE: 1" = 20'-0"




3 FOOTBALL FIELD - RUNNING TRACK EDGE DETAIL
SCALE: 1" = 1'-0"




4 LONG JUMP / POLE VAULT / HIGH JUMP EDGE DETAIL
SCALE: 1" = 1'-0"




5 ALL-RUBBER INFILL SYNTHETIC TURF SECTION
SCALE: 1" = 1'-0"




6 LONG JUMP / TRIPLE JUMP PIT LAYOUT PLAN
SCALE: 1" = 20'-0"



7 LONG / TRIPLE JUMP SAND PIT LANDING SECTION
SCALE: 1" = 1'-0"




8 ALL-RUBBER INFILL SYNTHETIC TURF SECTION @ FIELD CENTERLINE
SCALE: 1" = 1'-0"




9 FOOTBALL FIELD - LAYOUT PLAN
SCALE: 1" = 20'-0"


FILENAME: 148 FOOTBALL DRAINAGE.DWG




1 SOCCER FIELD - SUBSURFACE DRAINAGE PLAN
SCALE: 1" = 20'-0"




2 SOCCER FIELD - RUBBER INFILL SYNTHETIC TURF PLAN
SCALE: 1" = 20'-0"




4 SOCCER FIELD AND BITUMINOUS CONC. PATH EDGE DETAIL
SCALE: 1" = 1'-0"



3 SOCCER FIELD @ TOPSOIL EDGE DETAIL
SCALE: 1" = 1'-0"



6 SOCCER FIELD BLEACHER AREA LAYOUT PLAN
SCALE: 1/8" = 1'-0"



5 SOCCER FIELD LAYOUT PLAN
SCALE: 1" = 20'-0"

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Disho, Erlson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
435 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 8/31/05
JOB 0244.01
DRAWN TAH/AKB
SCALE AS NOTED

SOCCER FIELD LAYOUT AND DRAINAGE PLAN

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT


STRUCTURAL:
Disolve-Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840


FOOD SERVICE:
McGrath Associates
250 Elm St.
Newberry, MA



1 FOOTBALL FIELD CROSS-SECTION
SCALE: 1" = 10'-0"



2 FOOTBALL FIELD CROSS-SECTION
SCALE: 1" = 10'-0"



3 FOOTBALL FIELD CROSS-SECTION
SCALE: 1" = 10'-0"

ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044


**Jeter
Cook &
Jepson**
Architects, Inc.

480 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.


P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN TAH
SCALE AS NOTED


FOOTBALL FIELD
CROSS SECTIONS




1 SOCCER FIELD CROSS-SECTION
SCALE: 1" = 10'-0"




2 SOCCER FIELD CROSS-SECTION
SCALE: 1" = 10'-0"



3 SOCCER FIELD CROSS-SECTION
SCALE: 1" = 10'-0"



4 SOCCER FIELD CROSS-SECTION
SCALE: 1" = 10'-0"



5 SOCCER FIELD CROSS-SECTION
SCALE: 1" = 10'-0"

REVISIONS:

CONSULTANTS:
SITE/CIVIL :
 Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT
STRUCTURAL :
 Disalvo Ericson Group
 38-C Grove
 Ridgefield, CT
MECHANICAL :
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840
FOOD SERVICE :
 McGrath Associates
 280 Elm St.
 Newberry, MA

**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
 018-0044

**Jeter
 Cook &
 Jepson**
 Architects, Inc.
 400 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jenson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE 5/31/05
 JOB 0244-01
 DRAWN TAH
 SCALE AS NOTED

SOCCER FIELD
 CROSS SECTIONS

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Diablo Ericson Group
35-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT


STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 5/31/05
JOB 0244.01
DRAWN MUSCO LIGHTING
SCALE AS NOTED

SPORTS FIELD AND PARKING LOT LIGHTING DETAILS



FEATURES:


- Pre-constructed wire harness with kulum grips and quick connect plugs for ease of connection in the field. (Harnesses wrapped in mylar casing and a protective sleeve for abrasion resistance.)
- All steel crossarms and poles are hot dipped galvanized.
- All electrical enclosures are powder coated aluminum.
- All threaded fasteners, hinges, and latches are stainless steel.
- Pole top assembly w/factory wiring and aiming (complete welded assembly).
- Jacking bracket design allows for easy use of "Come-A-Longs" for installation.
- Included with each project are: Base installation wedges, One offset installation level, One installation lifting rod.

OPTIONAL FEATURES:

- Additional couplings and handholes for: Speakers, Security Lights, Other attachments.

BASE BID: FOUR (4) NEW POLES AND FOUNDATIONS, SC-2 / LEVEL 8 LIGHTS, WIRING AND ELECTRICAL EQUIPMENT AS REQUIRED FOR ELECTRICAL SERVICE TO PROVIDE LIGHT LEVELS TO 35 FOOTCANDLES ON THE SOCCERFIELD, HOCKEY/LACROSSE FIELD TO ACCOMMODATE SOCCER AND FIELD HOCKEY NIGHT PLAY.

1 BASE BID: SOCCER/LACROSSE FIELD LIGHT STRUCTURES - POLE LOCATIONS P1, P2, P3 AND P4
SCALE: N.T.S.



FEATURES:


- Pre-constructed wire harness with kulum grips and quick connect plugs for ease of connection in the field. (Harnesses wrapped in mylar casing and a protective sleeve for abrasion resistance.)
- All steel crossarms and poles are hot dipped galvanized.
- All electrical enclosures are powder coated aluminum.
- All threaded fasteners, hinges, and latches are stainless steel.
- Pole top assembly w/factory wiring and aiming (complete welded assembly).
- Jacking bracket design allows for easy use of "Come-A-Longs" for installation.
- Included with each project are: Base installation wedges, One offset installation level, One installation lifting rod.

OPTIONAL FEATURES:

- Additional couplings and handholes for: Speakers, Security Lights, Other attachments.

ALTERNATE #4: REMOVE LIGHTING FROM EXISTING WOOD POLES (6 TOTAL). REFINISH WITH MUSCO SC-2 TECHNOLOGY. REMOVE EXISTING WOOD POLES AND REPAIR PAVEMENT. INSTALL FOUR (4) NEW GALVANIZED STEEL POLES AND FOUNDATIONS, WIRING AND ADDITIONAL ELECTRICAL EQUIPMENT TO NEW POLES AS REQUIRED FOR ELECTRICAL SERVICE. REINSTALL REFINISHED LIGHTING ON NEW POLES. RESULTING LIGHT LEVELS TO BE MINIMUM 35 FOOTCANDLES.

5 ALTERNATE NO. #4: FOOTBALL FIELD AND TRACK LIGHT STRUCTURES - POLE LOCATIONS P5, P6, P7 AND P8
SCALE: N.T.S.



FEATURES:


- Pre-constructed wire harness with kulum grips and quick connect plugs for ease of connection in the field. (Harnesses wrapped in mylar casing and a protective sleeve for abrasion resistance.)
- All steel crossarms and poles are hot dipped galvanized.
- All electrical enclosures are powder coated aluminum.
- All threaded fasteners, hinges, and latches are stainless steel.
- Pole top assembly w/factory wiring and aiming (complete welded assembly).
- Jacking bracket design allows for easy use of "Come-A-Longs" for installation.
- Included with each project are: Base installation wedges, One offset installation level, One installation lifting rod.

OPTIONAL FEATURES:

- Additional couplings and handholes for: Speakers, Security Lights, Other attachments.

ALTERNATE #5: ADD ADDITIONAL SC-2 / LEVEL 8 LIGHTS, HEAVIER DUTY POLES AND FOUNDATIONS, WIRING AND ADDITIONAL ELECTRICAL EQUIPMENT AS REQUIRED FOR ELECTRICAL SERVICE TO INCREASE LIGHT LEVELS TO 50 FOOTCANDLES ON THE SOCCERFIELD, HOCKEY/LACROSSE FIELD TO ACCOMMODATE LACROSSE NIGHT PLAY.

6 ALTERNATE NO. #5: SOCCER / LACROSSE FIELD LIGHT STRUCTURES - POLE LOCATIONS P1, P2, P3 AND P4
SCALE: N.T.S.



MUSCO SOCCER FIELD LIGHT EQUIPMENT SCHEDULE

POLE COUNT	POLE LOCATION	MOUNT HEIGHT	POLE SIZE	ELEV.	FIXTURES /POLE	KILOW UNIT
1	P1	70'	70"	0'	11	X
1	P2	70'	70"	0'	11	X
1	P3	70'	70"	0'	11	X
1	P4	70'	70"	0'	11	X

NOTES:


- BALLAST SHALL BE PER MANUFACTURER.
- CONTRACTOR SHALL CONFIRM EXACT LIGHTING POLES AND FIXTURES WITH MANUFACTURER BEFORE ORDERING.
- SPORTS FIELD LIGHTING DESIGN BY MUSCO LIGHTING. NOTE MUSCO LIGHTING COPYRIGHT BELOW. VOLLMER ASSOCIATES LLC TAKES NO RESPONSIBILITY FOR THE DESIGN OF THE SPORTS FIELD LIGHTING SYSTEM AS SHOWN HEREIN.

MUSCO Lighting
COPYRIGHT © MUSCO LIGHTING, INC. 1980, 1994.
Not to be reproduced in whole or part without written consent of Musco Lighting, Inc.

Pole Location	# Fixtures per Pole	Base Weight	Hole Diameter	Backfill Quantity	Serial Depth	Dressed Pole Weight*
P1	11	3780	30"	1.8yds	14"	6231
P2	11	3780	30"	1.8yds	14"	6231
P3	11	3780	30"	1.8yds	14"	6231
P4	11	3780	30"	1.8yds	14"	6231

*Weight of steel pole and fixtures.


2 BASE BID: SOCCER FIELD LIGHT POLE CONCRETE FOOTING
SCALE: N.T.S.



NOTE:

- ALL LIGHT POLES SHALL BE PROVIDED WITH A NEW GROUND ROD IF ONE DOES NOT CURRENTLY EXIST.

3 PARKING LOT LIGHT POLE AND LUMINAIRE
SCALE: 1/2" = 1'-0"



4 PARKING LOT LIGHT POLE FOUNDATION
SCALE: 1/2" = 1'-0"

REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
Diolivo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

BID ALTERNATE LEGEND	
NUMBER	BD ALTERNATE DESCRIPTION
M1	THE CONTRACTOR IS REQUESTED TO PROVIDE AN ADD ALTERNATE PRICE RELATED TO AIR CONDITIONING SELECTED PORTIONS OF THE NEW BUILDING ADDITION. THE PRICE INCLUDES ALL WORK RELATED TO THE FOLLOWING: • FURNISHING AND INSTALLING OUTDOOR ROOF-MOUNTED COMPRESSOR CONDENSING UNITS (CCU) INTENDED TO SERVE THEIR RESPECTIVE OUTDOOR ROOF-MOUNTED CENTRAL STATION AIR HANDLING UNIT. • PROVIDE THE RESPECTIVE DIRECT EXPANSION COOLING COIL (SPACE FOR FUTURE INSTALLATION OF DX COOLING COIL IS PART OF THE BASE JOB) • REFRIGERANT PIPING AND SUPPORTS • ELECTRICAL POWER WIRING • AUTOMATIC TEMPERATURE CONTROLS RELATED TO MECHANICAL COOLING • ROOF MOUNTING RAILS WITH VIBRATION ISOLATION • ROOFING WORK RELATED TO THE RESPECTIVE COIL • CONDENSATE DRAIN PIPING • STRUCTURAL STEEL SUPPORTS RELATED TO THE RESPECTIVE COIL • START-UP, TESTING, BALANCING AND TRAINING RELATED TO THE MECHANICAL COOLING COMPONENTS • SHOP DRAWINGS RELATED TO THE ABOVE COMPONENTS REFER TO PLANS AND SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.
M2	THE CONTRACTOR IS REQUESTED TO PROVIDE AN ADD ALTERNATE PRICE RELATED TO AIR CONDITIONING SELECTED PORTIONS OF THE EXISTING BUILDING. THE PRICE SHALL INCLUDE ALL WORK RELATED TO THE FOLLOWING: • FURNISHING AND INSTALLING OUTDOOR ROOF-MOUNTED COMPRESSOR CONDENSING UNITS (CCU) INTENDED TO SERVE THEIR RESPECTIVE NOOK CLASSROOM UNIT VENTILATORS (NCV) • PROVIDE THE RESPECTIVE DIRECT EXPANSION EVAPORATOR COIL (SPACE IN THE CEILING FOR FUTURE COOLING IS PART OF THE BASE JOB) • REFRIGERANT PIPING AND SUPPORTS • ELECTRICAL POWER WIRING • AUTOMATIC TEMPERATURE CONTROLS RELATED TO MECHANICAL COOLING • OUTDOOR CONCRETE HOUSEKEEPING PAD • CONDENSATE DRAIN PIPING WALL PENETRATIONS AND OUTLET FITTING WITH INSECT SCREEN • START-UP, TESTING, BALANCING, TRAINING AND ADJUSTING RELATED TO MECHANICAL COOLING COMPONENTS • SHOP DRAWINGS RELATED TO THE ABOVE COMPONENTS REFER TO PLANS AND SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.
M3	THE CONTRACTOR IS REQUESTED TO PROVIDE AN ADD ALTERNATE PRICE RELATED TO NOOPIING/REFRIGERATING/REBALANCING ALL EXISTING AIR HANDLING EQUIPMENT SCHEDULED TO REMAIN IN SERVICE INCLUDING SUPPLY, EXHAUST AND RETURN PANS, TO PROVIDE VENTILATION FOR EVERY OCCUPIED SPACE, AS REQUIRED BY APPLICABLE CODES. REFER TO PLANS AND SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.
M4	THE CONTRACTOR IS REQUESTED TO PROVIDE AN ADD ALTERNATE PRICE RELATED TO REFRIGERATING EXISTING ROOF-MOUNTED EXHAUST FANS, WHICH ARE SCHEDULED TO REMAIN IN SERVICE. REFER TO PLANS AND SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS.

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jenson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 9244.01
DRAWN _____
SCALE _____


MECHANICAL SITE UTILITIES PLAN

MSU1.0.1




REVISIONS:

CONSULTANTS:
SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT
STRUCTURAL:
 Disalvo Ericson Group
 38-C Grove
 Ridgefield, CT
MECHANICAL:
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840
FOOD SERVICE:
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915




MAIN LEVEL - AREAS 4, 5, 6, 7 & 8
 SCALE 1/8" = 1'-0"



CAFETERIA FAN ROOM PART PLAN
 SCALE 1/8" = 1'-0"

- M3 ADD ALTERNATE M3**
REFURBISH EXISTING AHUS
 REFURBISH EXISTING AHU. REFER TO DRAWINGS, SPECIFICATIONS, SCHEDULES, DETAILS AND SEQUENCES OF CONTROL FOR ADDITIONAL INFORMATION.
 THE WORK ASSOCIATED WITH THE AHU SHALL INCLUDE ALL LABOR, MATERIALS AND ACCESSORIES REQUIRED TO:
 • FIELD MEASURE RESPECTIVE COMPONENTS TO INSURE PROPER FIT AND PERFORMANCE.
 • REPLACE FAN WHEEL.
 • REPLACE FAN WHEEL BEARINGS.
 • BALANCE FAN WHEEL.
 • REPLACE BELTS.
 • REPLACE FILTER RACK AND FILTERS.
 • REPLACE PREHEAT AND BYPASS COILS.
 • INSTALL NEW CUSTOM FACE AND BYPASS DAMPER ON PREHEAT COIL (AS REQUIRED).
 • CONSTRUCT CUSTOM EXTERNAL BYPASS TO ACCOMMODATE FACE AND BYPASS DAMPERS (AS REQUIRED).
 • REPLACE FAN MOTOR AND STARTER.
 • REPLACE THERMOSTATS AND GAUGES.
 • REPLACE FRESH AIR INTAKE, RETURN AND EXHAUST DAMPERS.
 • REPLACE DAMPER LINAGE.
 • REPLACE MOTOR OPERATORS.
 • REPLACE ALL CONTROL VALVES, STEAM TRAPS AND CONTROLS WITH NEW DOC ELECTRONIC CONTROLS.
 • UPGRADE TO DOC AUTOMATIC TEMPERATURE CONTROLS.
 • PROVIDE INTERFACE TO CENTRAL DOC MICROPROCESSOR BASED AUTOMATIC TEMPERATURE CONTROL SYSTEM COMPUTER BUILDING MANAGEMENT SYSTEM.
 • THOROUGHLY VACUUM CLEAN UNIT.
 • ADJUST AIR DAMPERS PER CODE.
 • REFER TO REMOTE SENSING INDICATING & CONTROL FUNCTIONS DIAGRAM FOR REMOTE CONTROL FUNCTIONS.

- M4 ADD ALTERNATE M4**
REFURBISH EXISTING EXHAUST FANS
 THE WORK ASSOCIATED WITH THE EXHAUST FAN SHALL INCLUDE ALL LABOR, MATERIALS AND ACCESSORIES REQUIRED TO:
 • FIELD MEASURE RESPECTIVE COMPONENTS TO INSURE PROPER FIT AND PERFORMANCE.
 • REBALANCE FAN WHEEL.
 • REPLACE FAN WHEEL BEARINGS.
 • REPLACE BELTS.
 • REPLACE EXISTING DAMPER.
 • PROVIDE NEW MOTOR OPERATED DAMPER, LINAGE AND MOTOR OPERATOR.
 • REPLACE FAN MOTOR AND STARTER.
 • ALL NEW MOTORS SHALL BE PREMIUM EFFICIENCY MOTORS.
 • PROVIDE INTERFACE TO CENTRAL DOC MICROPROCESSOR BASED AUTOMATIC TEMPERATURE CONTROL SYSTEM COMPUTER BUILDING MANAGEMENT SYSTEM.
 • REFER TO REMOTE SENSING INDICATING & CONTROL FUNCTIONS DIAGRAM FOR REMOTE CONTROL FUNCTIONS.



KEY PLAN

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.
 455 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE May 31, 2005
 JOB 0244.01
 DRAWN _____
 SCALE _____

MAIN LEVEL AREAS 4, 5, 6, 7 & 8 DEMOLITION AND REFURBISHMENT PLAN

M2.2.0-2D

REVISIONS:

CONSULTANTS:

SITE / CIVIL :
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL :
 Disalvo Ericson Group
 35-C Grove
 Ridgefield, CT

MECHANICAL :
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE :
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044


**Jeter
 Cook &
 Jepson**
 Architects, Inc.
 480 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____


ISSUE May 31, 2005
 JOB 0244-01
 DRAWN _____
 SCALE _____

UPPER LEVEL
 AREA 4
 DEMOLITION AND
 REFURBISHMENT PLAN

M2.3.4D



UPPER LEVEL - AREA 4
 SCALE 1/8" = 1'-0"



UPPER LEVEL KEY PLAN

CONSULTANTS:
SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT
STRUCTURAL:
 Disbrow Erickson Group
 38-C Grove
 Ridgefield, CT
MECHANICAL:
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840
FOOD SERVICE:
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
 © 2005 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE May 31, 2005
 JOB 0244.01
 DRAWN _____
 SCALE _____


LOWER LEVEL
 AREA 4
 NEW CONSTRUCTION

M2.14




LOWER LEVEL - AREA 4
 SCALE: 1/8" = 1'-0"

INDOOR UNIT NOTE:
 FREESTANDING SPLIT SYSTEM DUCTLESS AIR
 CONDITIONING UNIT, MODEL MA2C
 COOLING CAPACITY: 20000/28000 BTUH
 AIR FLOW: 140 CFM
 POWER SOURCE: 208V/1 PH/50HZ
 MINIMUM CAPACITY: 96AMPS
 MAX. TO FRESH-AIR BREAKER: 25 AMPS
 REFRIGERATION LINES
 LIQUID OD: 5/8"
 SUCTION OD: 5/8"
 FACTORY PRE-CHARGE: 25PT
 MAX. LINE LENGTH: 30FT
 MAX. HEIGHT DIFFERENCE: 35FT




KEY PLAN



LOWER LEVEL - AREA 6

SCALE: 1/8" = 1'-0"



KEY PLAN

REVISIONS:

CONSULTANTS:

SITE / CIVIL :
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL :
 DiSalvo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL :
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE :
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
 018-0044

**Jeter
 Cook &
 Jepson**
 Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
 © 2005 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____


ISSUE May 31, 2005
 JOB 0244.01
 DRAWN _____
 SCALE _____

LOWER LEVEL
 AREA 6
 NEW CONSTRUCTION

M2.16



LOWER LEVEL - AREA 7
SCALE: 1/8" = 1'-0"



LOWER LEVEL KEY PLAN

REVISIONS:	

CONSULTANTS:

SITE / CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Disolve Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.



450 Church Street Hartford, Connecticut 06103
© 2000 Jeter Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____


ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

LOWER LEVEL
AREA 7
NEW CONSTRUCTION

M2.17



PUMP HOUSE PLAN
SCALE: 1/8" = 1'-0"



PUMP HOUSE ROOF PLAN
SCALE: 1/8" = 1'-0"

MAIN LEVEL - AREA 1
SCALE: 1/8" = 1'-0"

MAIN LEVEL KEY PLAN

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Dischvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2005 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____


MAIN LEVEL
AREA 1
NEW CONSTRUCTION

M2.2.1



MAIN LEVEL - AREA 2
SCALE: 1/8" = 1'-0"

MEZZ. LEVEL - PROJECTION BOOTH
SCALE: 1/8" = 1'-0"



MAIN LEVEL KEY PLAN

REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
Disalvo Ericson Group
38-C Grove
Ridgfield, CT

MECHANICAL :
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044


**Jeter
Cook &
Jepson**
Architects, Inc.
450 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____


ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

MAIN LEVEL
AREA 2
NEW CONSTRUCTION

M2.2.2



MAIN LEVEL - AREA 3
SCALE: 1/8" = 1'-0"



REVISIONS:	

CONSULTANTS:
SITE / CIVIL :
 Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT
STRUCTURAL :
 Disipio Ericson Group
 38-C Grove
 Ridgefield, CT
MECHANICAL :
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840
FOOD SERVICE :
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

Jeter Cook & Jepson Architects, Inc.




450 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE May 31, 2005
 JOB 0244.01
 DRAWN _____
 SCALE _____

MAIN LEVEL
 AREA 3
 NEW CONSTRUCTION

M2.2.3



KITCHEN AND CAFETERIA - SEQUENCE OF CONTROL AND AIR FLOW DIAGRAM
 SCALE: 1/8" = 1'-0"

FAN DAMPER STATUS DURING OCCUPIED CYCLE
 DURING THE OCCUPIED CYCLE (TIMES PERIODS DETERMINED BY THE OWNER) THE 3 SUPPLY FANS AND GENERAL EXHAUST FAN SHALL START AND RUN CONTINUOUSLY. ALL MOTOR OPERATED DAMPERS SHALL OPEN TO MAXIMUM OUTSIDE AIR POSITION.

AHU-9 AND AHU-10
HEATING CYCLE
 WHEN THE OUTSIDE AIR TEMPERATURE IS GREATER THAN 33 DEG. F.
PRE-HEAT COIL
 DURING THE HEATING CYCLE, THE TEMPERATURE CONTROLLER SHALL ACT UPON THE MODULATING HEATING COIL CONTROL VALVE, ON DEMAND, TO MAINTAIN LEAVING AIR TEMPERATURE AT SET-POINT, 55 DEG. F.

HEATING CYCLE
 WHEN THE OUTSIDE AIR TEMPERATURE IS LESS THAN OR EQUAL TO 33 DEG. F.
PRE-HEAT COIL
 THE OUTSIDE AIR TEMPERATURE SENSOR SHALL OVERRIDE AND OPEN THE HEATING COIL CONTROL VALVE FULLY.
FACE AND BY-PASS
 WHEN OVER RIDDEN BY THE OUTSIDE AIR SENSOR, THE DUCT MOUNTED AIR TEMPERATURE CONTROLLER SHALL MODULATE THE FACE AND BY-PASS DAMPERS, ON DEMAND, TO MAINTAIN THE LEAVING AIR TEMPERATURE AT SET-POINT, 55 DEG. F.

EXISTING MULTI-ZONE (ONCE REBURNISHED) HEATING CYCLE
 WHEN THE OUTSIDE AIR TEMPERATURE IS GREATER THAN 33 DEG. F.
PRE-HEAT COIL
 DURING THE HEATING CYCLE, THE TEMPERATURE CONTROLLER SHALL ACT UPON THE MODULATING HEATING COIL CONTROL VALVE, ON DEMAND, TO MAINTAIN LEAVING AIR TEMPERATURE AT SET-POINT, 55 DEG. F.

HEATING CYCLE
 WHEN THE OUTSIDE AIR TEMPERATURE IS LESS THAN OR EQUAL TO 33 DEG. F.
PRE-HEAT COIL
 THE OUTSIDE AIR TEMPERATURE SENSOR SHALL OVERRIDE AND OPEN THE HEATING COIL CONTROL VALVE FULLY.
FACE AND BY-PASS
 WHEN OVER RIDDEN BY THE OUTSIDE AIR SENSOR, THE DUCT MOUNTED AIR TEMPERATURE CONTROLLER SHALL MODULATE THE FACE AND BY-PASS DAMPERS, ON DEMAND, TO MAINTAIN THE LEAVING AIR TEMPERATURE AT SET-POINT, 55 DEG. F.

GENERAL EXHAUST FAN (S-A-C) PRESSURE DIFFERENTIAL CONTROLLER AND VARIABLE FREQUENCY DRIVE
 DURING THE OCCUPIED CYCLE, THE GENERAL EXHAUST FAN SHALL START AND RUN CONTINUOUSLY. ALL MOTOR OPERATED DAMPERS SHALL OPEN FULLY DURING THE OCCUPIED CYCLE.
NEW KITCHEN HOOD EXHAUST
 EACH RESPECTIVE KITCHEN EXHAUST HOOD EXHAUST FAN SHALL BE STARTED AND STOPPED MANUALLY BY KITCHEN OPERATING PERSONNEL. REFER TO THE SPECIFICATIONS, DETAILS, AND SCHEDULES FOR ADDITIONAL REQUIREMENTS, INCLUDING AUTOMATIC FIRE EXTINGUISHING AND RELATED SAFETY CONTROLS.


ECONOMIZER OPERATION
 SUPPLY AIR TEMPERATURE RESET
 THE SYSTEM SHALL BE EQUIPPED WITH AN ECONOMIZER CYCLE, THE ECONOMIZER CYCLE SHALL HAVE THE CAPABILITY TO AUTOMATICALLY RESET SUPPLY AIR TEMPERATURE INITIAL SET-POINT 55 DEG. F. INVERSELY WITH OUTSIDE AIR TEMPERATURE.
FREE COOLING USING OUTSIDE AIR
 THE AUTOMATIC TEMPERATURE CONTROL SYSTEM SHALL BE EQUIPPED TO PROVIDE FREE COOLING WHEN THE OUTSIDE AIR TEMPERATURE PRESENTS BY MODULATING THE OUTSIDE AIR RETURN AIR AND EXHAUST AIR DAMPERS IN SEQUENCE WITH THE COOLING COIL CONTROL, ON DEMAND, TO MAINTAIN ROOM TEMPERATURE SET-POINT.
FREEZE PROTECTION
 THE FREEZE PROTECTION TEMPERATURE SENSOR SHALL, UPON SENSING A POTENTIAL FREEZE CONDITION, CLOSE THE OUTSIDE AIR DAMPER, STOP THE SUPPLY FAN FULLY, OPEN THE HEATING COIL CONTROL VALVE, AND ENERGIZE LOCAL PANEL, NOTIFIED AUDIBLE AND VISUAL ALARMS AND REMOTELY LOCATED CENTRAL DDC ELECTRONIC MICROPROCESSOR BASED ATC SYSTEM COMPUTER, AND/OR VISUAL ALARMS. NOTIFICATION SHALL BE PROVIDED TO THE OPERATOR AND/OR THE MAINTENANCE PERSONNEL.

CHANGE OVER INTERFACE
 AN OUTSIDE AIR CHANGE-OVER TEMPERATURE SENSOR SHALL AUTOMATICALLY REVERSE SYSTEM OPERATIONS FROM HEATING TO COOLING AND VISA VERSA.
 DURING THE HEATING CYCLE, THE SUPPLY AND RETURN FAN SHALL STOP, THE OUTSIDE AIR TEMPERATURE IS GREATER THAN 55 DEG. F. SYSTEM OPERATOR SHALL BE NOTIFIED WHEN OUTSIDE AIR TEMPERATURE IS LESS THAN OR EQUAL TO 55 DEG. F. SYSTEM OPERATORS SHALL BE NOTIFIED TO HEATING.

SMOKE DETECTION
 REFER TO THE ELECTRICAL CONSTRUCTION DOCUMENTS FOR ADDITIONAL REQUIREMENTS.
 ALL WIRING AND DEVICES SHALL BE PROVIDED AND INSTALLED UNDER DIVISION 16 ELECTRICAL, EXCEPT AS OTHERWISE NOTED.
SECURITY
 IN THE EVENT A DUCT SMOKE DETECTOR SENSING THE PRODUCTS OF COMBUSTION, THE SUPPLY AND RETURN FAN SHALL STOP, THE OUTSIDE AIR RETURN AIR DAMPER SHALL CLOSE, AND LOCAL AUDIBLE AND VISUAL ALARMS SHALL BE ENERGIZED.
 IN ADDITION, AN ALARM SHALL BE ENERGIZED IN THE MAIN BUILDING CENTRAL FIRE ALARM CONTROL PANEL, REFER TO DIVISION 16 FOR ADDITIONAL REQUIREMENTS.

FILTER PRESSURE DIFFERENTIAL ALARM
 WHEN THE PRESSURE ACROSS THE FILTERS EXCEEDS SET-POINT, INITIAL SETPOINT 0.15 INCH AQUEOUS VAPOR ALARM SHALL BE ENERGIZED AT THE DDC ATC SYSTEM COMPUTER, NOTIFICATION SHALL BE FILTER PRESSURE DIFFERENTIAL EXCESS SET-POINT.
IN OCCUPIED CYCLE
 DURING THE OCCUPIED CYCLE (TIMES PERIODS DETERMINED BY THE OWNER) THE AUTOMATIC TEMPERATURE CONTROL AND SAFETY CONTROLS SHALL REMAIN ENERGIZED. THE SYSTEM SHALL BE NOTIFIED TO THE RESPECTIVE SETBACK TEMPERATURE SENSER - 55 DEG. F. THE FAN SHALL STOP AND ALL DAMPERS SHALL BE CLOSED.
 ALL PREHEAT AND REHEAT COIL CONTROL VALVES - SERVING THE AHU - SHALL REMAIN FULLY OPEN AS A PRECAUTION TO AVOID A POTENTIAL FREEZE CONDITION.
 ON A CALL FOR HEAT FROM THE ROOM TEMPERATURE SENSOR, THE SUPPLY FAN SHALL START AND THE RESPECTIVE TEMPERATURE CONTROL VALVE AND (OR) BARBERCOAD FUTURE RADIATION CONTROL VALVES SHALL MODULATE - IN PARALLEL, ON DEMAND, TO MAINTAIN ROOM TEMPERATURE SET-POINT. THE FAN SHALL STOP AND ALL DAMPERS SHALL CLOSE ONCE SETBACK TEMPERATURE SETPOINT HAS BEEN REACHED.

IN OCCUPIED CYCLE
 DURING THE OCCUPIED CYCLE (TIMES PERIODS DETERMINED BY THE OWNER) THE AUTOMATIC TEMPERATURE CONTROL AND SAFETY CONTROLS SHALL REMAIN ENERGIZED. THE SYSTEM SHALL BE NOTIFIED TO THE RESPECTIVE SETBACK TEMPERATURE SENSER - 55 DEG. F. THE FAN SHALL STOP AND ALL DAMPERS SHALL BE CLOSED.
 ALL PREHEAT AND REHEAT COIL CONTROL VALVES - SERVING THE AHU - SHALL REMAIN FULLY OPEN AS A PRECAUTION TO AVOID A POTENTIAL FREEZE CONDITION.
 ON A CALL FOR HEAT FROM THE ROOM TEMPERATURE SENSOR, THE SUPPLY FAN SHALL START AND THE RESPECTIVE TEMPERATURE CONTROL VALVE AND (OR) BARBERCOAD FUTURE RADIATION CONTROL VALVES SHALL MODULATE - IN PARALLEL, ON DEMAND, TO MAINTAIN ROOM TEMPERATURE SET-POINT. THE FAN SHALL STOP AND ALL DAMPERS SHALL CLOSE ONCE SETBACK TEMPERATURE SETPOINT HAS BEEN REACHED.



REVISIONS:

CONSULTANTS:

SITE/CIVIL :
 Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL :
 Disolvo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL :
 Lawrence Mechanical, P.C.
 280 Elm St. CT 06840
 New Canaan,

FOOD SERVICE :
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044


Jeter Cook & Jepson
 Architects, Inc.
 450 Church Street Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE May 31, 2005
 JOB 0244.01
 DRAWN _____
 SCALE _____

MAIN LEVEL
 AREA 5
 NEW CONSTRUCTION

M2.25



- REVISIONS:
- | | |
|--|--|
| | |
| | |
| | |
| | |
| | |
- CONSULTANTS:
- SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hartford, CT
- STRUCTURAL:
Disalvo Ericson Group
38-C Grove
Ridgefield, CT
- MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840
- FOOD SERVICE:
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

NOTE:
THE CONTRACTOR SHALL REMOVE ALL COMBUSTIBLE MATERIAL FROM ABOVE THE CEILINGS IN THE NEW LIBRARY AND NEW GUIDANCE AREAS WHERE VAV BOXES ARE LOCATED.

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____



AREA 6
MAIN LEVEL
NEW CONSTRUCTION

M2.2.6

MAIN LEVEL - AREA 6
SCALE 1/8" = 1'-0"


MAIN LEVEL KEY PLAN

UPPER LEVEL STAIR PART PLAN
SCALE 1/8" = 1'-0"



NOTE:
THE CONTRACTOR SHALL REMOVE ALL COMBUSTIBLE MATERIAL FROM ABOVE THE CEILING IN THE NEW LIBRARY AND NEW GUIDANCE AREAS WHERE VAV BOXES ARE LOCATED.

MAIN LEVEL - AREA 7
SCALE 1/8" = 1'-0"



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Disalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO
BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

Jeter Cook & Jepson
Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2009 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

MAIN LEVEL
AREA 7
NEW CONSTRUCTION

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Diablo Ericson Group
39-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.



450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.


P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____


MAIN LEVEL
AREA 8
NEW CONSTRUCTION

M2.2.8





UPPER LEVEL - AREA 4
 SCALE: 1/8" = 1'-0"
 FOR REPAIR/REPLACE WORK IN THIS AREA REFER TO
 DETAIL AND REPAIRMENT PLAN.



UPPER LEVEL KEY PLAN

REVISIONS:

CONSULTANTS:

SITE / CIVIL :
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT


STRUCTURAL :
 Digalyo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL :
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE :
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

**ALTERATIONS AND ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
 018-0044



450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE: May 31, 2005
 JOB: 0244.01
 DRAWN: _____
 SCALE: _____

UPPER LEVEL
 AREA 4
 NEW CONSTRUCTION

M2.3.4

REVISIONS:

CONSULTANTS:

SITE / CIVIL :
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
Disalvo Ericson Group
38-0 Grove
Ridgfield, CT

MECHANICAL :
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGroth Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.


450 Church Street, Merford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____



PARTIAL ROOF PLAN
AREAS 4, 5, 6, 7 & 8

M2.4.0-2





ROOF PLAN - AREAS 4, 5, 6, 7 & 8
SCALE 1/8" = 1'-0"


- M4 ADD ALTERNATE M4
REFURBISH EXISTING EXHAUST FANS
- THE WORK ASSOCIATED WITH THE EXHAUST FAN SHALL INCLUDE ALL LABOR, MATERIALS AND ACCESSORIES REQUIRED TO:
- FIELD MEASURE RESPECTIVE COMPONENTS TO INSURE PROPER FIT AND PERFORMANCE.
 - REBALANCE FAN WHEEL.
 - REPLACE FAN WHEEL BEARINGS.
 - REPLACE BELTS.
 - REPLACE EXISTING DAMPER.
 - PROVIDE NEW MOTOR OPERATED DAMPER, LINKAGE AND MOTOR OPERATOR.
 - REPLACE FAN MOTOR AND STARTER.
 - ALL NEW MOTORS SHALL BE PREMIUM EFFICIENCY MOTORS.
 - PROVIDE INTERFACE TO CENTRAL DDC MICROPROCESSOR BASED AUTOMATIC TEMPERATURE CONTROL SYSTEM COMPUTER BUILDING MANAGEMENT SYSTEM.
 - REFER TO REMOTE SENSING, INDICATING & CONTROL FUNCTIONS DIAGRAM FOR REMOTE CONTROL FUNCTIONS.



MAIN LEVEL KEY PLAN
PUMP HOUSE




UPPER LEVEL
SCALE: 1/32" = 1'-0"




PARTIAL DEMOLITION PLAN - AREA 4 SCALE: 1/8" = 1'-0"


NOTE:
THE PLUMBING CONTRACTOR SHALL REMOVE EXISTING PLUMBING FIXTURES AND ALL APPURTENANCES THEREOF. THE WORK INCLUDES CUTTING, CAPPING AND SECURING IN STRICT ACCORDANCE WITH THE PLUMBING CODE, SANITARY, VENT, COLD WATER, HOT WATER, HOT WATER REGRIC AND GAS PIPING.



MAIN LEVEL
SCALE: 1/32" = 1'-0"



LOWER LEVEL
SCALE: 1/32" = 1'-0"



EXISTING SEWAGE SECTION TO BE REMOVED. REFER TO ADD'L WATERWATER P.L.S.
FOR ADDITIONAL DEMOLITION WORK IN THIS AREA, REFER TO MICROSCOPE DEMOLITION PART PLAN ON CIVIL P.L.S. 8

NOTE
HATCH PATTERN INDICATES LOCATIONS WHERE PLUMBING DEMOLITION WORK IS REQUIRED. THE WORK INCLUDES THE REMOVAL OF EXISTING PLUMBING FIXTURES AND ALL APPURTENANCES THEREOF, INCLUDING SANITARY, WASTE, VENT, HOT AND COLD WATER PIPING, AND GAS PIPING (WHERE APPLICABLE), AS REQUIRED TO ACCOMMODATE THE PROPOSED RENOVATIONS.

THE WORK ALSO INCLUDES COORDINATING WITH REPRESENTATIVES OF THE OWNER TO SCHEDULE THE INTERRUPTION OF LIVE SERVICES, CUTTING CAPPING AND SECURING OF EXISTING PIPING, SHUTTING EACH RESPECTIVE LIVE SERVICE, DRAINING THE SYSTEM, AND THE DISPOSAL OF WASTE WATER AND ALL OTHER DEBRIS.

REFER TO PLUMBING KEY PLAN AND TOILET ROOM DETAILS P3.0.1 & P3.0.2 FOR ADDITIONAL DEMOLITION WORK.

IN ADDITION REFER TO THE ARCHITECTURAL DEMOLITION DRAWINGS WHICH ALSO INCLUDE PLUMBING DEMOLITION WORK.

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Diego Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McCrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

PLUMBING DEMOLITION GENERAL LOCATION PLAN

P1.0.1



(N) NUMERAL INDICATES APPROXIMATE LOCATION OF TOILET ROOMS WHERE PLUMBING WORK IS REQUIRED. REFER TO 'TOILET ROOM DETAILS' LOCATED ON DRAWINGS P3.0.1 & P3.0.2

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
 Vulmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL:
 DiSalvo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL:
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044


Jeter Cook & Jepson
 Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.


P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE May 31, 2005
 JOB 0244.01
 DRAWN _____
 SCALE _____

PLUMBING KEY PLAN FOR NEW & EXISTING TOILET ROOMS



UNDERGROUND DEMOLITION PART PLAN
SCALE: 1/8" = 1'-0"




UNDERGROUND PLUMBING PLAN - AREA 6
SCALE: 1/8" = 1'-0"

CAUTION:

- THE EXACT SIZE, LOCATION & DEPTH OF EXISTING FOOTINGS AND FOUNDATION WALLS ARE CONCEALED FROM VIEW AND ARE UNDOCUMENTED.
- THE CONTRACTORS MUST USE EXTRAORDINARY CARE WHEN INSTALLING EXISTING FOOTINGS IN ORDER TO AVOID UNDERMINING EXISTING FOOTINGS AND FOUNDATION WALLS.

P11 ADD ALTERNATE P-1 REMOVE EXISTING SANITARY SEWAGE EJECTOR

- THE EXISTING SANITARY SOL LINE WHICH DRAINS INTO THE SEWAGE EJECTOR IS CONCEALED FROM VIEW. THE EXACT LOCATION AND ELEVATION ARE UNDOCUMENTED.
- THE PLUMBING CONTRACTOR SHALL PERFORM EXPLORATORY EXCAVATION USING EXTRAORDINARY CARE IN ORDER TO AVOID UNDERMINING FOOTINGS AND FOUNDATIONS TO DETERMINE THE EXACT LOCATION AND ELEVATION OF THE EXISTING UNDERGROUND SANITARY LINES.
- ONCE THE ELEVATION AND LOCATION OF EXISTING UNDERGROUND SANITARY LINES HAVE BEEN DETERMINED, THE PLUMBING CONTRACTOR SHALL SET THE ELEVATION OF THE NEW SANITARY HOUSE DRAIN AT A SUFFICIENT DEPTH TO INSURE THAT EXISTING UNDERGROUND SANITARY LINES (WHICH BEFORE DRAINED INTO THE SEWAGE EJECTOR) WILL AFTERWARDS FLOW INTO THE NEW SANITARY HOUSE DRAIN UNDER THE FORCE OF GRAVITY.



REVISIONS:

CONSULTANTS:

SITE / CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
DiSalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2008
JOB 0244.01
DRAWN _____
SCALE _____

AREA 6 UNDERGROUND PLUMBING PLAN

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT


STRUCTURAL:
 Disolvo Ericson Group
 38-C Greve
 Ridgefield, CT

MECHANICAL:
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915



UNDERGROUND PLUMBING PLAN - AREA 7
 SCALE: 1/8" = 1'-0"



KEY PLAN

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
 018-0044

**Jeter
 Cook &
 Jepson**
 Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
 © 2005 Jeter, Cook & Jepson Architects, Inc.

P.C.	_____
P.M.	_____
D.P.	_____
J.C.	_____

ISSUE	May 31, 2005
JOB	0244.01
DRAWN	_____
SCALE	_____

**AREA 7
 UNDERGROUND
 PLUMBING PLAN**

P2.07

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Disolve Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____


ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

LOWER LEVEL
AREA 4
NEW CONSTRUCTION

P2.14



LOWER LEVEL - AREA 4
SCALE: 1/8" = 1'-0"



LOWER LEVEL KEY PLAN

REVISIONS:

CONSULTANTS:
SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT


STRUCTURAL:
 Disalvo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL:
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
 018-0044




450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.	
P.M.	
D.P.	
J.C.	


ISSUE May 31, 2005
 JOB 0244.01
 DRAWN
 SCALE

LOWER LEVEL
 AREA 6
 NEW CONSTRUCTION


P21.6




LOWER LEVEL - AREA 6
 SCALE: 1/8" = 1'-0"



Handwritten notes and scribbles on the left margin.



LOWER LEVEL - AREA 7
SCALE: 1/8" = 1'-0"



REVISIONS:

CONSULTANTS:

SITE / CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
Disolve Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT


STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
450 Church Street Hartford, Connecticut 06103
© 2000 Jeter Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

AREA 7
LOWER LEVEL
NEW CONSTRUCTION



MAIN LEVEL - AREA 1
SCALE: 1/8" = 1'-0"

NOTE-1:
PLUMBING FIXTURE HATCH PATTERN INDICATES LOCATIONS WHERE NEW PLUMBING FIXTURES WILL BE INSTALLED AND EXISTING FIXTURES ARE TO BE REMOVED. THE WORK INCLUDES THE TOTAL RENOVATION OF THE RESPECTIVE TOILET ROOM.

THE PLUMBING CONTRACTOR SHALL MODIFY THE EXISTING PLUMBING INCLUDING SANITARY, WASTE, VENT, AND HOT AND COLD WATER PIPING AS REQUIRED TO ACCOMMODATE THE RENOVATIONS.

THE WORK INCLUDES PROVIDING NEW PLUMBING FIXTURES AND TRIM INCLUDING VALVES, SUPPLIES, FLUSH VALVES, TRAPS, FAUCETS, AND ESCUTCHEONS. REFER TO SPECIFICATIONS AND SCHEDULES FOR ADDITIONAL REQUIREMENTS.

THE WORK ALSO INCLUDES: COORDINATING WITH AUTHORIZED REPRESENTATIVES OF THE OWNER TO SCHEDULE THE INTERRUPTION OF LIVE SERVICES, CUTTING CAPPING AND SECURING OF EXISTING PIPING SHUTTING EACH RESPECTIVE LIVE SERVICE, DRAINING THE SYSTEM, AND THE DISPOSAL OF WASTE WATER AND OTHER DEBRIS.

IF SAN HOUSE TRAP WITH 2" FSI REINFORCED CONCRETE PIT AND CONTINUOUSLY WELDED RIGID STEEL TRAP WITH HINGED COVER. PROVIDE STEEL ANCHORS, HOT DIPPED GALVANIZED FRUSH APPLIED AFTER FINAL ASSEMBLY. WATERPROOF SLEEVE, TYPICAL.

NEW 4" INCH SANITARY. CONNECT TO EXISTING HANGHOLE. HANGHOLE A MINIMUM OF 6" O.D. OF COVER FOR FROST PROTECTION. REFER TO SITE PLANS.

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Disalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

MAIN LEVEL
AREA 1
NEW CONSTRUCTION

P2.21



NOTE-1:
 PLUMBING FIXTURE HATCH PATTERN INDICATES LOCATIONS WHERE NEW PLUMBING FIXTURES WILL BE INSTALLED AND EXISTING FIXTURES ARE TO BE REMOVED. THE WORK INCLUDES THE TOTAL RENOVATION OF THE RESPECTIVE TOILET ROOM.

THE PLUMBING CONTRACTOR SHALL MODIFY THE EXISTING PLUMBING, INCLUDING SANITARY, WASTE, VENT, AND HOT AND COLD WATER PIPING AS REQUIRED TO ACCOMMODATE THE RENOVATIONS.

THE WORK INCLUDES PROVIDING NEW PLUMBING FIXTURES AND TRIM INCLUDING VALVES, SUPPLIES, FLUSH VALVES, TRAPS, FAUCETS, AND ESCUTCHEONS. REFER TO SPECIFICATIONS AND SCHEDULES FOR ADDITIONAL REQUIREMENTS.

THE WORK ALSO INCLUDES; COORDINATING WITH AUTHORIZED REPRESENTATIVES OF THE OWNER TO SCHEDULE THE INTERRUPTION OF LIVE SERVICES, CUTTING CAPPING AND SECURING OF EXISTING PIPING, SHUTTING EACH RESPECTIVE LIVE SERVICE, DRAINING THE SYSTEM, AND THE DISPOSAL OF WASTE WATER AND OTHER DEBRIS.

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL:
 Disolve Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL:
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE May 31, 2005
 JOB 0244.01
 DRAWN _____
 SCALE _____

MAIN LEVEL
 AREA 2
 NEW CONSTRUCTION

P2.2.2

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT


STRUCTURAL:
Disalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGroth Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915



MAIN LEVEL - AREA 3
SCALE: 1/8" = 1'-0"



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT


STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____


MAIN LEVEL
AREA 3
NEW CONSTRUCTION



MAIN LEVEL - AREA 4

SCALE: 1/8" = 1'-0"

- NEW 8" S/W SANITARY UNDERGROUND
- EXTEND 10" OUTSIDE BUILDING MAINTAIN A MINIMUM OF 6" OF COVER FOR FROST PROTECTION
- MINIMUM 12" DIA.
- FOR CONNECTION REFER TO SITE/CIVIL DRAWINGS.



REVISIONS:	

CONSULTANTS:
 SITE/CIVIL: Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT
 STRUCTURAL: Disalvo Ericson Group
 38-C Grove
 Ridgefield, CT
 MECHANICAL: Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840
 FOOD SERVICE: McGrath Associates
 100 Gummings Center, Suite 216C
 Beverly, MA 01915

**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT


STATE PROJECT NO. 018-0044

Jeter Cook & Jepsen
 Architects, Inc.


450 Church Street Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepsen Architects, Inc.

P.C.	_____
P.M.	_____
D.P.	_____
J.C.	_____
ISSUE	May 31, 2005
JOB	0244.01
DRAWN	_____
SCALE	_____

**MAIN LEVEL
 AREA 4
 NEW CONSTRUCTION**



MAIN LEVEL - AREA 5
SCALE: 1/8" = 1'-0"



KEY PLAN

REVISIONS:

CONSULTANTS:

SITE / CIVIL :
Volmer Associates, LLP
2321 Whitney Ave.
Hartford, CT

STRUCTURAL :
Disalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**
BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

MAIN LEVEL
AREA 5
NEW CONSTRUCTION

P2.25

REVISIONS:

CONSULTANTS:

SITE/CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL :
Disalvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL :
Lawrence Mechanical, P.C.
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
McGrath Associates
100 Cummings Center, Suite 216C
Beverly, MA 01915

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE May 31, 2005
JOB 0244.01
DRAWN _____
SCALE _____

MAIN LEVEL
AREA 7
NEW CONSTRUCTION

P2.2.7



REVISIONS:

CONSULTANTS:

SITE/CIVIL :
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL :
 DiSalvo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL :
 Lawrence Mechanical, P.C.
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE :
 McGrath Associates
 100 Cummings Center, Suite 216C
 Beverly, MA 01915

**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044




**Jeter
 Cook &
 Jepson**
 Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.


P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE May 31, 2005
 JOB 0244.01
 DRAWN _____
 SCALE _____

**PLUMBING ROOF
 PLAN**



ROOF - KEY PLAN
1/8"



REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT

STRUCTURAL:
Disolvo Ericson Group
38-C Grove
Ridgefield, CT

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
McGrath Associates
280 Elm St.
Newbury, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
Jeter, Cook & Jepson Architects, Inc.

© 2006


P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN DM
SCALE AS NOTED

SITE ELECTRICAL PLAN

E11

'CALL BEFORE YOU DIG'
CONNECTICUT
1-800-922-4465
OR
WWW.CDPS.COM



SITE LIGHTING ONE LINE RISER ABBREVIATIONS

SF - SOCCER FIELD
 FF - FOOTBALL FIELD
 LC - LIGHTING CONTACTOR
 TS - TIME SWITCH
 PB - PULL BOX

SITE LIGHTING ONE LINE RISER
 SCALE: 1/8" = 1'-0"

BASE BID - P1/P2/P3/P4
 SEE C-16

POLE # LIGHTING CONTROLS BY OTHERS. FEEDER BY ELECTRICAL CONTRACTOR. PROVIDE COORDINATION WITH SPORTS LIGHTING VENDOR FOR PROPER FEEDER INSTALLATION.


ADD ALT. #4 - FOOTBALL FIELD AND TRACK LIGHT STRUCTURES. ADD LIGHTING TO P4. ADD POLES P5/P6/P7 REMOVE EXISTING POLES.

POLE # LIGHTING CONTROLS BY OTHERS. FEEDER BY ELECTRICAL CONTRACTOR. PROVIDE COORDINATION WITH SPORTS LIGHTING VENDOR FOR PROPER FEEDER INSTALLATION.

ADD ALT. #5 - INCREASE LIGHT LEVELS TO 80FC ON SOCCER/LACROSSE FIELD. ADD LIGHTING TO P1/P2/P3/P4

POLE # LIGHTING CONTROLS BY OTHERS. FEEDER BY ELECTRICAL CONTRACTOR. PROVIDE COORDINATION WITH SPORTS LIGHTING VENDOR FOR PROPER FEEDER INSTALLATION.

ELECTRICAL FEEDERS TO POLES REMAIN UNCHANGED FOR BASE BID & ADD ALT. #5. PROVIDE ADDED COST FOR FEEDS TO POLES P5/P6, & P7 IN ADD ALT. #4. P4 FEED IS SAME AS BASE BID.



PROTECTIVE BOLLARD DETAIL
 SCALE: 1/8" = 1'-0"

TYPICAL NOTE ALL BASES: EASE EDGE, STEEL, TROWEL FINISH TOP, REMOVE FORM, SMOOTH RUB EXPOSED SIDES.

SITE LIGHTING NOTES

- 1 EXISTING UTILITY COMPANY POLE WITH NEW R.G.S. RISERS AS PER UTILITY COMPANY REQUIREMENTS.
- 2 PRIMARY ELECTRIC CONDUITS, REFER TO ONE-LINE RISER FOR ADDITIONAL REQUIREMENTS.
- 3 UTILITY COMPANY PAD MOUNTED TRANSFORMER AS PER UTILITY COMPANY REQUIREMENTS.
- 4 SECONDARY ELECTRIC CONDUITS, REFER TO ONE-LINE RISER FOR ADDITIONAL REQUIREMENTS.
- 5 NOT USED
- 6 NOT USED
- 7 PROTECTIVE BOLLARD, TYPICAL.
- 8 (2) 4" 3850CKMIL, #500CKMIL, G. TO 3P, 225A BRANCH CIRCUIT BREAKER IN SWITCHBOARD DISTRIBUTION SECTION. (3) 4" CONDUITS COMMUNICATIONS, REFER TO ONE LINE RISER FOR ADDITIONAL REQUIREMENTS.
- 9 EXISTING UTILITY COMPANY POLE, REMOVE IN ITS ENTIRETY THE ELECTRIC SERVICE LATERALS AND CONDUIT RISERS ON POLE.
- 10 EXISTING UTILITY COMPANY POLE, REMOVE IN ITS ENTIRETY THE ELECTRIC SERVICE LATERALS AND CONDUIT RISERS ON POLE. THE TELCO SERVICES SHALL REMAIN.
- 11 LOCATION OF PUMP HOUSE, REFER TO ONE-LINE RISER FOR ADDITIONAL REQUIREMENTS.
- 12 EXISTING LIGHTING STANDARD, BASE AND ASSOCIATED BRANCH CIRCUIT WIRING, CONDUIT AND CONTROLS TO BE REMOVED; REPLACE IN EXISTING LOCATION.
- 13 1" 2#8, #8G, TO 1P, 20A CIRCUIT BREAKER IN PANEL SLP VIA SITE LIGHTING RELAYS, REFER TO ONE-LINE RISER FOR ADDITIONAL REQUIREMENTS.
- 14 1" 2#8, #8G, TYPICAL FOR THE ENTIRE BRANCH CIRCUIT LENGTH.
- 15 1" 2#4, #4G, TO 1P, 20A CIRCUIT BREAKER IN PANEL PP2 VIA SITE LIGHTING CONTACTOR, SFLC REFER TO ONE-LINE RISER FOR ADDITIONAL REQUIREMENTS.
- 16 1" 2#4, #4G, TYPICAL FOR THE ENTIRE BRANCH CIRCUIT LENGTH.
- 17 (1) 2 1/2" 3850CKMIL, #250CKMIL, G. TO 3P, 80A BRANCH CIRCUIT BREAKER IN PANEL PP2 VIA LIGHTING CONTACTOR, SFLC, LOCATED IN MAIN ELECTRIC ROOM, AND (1) 2 1/2" WITH NYLON PULL ROPE, SPARE.
- 18 (1) 2 1/2" 384/O, #4/O G. TO 3P, 80A BRANCH CIRCUIT BREAKER IN PANEL PP2 VIA LIGHTING CONTACTOR, SFLC, LOCATED IN MAIN ELECTRIC ROOM, AND (1) 2 1/2" WITH NYLON PULL ROPE, SPARE.
- 19 (1) 2 1/2" 383/O, #3/O G. TO 3P, 80A BRANCH CIRCUIT BREAKER IN PANEL PP2 VIA LIGHTING CONTACTOR, SFLC, LOCATED IN MAIN ELECTRIC ROOM, AND (1) 2 1/2" WITH NYLON PULL ROPE, SPARE.
- 20 (1) 2 1/2" 382/O, #2/O G. TO 3P, 80A BRANCH CIRCUIT BREAKER IN PANEL PP2 VIA LIGHTING CONTACTOR, SFLC, LOCATED IN MAIN ELECTRIC ROOM, AND (1) 2 1/2" WITH NYLON PULL ROPE, SPARE.
- 21 36"X60" 1P2' STYLE (STACKABLE) FLUSH TO GRADE, HEAVY-DUTY POLYMER CONCRETE PULL BOX WITH HEAVY-DUTY COVER, MANUFACTURED BY STRONGWELL-QUAZITE #PS-36CGBA30/PS-36CGHA-29, LABEL LIGHTING, COLOR SHALL BE FOREST GREEN.
- 22 (6) 2 1/2" CONDUITS, (6) 2 1/2" SPARES; REMAINDER CKTS PER ABOVE
- 23 (1) 2 1/2" 381/O, #1/O G. TO 3P, 80A BRANCH CIRCUIT BREAKER IN PANEL PP2 VIA LIGHTING CONTACTOR, SFLC, LOCATED IN MAIN ELECTRIC ROOM, AND (1) 2 1/2" WITH NYLON PULL ROPE, SPARE.
- 24 (6) 2 1/2" CONDUITS, 6 SPARES; REMAINDER CKTS PER ABOVE
- 25 48"X72" 1P2' STYLE (STACKABLE) FLUSH TO GRADE, HEAVY-DUTY POLYMER CONCRETE PULL BOX WITH HEAVY-DUTY COVER, MANUFACTURED BY STRONGWELL-QUAZITE #PS-48TGBA30/PS-48TGBHA-29, LABEL LIGHTING, COLOR SHALL BE FOREST GREEN.
- 26 (10) 4" CONDUITS FROM PULL BOX, PB-1 TO ATHLETIC FIELD WIRE REQUIREMENTS, CKTS PER ABOVE
- 27 ADD ALTERNATE #4 BID ITEM, SEE C-16
- 28 LIGHT STRUCTURE ELECTRICAL COMPONENTS ENCLOSURE, FURNISHED AND INSTALLED BY MUSCO LIGHTING, INC.
- 29 4" 4#600CKMIL, #2G, TO 3P, 400A CIRCUIT BREAKER IN MAIN SWITCHBOARD, SEE ONE LINE DIAGRAM.
- 30 12"X12"X60" LONG NEMA 1 WIREWAY.
- 31 4" 4#500CKMIL, #3G.
- 32 ATHLETIC FIELD LIGHTING CONTACTOR, FURNISHED BY MUSCO LIGHTING, INC.
- 33 TIME SWITCH TS-SL TORX #7200ZL SERIES (PARKING AND DRIVEWAY LIGHTING CONTROL) PC 'ON' / CLOCK 'OFF'
- 34 EXISTING LIGHT STRUCTURE TO BE REMOVED, RELOCATE (7) 150WATT LUMINAIRES TO PROPOSED P5 LIGHT STRUCTURE.
- 35 EXISTING LIGHT STRUCTURE TO BE REMOVED, RELOCATE (7) 150WATT LUMINAIRES TO PROPOSED P4 LIGHT STRUCTURE.
- 36 EXISTING LIGHT STRUCTURE TO BE REMOVED, RELOCATE (3) 150WATT LUMINAIRES TO PROPOSED P5 LIGHT STRUCTURE AND (3) 150WATT LUMINAIRES TO PROPOSED P4 LIGHT STRUCTURE.
- 37 EXISTING LIGHT STRUCTURE TO BE REMOVED, RELOCATE (7) 150WATT LUMINAIRES TO PROPOSED P6 LIGHT STRUCTURE.
- 38 EXISTING LIGHT STRUCTURE TO BE REMOVED, RELOCATE (7) 150WATT LUMINAIRES TO PROPOSED P7 LIGHT STRUCTURE.
- 39 EXISTING LIGHT STRUCTURE TO BE REMOVED, RELOCATE (3) 150WATT LUMINAIRES TO PROPOSED P6 LIGHT STRUCTURE AND (3) 150WATT LUMINAIRES TO PROPOSED P7 LIGHT STRUCTURE.
- 40 NOT USED
- 41 TIME SWITCH TS-SL TORX #7200ZL SERIES (ATHLETIC FIELDS)
- 42 NOT USED
- 43 NOT USED
- 44 4" EMPTY CONDUIT
- 45 TWO (2) 20HP DOMESTIC WATER PUMPS, 3-1/2" O.D. TYPICAL, 1200A-3P-250V DISC. SW. STAINLESS STEEL.
- 46 ADD ALT. #5 BID ITEM, SEE C-16

REVISIONS:

CONSULTANTS:

SITE / CIVIL :
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT

STRUCTURAL :
 Disalvo Ericson Group
 38-C Grove
 Ridgefield, CT

MECHANICAL :
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE :
 McGrath Associates
 289 Elm St.
 Newberry, MA

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.
 450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE 05/31/05
 JOB 0244.01
 DRAWN DM
 SCALE AS NOTED

SITE LIGHTING ONE LINE RISER NOTES AND DETAILS

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED EXCEPT SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN EXCEPT ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER CONTROL SWITCHES IS TO REMAIN ALSO VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF CIRCUIT RATING. TYPICAL ALL PLANS.
3. IN EXISTING AREAS EXISTING DEVICES INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN EXCEPT PER NOTE 1 ABOVE. IS TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADS TO BE NO MORE THAN 80% OF EXISTING CIRCUIT RATING.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
8. AT FUME HOODS, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE SWITCH BLOWER AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:

CONSULTANTS:

SITE / CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL :
Disalvo Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
Crobtree Mcgrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2006 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"


LOWER LEVEL
AREA 4
LIGHTING PLAN

E2.14L



LOWER LEVEL AREA 4 LIGHTING PLAN
SCALE 1/8"=1'-0"

* RECONNECT TO EXISTING SWITCH AND CIRCUIT LOCATIONS
VERIFY THE LOADS TO NO MORE THAN 80% OF RATING. TYPICAL.



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED. VERIFY SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL SWITCHES IS TO REMAIN. ALSO VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF COPD RATING. TYPICAL ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE KEPT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT TO BE SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN. NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADS TO BE NO MORE THAN 80% OF EXISTING COPD DEVICE RATING.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI/GROUND FAULT INTERRUPTER CIRCUIT BREAKERS. TYPICAL.
8. AT FUME HOODS, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 00V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Disalvo Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cobbtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113



LOWER LEVEL AREA 6 LIGHTING PLAN
SCALE 1/8"=1'-0"

KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.

400 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"


LOWER LEVEL
AREA 6
LIGHTING PLAN

E2.16L


GENERAL NOTES:
 1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EXCEPT SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 2. EXISTING DEVICES TO REMAIN EXCEPT AS NOTED ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL SWITCHING IS TO REMAIN ALSO VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
 3. IF EXISTING AREAS EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE, THESE DEVICES ARE NOT TO BE SHOWN ON THE PLANS.
 4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN EXCEPT PER NOTE 1 ABOVE IS TO BE BROKE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REVIEW.
 6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN 80% OCPD DEVICE RATING.
 7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI GROUND FAULT INTERRUPTER CIRCUIT BREAKERS. TYPICAL.
 8. AT FUME HOODS, TRY PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH, BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:

CONSULTANTS:
 SITE/CIVIL :
 Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510
 STRUCTURAL :
 Disolvo Ericson Group
 63 Cops Hill Road
 Ridgefield, CT 06877
 MECHANICAL :
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840
 FOOD SERVICE :
 Crohree McGroth Associates Inc.
 100 Cummings Center, Suite 216C
 Beverly, MA 01915-6113



LOWER LEVEL AREA 7 LIGHTING PLAN
 SCALE: 1/8" = 1'-0"



REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

**ALTERATIONS AND
 ADDITIONS TO
 BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
 018-0044

**Jeter
 Cook &
 Jepson**
 Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepsen Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE 05/31/05
 JOB 0244.01
 DRAWN MKD
 SCALE 1/8" = 1'-0"


LOWER LEVEL
 AREA 7
 LIGHTING PLAN

E2.17L



MAIN LEVEL AREA 1 LIGHTING PLAN
SCALE: 1/8"=1'-0"

- GENERAL NOTES:
1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, RE-REP. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 2. EXISTING DEVICES TO REMAIN 'EX' ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REWIRING PANELS. REASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
 3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
 4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN, 'EX'. NO WORK, EXCEPT PER NOTE 4 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
 6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADS TO BE NO MORE THAN 80% OF EXISTING OCPD DEVICE RATING.
 7. ALL RECEPTACLES IN PREP., BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
 8. AT FUME HOODS, THE PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FUSE, SWITCH, BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Disolve Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cobtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.

450 Church Street Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

MAIN LEVEL
AREA 1
LIGHTING PLAN

E2.2.1L

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Disalvo Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree Mcgroth Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.	
P.M.	
D.P.	
J.C.	

ISSUE	05/31/05
JOB	0244.01
DRAWN	MKD
SCALE	1/8"=1'-0"

MAIN LEVEL AREA 3 LIGHTING PLAN

E2.2.3L



GENERAL NOTES:

- THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, "EX-REP." SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
- EXISTING DEVICES TO REMAIN "EX" ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVERSE PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN BOX OF CORD RATING. TYPICAL ALL PLANS.
- IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
- AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN "EX". NO WORK EXCEPT PER NOTE 1 ABOVE IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
- THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
- THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADINGS TO BE NO MORE THAN BOX OF EXISTING CORD DEVICE RATING.
- ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
- AT FUME HOODS, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EX-REPT. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN EX-ARE TO BE LEFT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN BOX OR COPD RATING. TYPICAL ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN. EX. NO WORK EXCEPT PER NOTE 1 ABOVE IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN BOX OF EXISTING COPD DEVICE RATING.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
8. AT FUME HOODS, FRY, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FUTURE SWITCH BLOWER AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:


CONSULTANTS:

SITE / CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL :
Disalvo Ericson Group
63 Coppes Hill Road
Ridgefield, CT 06877

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

400 Church Street, Hartford, Connecticut 06103
© 2003 Jeter, Cook & Jepson Architects, Inc.

P.C.
P.M.
D.P.
J.C.

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

MAIN LEVEL
AREA 4
LIGHTING PLAN

E2.2.4L

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510


STRUCTURAL:
 Disalvo Ericson Group
 83 Capps Hill Road
 Ridgefield, CT 06877

MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 Crabtree McGrath Associates Inc.
 100 Cummings Center, Suite 216C
 Beverly, MA 01915-6113



- GENERAL NOTES:
- THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED "EX-REP". SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 - EXISTING DEVICES TO REMAIN "EX" ARE TO BE KEPT OPERATIONAL. CONNECTION TO PANELS/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR SERVED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
 - IN EXISTING AREAS EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
 - AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN "EX". NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 - THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
 - THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADS TO BE NO MORE THAN 80% OF EXISTING OCPD DEVICE RATING.
 - ALL RECEPTACLES IN PREP., BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
 - AT PUMP HOUSE, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.


P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE 05/31/05
 JOB 0244.01
 DRAWN MKD
 SCALE 1/8"=1'-0"

MAIN LEVEL AREA 5 LIGHTING PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

E2.2.5L



AREA 4
AREA 6

AREA 6
AREA 7

REVISIONS:


CONSULTANTS:

SITE / CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL :
Disalvo Ericson Group
63 Copus Hill Road
Ridgefield, CT 06877

MECHANICAL :
Lawrence Mechanical
290 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
Crabtree Mcgrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113



REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN _____
SCALE _____

MAIN LEVEL
AREA 6
LIGHTING PLAN

E2.2.6L

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, "EX-REP". SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN "EX" ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE KEPT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN "EX". NO WORK EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN 80 OCPD DEVICE RATING.
7. ALL RECEPTACLES IN PREP., BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI GROUND FAULT INTERRUPTER CIRCUIT BREAKERS. TYPICAL.
8. AT FUME HOODS, FFI, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:


CONSULTANTS:

SITE / CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510


STRUCTURAL :
Disalvo Ericson Group
63 Coppes Hill Road
Ridgefield, CT 06877

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
Coburne Mognath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113



MAIN LEVEL AREA 8 LIGHTING PLAN
SCALE: 1/8"=1'-0"



REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson Architects, Inc.

453 Church Street, Meriden, Connecticut 06460
© 2009 Jeter, Cook & Jepson Architects, Inc.


P.C. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

MAIN LEVEL
AREA 8
LIGHTING PLAN


E2.2.8L

AREA 3
AREA 4



UPPER LEVEL AREA 4 LIGHTING PLAN
SCALE 1/8"=1'-0"

RELOCATE EXISTING LIGHTING TO BE RELOCATED
PROTECT & REINSTALL ONTO REVERSED GYPSUM BOARD CEILING, TYPICAL. ALL TOILET ROOMS FIELD VERIFY # OF LUMINAIRE.
REVERSE EXISTING CIRCUITS.



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EX-REPL. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES, TYPICAL. ALL PLANS.
2. EXISTING DEVICES TO REMAIN 'EX' ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVERSED PANELS. REASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN BOX OR OCPD RATING, TYPICAL. ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN, 'EX'. NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADINGS TO BE NO MORE THAN 80% OCPD DEVICE RATING.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS, TYPICAL.
8. AT FINE HOODS, FRY, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES CONNECT TO 20A, 60V, GFI PROTECTED CIRCUIT, TYPICAL.

REVISIONS:

NO.	DATE	DESCRIPTION

CONSULTANTS:

- SITE / CIVIL :**
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510
- STRUCTURAL :**
Disolve Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877
- MECHANICAL :**
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840
- FOOD SERVICE :**
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-8113

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

UPPER LEVEL
AREA 4
LIGHTING PLAN

E2.3.4L

REVISIONS:

CONSULTANTS:


SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06516-3510

STRUCTURAL:
Disolve Ericson Group
63 Coppas Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840


FOOD SERVICE:
Cobbree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

- GENERAL NOTES:
1. THE EXISTING FIRE ALARM EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED "EX-NIP". SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 2. EXISTING DEVICES TO REMAIN "EX" ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
 3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
 4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN, "EX". NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
 6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADS TO BE NO MORE THAN 80% OF EXISTING OCPD DEVICE RATINGS.
 7. ALL RECEPTACLES IN PREP., BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
 8. AT FUME HOODS, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FUTURE SWITCH, BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 80V, GFI PROTECTED CIRCUIT. TYPICAL.



LOWER LEVEL AREA 4 POWER PLAN
SCALE: 1/8"=1'-0"

PROVIDE SCA/SP DISC. SW. WITH 20A/80V/4PC TO NEAREST PANEL WITH CAPACITY. FIELD VERIFY PROVIDE A 20A/80V GFI WATCH EXISTING. USE PER MANUFACTURER'S INSTRUCTIONS.



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

LOWER LEVEL AREA 4 POWER PLAN

E2.14P

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED "EX-REIF". SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN "EX" ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE KEPT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN. "EX" NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN 80% OF EXISTING OCPD DEVICE RATINGS.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
8. AT FUME HOODS, THE PROVIDE A DISCONNECT SWITCH AND WIRING TO ALIGHT FUTURE. SWITCH, BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 80V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:



CONSULTANTS:

SITE / CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave
Hamden, CT 06516-3510

STRUCTURAL :
Disolvo Ericson Group
83 Coppas Hill Road
Ridgefield, CT 06377

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
Croatree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113



REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.	
P.M.	
D.P.	
J.C.	

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

LOWER LEVEL
AREA 6
POWER PLAN

E2.16P

REVISIONS:

CONSULTANTS:


SITE / CIVIL :
 Volmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510

STRUCTURAL :
 Disalvo Ericson Group
 63 Cops Hill Road
 Ridgefield, CT 06877

MECHANICAL :
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840


FOOD SERVICE :
 Crabtree McGrath Associates Inc.
 100 Cummings Center, Suite 218C
 Beverly, MA 01915-6113

- GENERAL NOTES:
1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EX-KEP. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL. ALL PLANS.
 2. EXISTING DEVICES TO REMAIN EX-ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF CIRCUIT RATING. TYPICAL. ALL PLANS.
 3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT TO BE SHOWN ON THE PLANS.
 4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN EX- NO WORK EXCEPT PER NOTE 1 ABOVE IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT IMMEDIATELY FOR REMEDY.
 6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADINGS TO BE NO MORE THAN 80% OF EXISTING CIRCUIT RATING.
 7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
 8. AT FIRE HOOKS, TRY PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH, BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.



LOWER LEVEL AREA 7 POWER PLAN
 SCALE: 1/8" = 1'-0"

AREA 7
 AREA 6



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE 05/31/05
 JOB 0244-01
 DRAWN MKD
 SCALE 1/8" = 1'-0"

LOWER LEVEL
 AREA 7
 POWER PLAN

E2.17P

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vulmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Disalvo Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree Magoth Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL

BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


455 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.	
P.M.	
D.P.	
J.C.	

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

MAIN LEVEL
AREA 1
POWER PLAN

E2.2.1P




- GENERAL NOTES:
1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, "EX-REP". SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 2. EXISTING DEVICES TO REMAIN "EX" ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REWIRED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN BOX OR COPD RATING. TYPICAL ALL PLANS.
 3. IN EXISTING AREAS, EXISTING DEVICES INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE KEPT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
 4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN, "EX". NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
 6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADS TO BE NO MORE THAN BOX OR EXISTING COPD DEVICE RATING.
 7. ALL RECEPTACLES IN PREP., BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
 8. AT FUME HOODS, FRY, PROVIDE A DISCONNECT SWITCH AND WIRES TO A LIGHT FUTURE, SWITCH BLOWER AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.

ISLANDS REPLACE EXISTING MOTOR STARTERS & MOTOR CONNECTIONS. REPLACE/PROVIDE SMOKE DETECTORS AS SHOWN

MAIN LEVEL AREA 1 POWER PLAN
SCALE: 1/8"=1'-0"

KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES



- GENERAL NOTES:**
- THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EX-REP. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 - EXISTING DEVICES TO REMAIN EX-ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REWIND PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN BOX OF COPD RATING. TYPICAL ALL PLANS.
 - IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
 - AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN, EX. NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 - THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
 - THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADINGS TO BE NO MORE THAN BOX OF EXISTING CIRCUIT. TYPICAL.
 - ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
 - AT FUME HOODS, TP, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FUTURE SWITCH BLOWER AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO BOX, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
David Ericson Group
63 Coppins Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840


FOOD SERVICE:
Crottree Mograph Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.



REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8" = 1'-0"

MAIN LEVEL
AREA 2
POWER PLAN

E2.2.P

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510



STRUCTURAL:
 Disolve Ericson Group
 63 Copps Hill Road
 Ridgefield, CT 06877

MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840

FOOD SERVICE:
 Oxbree Mcgrath Associates Inc.
 100 Cummings Center, Suite 216C
 Beverly, MA 01915-6113

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED EX-RFP. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN EX-ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN BOX OF GOOD RATING. TYPICAL ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN, EX- NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO ENSURE IN THESE AREAS, EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE IS-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN BOX OF EXISTING OCP DEVICE RATING.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
8. AT FUME HOODS, FRY PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH, BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.



REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____

ISSUE 05/31/05
 JOB 0244.01
 DRAWN MKD
 SCALE 1/8"=1'-0"

MAIN LEVEL
 AREA 3
 POWER PLAN

E2.2.3P

- GENERAL NOTES:
- THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EX-REPI. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 - EXISTING DEVICES TO REMAIN EX ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REWIRE PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF CIRCUIT RATING. TYPICAL ALL PLANS.
 - IN EXISTING AREAS, EXISTING DEVICES INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
 - AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN EX. NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 - THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
 - THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADINGS TO BE NO MORE THAN EXISTING CIRCUIT RATING.
 - ALL RECEPTACLES IN PREP., BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS, TYPICAL.
 - AT FUME HOODS, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FUTURES, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES, CONNECT TO RAN, ISGF, GFI PROTECTED CIRCUIT, TYPICAL.

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Votter Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Disalvo Ericson Group
63 Copps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crostree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C.
P.M.
D.P.
J.C.

ISSUE 05/31/06
JOB 0244.01
DRAWN MKD
SCALE 1/8" = 1'-0"


MAIN LEVEL
AREA 4
POWER PLAN

E2.2.4P




MAIN LEVEL AREA 4 POWER PLAN
SCALE: 1/8"=1'-0"

AREA 4
AREA 5



CAFETERIA FAN ROOM PART PLAN
SCALE: 1/8"=1'-0"

MAIN LEVEL AREA 5 POWER PLAN
SCALE: 1/8"=1'-0"



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

GENERAL NOTES:
 1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EX-REP. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 2. EXISTING DEVICES TO REMAIN EX-ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
 3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
 4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN, EX-1. NO WORK EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
 6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN 80% OF EXISTING OCPD DEVICE RATING.
 7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
 8. AT FUME HOODS, THEY PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:

CONSULTANTS:
 SITE/CIVIL:
 Vollmer Associates, LLP
 2321 Whitney Ave.
 Hamden, CT 06518-3510
 STRUCTURAL:
 Dishco/ Ericson Group
 63 Copps Hill Road
 Ridgefield, CT 06877
 MECHANICAL:
 Lawrence Mechanical
 280 Elm St.
 New Canaan, CT 06840
 FOOD SERVICE:
 Crobbtree McGrath Associates Inc.
 100 Cummings Center, Suite 216C
 Beverly, MA 01915-0113


ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
 Architects, Inc.
 450 Church Street Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____
 ISSUE 05/31/05
 JOB 0244.01
 DRAWN MKD
 SCALE 1/8"=1'-0"
 MAIN LEVEL
 AREA 5
 POWER PLAN

E2.25P



ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
 BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044


Jeter Cook & Jepson
 Architects, Inc.
 450 Church Street, Hartford, Connecticut 06103
 © 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
 P.M. _____
 D.P. _____
 J.C. _____


ISSUE 05/31/05
 JOB 0244.01
 DRAWN MKD
 SCALE 1/8"=1'-0"

MAIN LEVEL
 AREA 6
 POWER PLAN

E2.2.6P



MAIN LEVEL AREA 7 POWER PLAN
SCALE: 1/8" = 1'-0"



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

- GENERAL NOTES:
1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EX-REP. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
 2. EXISTING DEVICES TO REMAIN EX-ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
 3. IN EXISTING AREAS, EXISTING DEVICES INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT TO BE REMOVED OR RELOCATED.
 4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN EX. NO WORK, EXCEPT PER NOTE 1 ABOVE, IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
 5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
 6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN 80% OCPD DEVICE RATING.
 7. ALL RECEPTACLES IN PREP., BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
 8. AT FUME HOODS, THE PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES CONNECT TO 20A, 250V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:

CONSULTANTS:

SITE / CIVIL :
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL :
Diablo Ericson Group
63 Copus Hill Road
Ridgefield, CT 06877

MECHANICAL :
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE :
Crottree Mcgroth Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8" = 1'-0"

MAIN LEVEL AREA 7 POWER PLAN

E2.2.7P

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, "E-RFP". SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN "E" ARE TO BE KEPT OPERATIONAL. CONNECTION TO PONES/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. REASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN, "E". NO WORK EXCEPT PER NOTE 1 ABOVE IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN 80 OCPD DEVICE RATING.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
8. AT FUME HOODS, FFI, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH, BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 00V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:

CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Disalvo Ericson Group
63 Capps Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
250 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**

BROOKFIELD, CONNECTICUT

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.


450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____


ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

UPPER LEVEL
AREA 4
POWER PLAN

E2.3.4P



UPPER LEVEL AREA 4 POWER PLAN
SCALE 1/8"=1'-0"



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

GENERAL NOTES

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED, EXCEPT SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPAIR SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN EXCEPT ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL/SWITCHING IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REWIRED PANELS. VERIFY CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF OCPD RATING. TYPICAL ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE LEFT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN EXCEPT PER NOTE 1 ABOVE. IS TO BE DONE IN THESE AREAS, EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THIS SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADING TO BE NO MORE THAN 80% OF OCPD DEVICE RATING.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS. TYPICAL.
8. AT FUME HOODS, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FILTER, SWITCH BLOCKER, AND BLOCKER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 120V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Vollmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510

STRUCTURAL:
Diavolo Ericson Group
63 Coops Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840


FOOD SERVICE:
Crabtree McGrath Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113



NOTE-1
REFRESH EXISTING EXHAUST FAN
THE WORK ASSOCIATED WITH THE EXHAUST FAN SHALL INCLUDE ALL LABOR MATERIALS AND ACCESSORIES REQUIRED TO:

- FIELD MEASURE EXISTING CONDITIONS
- REPLACE FAN MOTOR AND STARTER
- REPLACE SAFETY DISCONNECT SWITCH
- ALL NEW MOTORS SHALL BE PREMIUM EFFICIENCY MOTORS

PARTIAL ROOF PLAN - AREAS 1,2,3,4
SCALE 1/8"=1'-0"



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

ALTERATIONS AND ADDITIONS TO BROOKFIELD HIGH SCHOOL
BROOKFIELD, CONNECTICUT

STATE PROJECT NO. 018-0044

Jeter Cook & Jepson
Architects, Inc.

450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8"=1'-0"

PARTIAL ROOF PLAN AREAS 1,2,3,4

E2.4.0-1P

GENERAL NOTES:

1. THE EXISTING FIRE ALARM, EMERGENCY LIGHTING AND EXITS ARE TO BE REPLACED. EX-REF. SEE THE FLOOR PLANS FOR THE NUMBER AND PLACEMENT OF THE REPLACED SYSTEM DEVICES. TYPICAL ALL PLANS.
2. EXISTING DEVICES TO REMAIN EY ARE TO BE KEPT OPERATIONAL. CONNECTION TO POWER/CONTROL CIRCUITS IS TO REMAIN ALSO. VERIFY CONNECTION TO EXISTING PANELS AND/OR REVISED PANELS. MEASURE CURRENT ON THE SUPPLY CIRCUIT TO BE CERTAIN THAT LOAD IS NO MORE THAN 80% OF CIRCUIT TYPICAL ALL PLANS.
3. IN EXISTING AREAS, EXISTING DEVICES, INCLUDING BUT NOT LIMITED TO RECEPTACLES ARE TO BE KEPT FUNCTIONING IN PLACE UNLESS NOTED OTHERWISE. THESE DEVICES ARE NOT ALL SHOWN ON THE PLANS.
4. AREAS WITH NO ADDITIONAL WORK SHOWN ARE TO BE CONSIDERED AS EXISTING TO REMAIN. EY. NO WORK EXCEPT PER NOTE 1 ABOVE IS TO BE DONE IN THESE AREAS. EXISTING AREAS ARE TO BE KEPT FULLY OPERATIONAL.
5. THIS PROJECT INVOLVES AN ADDITION AND A PARTIAL RENOVATION OF THE EXISTING BUILDING. THE CONTRACTOR IS CAUTIONED THAT ANY OBSERVED CODE VIOLATIONS IN THE EXISTING INFRASTRUCTURE MUST BE REPORTED TO THE ARCHITECT/ENGINEER FOR REMEDY.
6. THE SYMBOL IS USED TO DESIGNATE RE-CONNECTION TO EXISTING CIRCUITS. VERIFY THE LOADINGS TO BE NO MORE THAN 80% OF CIRCUIT RATING.
7. ALL RECEPTACLES IN PREP, BIOLOGY, CHEMISTRY, EARTH SCIENCES, AND PHYSICS CLASSROOMS SHALL BE PROTECTED BY GFI (GROUND FAULT INTERRUPTER) CIRCUIT BREAKERS TYPICAL.
8. AT FUME HOODS, PROVIDE A DISCONNECT SWITCH AND WIRING TO A LIGHT FIXTURE, SWITCH BLOWER, AND BLOWER SWITCH AND TWO (2) ELECTRICAL RECEPTACLES. CONNECT TO 20A, 00V, GFI PROTECTED CIRCUIT. TYPICAL.

REVISIONS:


CONSULTANTS:

SITE/CIVIL:
Volmer Associates, LLP
2321 Whitney Ave.
Hamden, CT 06518-3510



STRUCTURAL:
Dialo Ericson Group
63 Cops Hill Road
Ridgefield, CT 06877

MECHANICAL:
Lawrence Mechanical
280 Elm St.
New Canaan, CT 06840

FOOD SERVICE:
Cobtree McGroth Associates Inc.
100 Cummings Center, Suite 216C
Beverly, MA 01915-6113



PARTIAL ROOF PLAN - AREAS 5,6,7,8
SCALE: 1/8" = 1'-0"



KEY PLAN

REFER TO DWG. E-1.0 FOR LEGEND AND NOTES

STATE PROJECT NO.
018-0044

**Jeter
Cook &
Jepson**
Architects, Inc.
450 Church Street, Hartford, Connecticut 06103
© 2000 Jeter, Cook & Jepson Architects, Inc.

P.C. _____
P.M. _____
D.P. _____
J.C. _____

ISSUE 05/31/05
JOB 0244.01
DRAWN MKD
SCALE 1/8" = 1'-0"

PARTIAL ROOF PLAN
AREAS 5,6,7,8

E2.4.0-2P

**ALTERATIONS AND
ADDITIONS TO
BROOKFIELD HIGH SCHOOL**
BROOKFIELD, CONNECTICUT